

DEX-0287

EB

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number  
WO 02/068633 A2(51) International Patent Classification<sup>7</sup>: C12N 15/09,  
C12Q 1/68, G01N 33/574, C07K 14/47(US). LIU, Chenghua [CN/US]; 1125 Ranchero Way, #14,  
San Jose, CA 95117 (US).

(21) International Application Number: PCT/US01/43612

(74) Agents: LICATA, Jane, Massey et al.; Licata & Tyrrell  
P.C., 66 E. Main Street, Marlton, NJ 08053 (US).

(22) International Filing Date:

21 November 2001 (21.11.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/252,500 22 November 2000 (22.11.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,  
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,  
ZW.(63) Related by continuation (CON) or continuation-in-part  
(CIP) to earlier application:US 60/252,500 (CIP)  
Filed on 22 November 2000 (22.11.2000)(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,  
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent  
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,  
NE, SN, TD, TG).(71) Applicant (*for all designated States except US*): DI-  
ADEXUS, INC. [US/US]; 343 Oyster Point Boulevard,  
South San Francisco, CA 94080 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): MACINA, Roberto,  
A. [AR/US]; 4118 Crescendo Avenue, San Jose, CA 95136  
(US). RECIPON, Herve [FR/US]; 85 Fortuna Avenue,  
San Francisco, CA 94115 (US). CHEN, Sei-Yu [—/US];  
160 Mira Street, Foster City, CA 94404 (US). SUN, Yong-  
ming [CN/US]; 551 Shoal Drive, Redwood City, CA 94065

Published:

— without international search report and to be republished  
upon receipt of that reportFor two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

WO 02/068633 A2

(54) Title: COMPOSITIONS AND METHODS RELATING TO LUNG SPECIFIC GENES AND PROTEINS

(57) Abstract: The present invention relates to newly identified nucleic acids and polypeptides present in normal and neoplastic lung cells, including fragments, variants and derivatives of the nucleic acids and polypeptides. The present invention also relates to antibodies to the polypeptides of the invention, as well as agonists and antagonists of the polypeptides of the invention. The invention also relates to compositions comprising the nucleic acids, polypeptides, antibodies, variants, derivatives, agonists and antagonists of the invention and methods for the use of these compositions. These uses include identifying, diagnosing, monitoring, staging, imaging and treating lung cancer and non-cancerous disease states in lung, identifying lung tissue, monitoring and identifying and/or designing and antagonists of polypeptide of the invention. The uses also include gene therapy, production of transgenic animals and cells, and production of engineered lung tissue for treatment and research.

## COMPOSITIONS AND METHODS RELATING TO LUNG SPECIFIC GENES AND PROTEINS

This application claims the benefit of priority from U.S. Provisional Application  
5 Serial No. 60/252,500 filed November 22, 2000, which is herein incorporated by  
reference in its entirety.

### FIELD OF THE INVENTION

The present invention relates to newly identified nucleic acid molecules and  
10 polypeptides present in normal and neoplastic lung cells, including fragments, variants  
and derivatives of the nucleic acids and polypeptides. The present invention also relates  
to antibodies to the polypeptides of the invention, as well as agonists and antagonists of  
the polypeptides of the invention. The invention also relates to compositions comprising  
the nucleic acids, polypeptides, antibodies, variants, derivatives, agonists and antagonists  
15 of the invention and methods for the use of these compositions. These uses include  
identifying, diagnosing, monitoring, staging, imaging and treating lung cancer and non-  
cancerous disease states in lung, identifying lung tissue and monitoring and identifying  
and/or designing agonists and antagonists of polypeptides of the invention. The uses also  
include gene therapy, production of transgenic animals and cells, and production of  
20 engineered lung tissue for treatment and research.

### BACKGROUND OF THE INVENTION

Throughout the last hundred years, the incidence of lung cancer has steadily  
increased, so much so that now in many countries, it is the most common cancer. In fact,  
lung cancer is the second most prevalent type of cancer for both men and women in the  
25 United States and is the most common cause of cancer death in both sexes. Lung cancer  
deaths have increased ten-fold in both men and women since 1930, primarily due to an  
increase in cigarette smoking, but also due to an increased exposure to arsenic, asbestos,  
chromates, chloromethyl ethers, nickel, polycyclic aromatic hydrocarbons and other  
agents. See Scott, Lung Cancer: A Guide to Diagnosis and Treatment, Addicus Books  
30 (2000) and Alberg *et al.*, in Kane *et al.* (eds.) Biology of Lung Cancer, pp. 11-52, Marcel  
Dekker, Inc. (1998). Lung cancer may result from a primary tumor originating in the

-2-

lung or a secondary tumor which has spread from another organ such as the bowel or breast. Although there are over a dozen types of lung cancer, over 90% fall into two categories: small cell lung cancer (SCLC) and non-small cell lung cancer (NSCLC). *See* Scott, *supra*. About 20-25% of all lung cancers are characterized as SCLC, while 70-  
5 80% are diagnosed as NSCLC. *Id.* A rare type of lung cancer is mesothelioma, which is generally caused by exposure to asbestos, and which affects the pleura of the lung. Lung cancer is usually diagnosed or screened for by chest x-ray, CAT scans, PET scans, or by sputum cytology. A diagnosis of lung cancer is usually confirmed by biopsy of the tissue. *Id.*

10 SCLC tumors are highly metastatic and grow quickly. By the time a patient has been diagnosed with SCLC, the cancer has usually already spread to other parts of the body, including lymph nodes, adrenals, liver, bone, brain and bone marrow. *See* Scott, *supra*; Van Houtte *et al.* (eds.), Progress and Perspective in the Treatment of Lung Cancer, Springer-Verlag (1999). Because the disease has usually spread to such an  
15 extent that surgery is not an option, the current treatment of choice is chemotherapy plus chest irradiation. *See* Van Houtte, *supra*. The stage of disease is a principal predictor of long-term survival. Less than 5% of patients with extensive disease that has spread beyond one lung and surrounding lymph nodes, live longer than two years. *Id.* However, the probability of five-year survival is three to four times higher if the disease  
20 is diagnosed and treated when it is still in a limited stage, i.e., not having spread beyond one lung. *Id.*

NSCLC is generally divided into three types: squamous cell carcinoma, adenocarcinoma and large cell carcinoma. Both squamous cell cancer and adenocarcinoma develop from the cells that line the airways; however, adenocarcinoma  
25 develops from the goblet cells that produce mucus. Large cell lung cancer has been thus named because the cells look large and rounded when viewed microscopically, and generally are considered relatively undifferentiated. *See* Yesner, Atlas of Lung Cancer, Lippincott-Raven (1998).

Secondary lung cancer is a cancer initiated elsewhere in the body that has spread  
30 to the lungs. Cancers that metastasize to the lung include, but are not limited to, breast cancer, melanoma, colon cancer and Hodgkin's lymphoma. Treatment for secondary lung cancer may depend upon the source of the original cancer. In other words, a lung

-3-

cancer that originated from breast cancer may be more responsive to breast cancer treatments and a lung cancer that originated from the colon cancer may be more responsive to colon cancer treatments.

The stage of a cancer indicates how far it has spread and is an important indicator of the prognosis. In addition, staging is important because treatment is often decided according to the stage of a cancer. SCLC is divided into two stages: limited disease, *i.e.*, cancer that can only be seen in one lung and in nearby lymph nodes; and extensive disease, *i.e.*, cancer that has spread outside the lung to the chest or to other parts of the body. For most patients with SCLC, the disease has already progressed to lymph nodes or elsewhere in the body at the time of diagnosis. *See* Scott, *supra*. Even if spreading is not apparent on the scans, it is likely that some cancer cells may have spread away and traveled through the bloodstream or lymph system. In general, chemotherapy with or without radiotherapy is often the preferred treatment. The initial scans and tests done at first will be used later to see how well a patient is responding to treatment.

In contrast, non-small cell cancer may be divided into four stages. Stage I is highly localized cancer with no cancer in the lymph nodes. Stage II cancer has spread to the lymph nodes at the top of the affected lung. Stage III cancer has spread near to where the cancer started. This can be to the chest wall, the covering of the lung (pleura), the middle of the chest (mediastinum) or other lymph nodes. Stage IV cancer has spread to another part of the body. Stage I-III cancer is usually treated with surgery, with or without chemotherapy. Stage IV cancer is usually treated with chemotherapy and/or palliative care.

A number of chromosomal and genetic abnormalities have been observed in lung cancer. In NSCLC, chromosomal aberrations have been described on 3p, 9p, 11p, 15p and 17p, and chromosomal deletions have been seen on chromosomes 7, 11, 13 and 19. *See* Skarin (ed.), Multimodality Treatment of Lung Cancer, Marcel Dekker, Inc. (2000); Gemmill *et al.*, pp. 465-502, in Kane, *supra*; Bailey-Wilson *et al.*, pp. 53-98, in Kane, *supra*. Chromosomal abnormalities have been described on 1p, 3p, 5q, 6q, 8q, 13q and 17p in SCLC. *Id.* The loss of the short arm of chromosome 3p has also been seen in greater than 90% of SCLC tumors and approximately 50% of NSCLC tumors. *Id.*

A number of oncogenes and tumor suppressor genes have been implicated in lung cancer. *See* Mabry, pp. 391-412, in Kane, *supra* and Sclafani *et al.*, pp. 295-316, in



Kane, *supra*. In both SCLC and NSCLC, the p53 tumor suppressor gene is mutated in over 50% of lung cancers. See Yesner, *supra*. Another tumor suppressor gene, FHIT, which is found on chromosome 3p, is mutated by tobacco smoke. *Id.*; Skarin, *supra*. In addition, more than 95% of SCLCs and approximately 20-60% of NSCLCs have an  
5 absent or abnormal retinoblastoma (Rb) protein, another tumor suppressor gene. The *ras* oncogene (particularly K-*ras*) is mutated in 20-30% of NSCLC specimens and the *c-erbB2* oncogene is expressed in 18% of stage 2 NSCLC and 60% of stage 4 NSCLC specimens. See Van Houtte, *supra*. Other tumor suppressor genes that are found in a region of chromosome 9, specifically in the region of 9p21, are deleted in many cancer  
10 cells, including p16<sup>INK4A</sup> and p15<sup>INK4B</sup>. See Bailey-Wilson, *supra*; Sclafani *et al.*, *supra*. These tumor suppressor genes may also be implicated in lung cancer pathogenesis.

In addition, many lung cancer cells produce growth factors that may act in an autocrine fashion on lung cancer cells. See Siegfried *et al.*, pp. 317-336, in Kane, *supra*; Moody, pp. 337-370, in Kane, *supra* and Heasley *et al.*, 371-390, in Kane, *supra*. In  
15 SCLC, many tumor cells produce gastrin-releasing peptide (GRP), which is a proliferative growth factor for these cells. See Skarin, *supra*. Many NSCLC tumors express epidermal growth factor (EGF) receptors, allowing NSCLC cells to proliferate in response to EGF. Insulin-like growth factor (IGF-I) is elevated in greater than 95% of SCLC and greater than 80% of NSCLC tumors; it is thought to function as an autocrine  
20 growth factor. *Id.* Finally, stem cell factor (SCF, also known as steel factor or kit ligand) and c-Kit (a proto-oncoprotein tyrosine kinase receptor for SCF) are both expressed at high levels in SCLC, and thus may form an autocrine loop that increases proliferation.  
*Id.*

Although the majority of lung cancer cases are attributable to cigarette smoking,  
25 most smokers do not develop lung cancer. Epidemiological evidence has suggested that susceptibility to lung cancer may be inherited in a Mendelian fashion, and thus have an inherited genetic component. Bailey-Wilson, *supra*. Thus, it is thought that certain allelic variants at some genetic loci may affect susceptibility to lung cancer. *Id.* One way to identify which allelic variants are likely to be involved in lung cancer susceptibility, as  
30 well as susceptibility to other diseases, is to look at allelic variants of genes that are highly expressed in lung.

The lung is susceptible to a number of other debilitating diseases as well, including, without limitation, emphysema, pneumonia, cystic fibrosis and asthma. See Stockley (ed.), Molecular Biology of the Lung, Volume I: Emphysema and Infection, Birkhauser Verlag (1999), hereafter Stockley I, and Stockley (ed.), Molecular Biology of the Lung, Volume II: Asthma and Cancer, Birkhauser Verlag (1999), hereafter Stockley II. The cause of many these disorders is still not well understood and there are few, if any, good treatment options for many of these noncancerous lung disorders. Thus, there also remains a need for understanding of various noncancerous lung disorders and for identify treatments for these diseases.

10       The development and differentiation of the lung tissue during embryonic development is also very important. All of the epithelial cells of the respiratory tract, including those of the lung and bronchi, are derived from the primitive endodermal cells that line the embryonic outpouching. See Yesner, *supra*. During embryonic development, multipotent endodermal stem cells differentiate into many different types of specialized cells, which include ciliated cells for moving inhaled particles, goblet cells for producing mucus, Kulchitsky's cells for endocrine function, and Clara cells and type II pneumocytes for secreting surfactant protein. *Id.* Improper development and differentiation may cause respiratory disorders and distress in infants, particularly in premature infants, whose lungs cannot produce sufficient surfactant when they are born.

20       Further, some lung cancer cells, particularly small cell carcinomas, appear multipotent, and can spontaneously differentiate into a number of cell types, including small cell carcinoma, adenocarcinoma and squamous cell carcinoma. *Id.* Thus, a better understanding of lung development and differentiation may help facilitate understanding of lung cancer initiation and progression.

25       Accordingly, there is a great need for more sensitive and accurate methods for predicting whether a person is likely to develop lung cancer, for diagnosing lung cancer, for monitoring the progression of the disease, for staging the lung cancer, for determining whether the lung cancer has metastasized and for imaging the lung cancer. There is also a need for better treatment of lung cancer. There is also a great need for diagnosing and treating noncancerous lung disorders such as emphysema, pneumonia, lung infection, pulmonary fibrosis, cystic fibrosis and asthma. There is also a need for compositions and methods of using compositions that are capable of identifying lung tissue for forensic

30

purposes and for determining whether a particular cell or tissue exhibits lung-specific characteristics.

#### SUMMARY OF THE INVENTION

5           The present invention solves these and other needs in the art by providing nucleic acid molecules and polypeptides as well as antibodies, agonists and antagonists, thereto that may be used to identify, diagnose, monitor, stage, image and treat lung cancer and non-cancerous disease states in lung; identify and monitor lung tissue; and identify and design agonists and antagonists of polypeptides of the invention. The invention also  
10 provides gene therapy, methods for producing transgenic animals and cells, and methods for producing engineered lung tissue for treatment and research.

          Accordingly, one object of the invention is to provide nucleic acid molecules that are specific to lung cells, lung tissue and/or the lung organ. These lung specific nucleic acids (LSNAs) may be a naturally-occurring cDNA, genomic DNA, RNA, or a fragment  
15 of one of these nucleic acids, or may be a non-naturally-occurring nucleic acid molecule. If the LSNA is genomic DNA, then the LSNA is a lung specific gene (LSG). In a preferred embodiment, the nucleic acid molecule encodes a polypeptide that is specific to lung. In a more preferred embodiment, the nucleic acid molecule encodes a polypeptide that comprises an amino acid sequence of SEQ ID NO: 165 through 284. In another  
20 highly preferred embodiment, the nucleic acid molecule comprises a nucleic acid sequence of SEQ ID NO: 1 through 164. By nucleic acid molecule, it is also meant to be inclusive of sequences that selectively hybridize or exhibit substantial sequence similarity to a nucleic acid molecule encoding an LSP, or that selectively hybridize or exhibit substantial sequence similarity to an LSNA, as well as allelic variants of a nucleic  
25 acid molecule encoding an LSP, and allelic variants of an LSNA. Nucleic acid molecules comprising a part of a nucleic acid sequence that encodes an LSP or that comprises a part of a nucleic acid sequence of an LSNA are also provided.

          A related object of the present invention is to provide a nucleic acid molecule comprising one or more expression control sequences controlling the transcription and/or  
30 translation of all or a part of an LSNA. In a preferred embodiment, the nucleic acid molecule comprises one or more expression control sequences controlling the

transcription and/or translation of a nucleic acid molecule that encodes all or a fragment of an LSP.

Another object of the invention is to provide vectors and/or host cells comprising a nucleic acid molecule of the instant invention. In a preferred embodiment, the nucleic acid molecule encodes all or a fragment of an LSP. In another preferred embodiment,  
5 the nucleic acid molecule comprises all or a part of an LSNA.

Another object of the invention is to provided methods for using the vectors and host cells comprising a nucleic acid molecule of the instant invention to recombinantly produce polypeptides of the invention.

10 Another object of the invention is to provide a polypeptide encoded by a nucleic acid molecule of the invention. In a preferred embodiment, the polypeptide is an LSP. The polypeptide may comprise either a fragment or a full-length protein as well as a mutant protein (mutein), fusion protein, homologous protein or a polypeptide encoded by an allelic variant of an LSP.

15 Another object of the invention is to provide an antibody that specifically binds to a polypeptide of the instant invention..

Another object of the invention is to provide agonists and antagonists of the nucleic acid molecules and polypeptides of the instant invention.

Another object of the invention is to provide methods for using the nucleic acid  
20 molecules to detect or amplify nucleic acid molecules that have similar or identical nucleic acid sequences compared to the nucleic acid molecules described herein. In a preferred embodiment, the invention provides methods of using the nucleic acid molecules of the invention for identifying, diagnosing, monitoring, staging, imaging and treating lung cancer and non-cancerous disease states in lung. In another preferred  
25 embodiment, the invention provides methods of using the nucleic acid molecules of the invention for identifying and/or monitoring lung tissue. The nucleic acid molecules of the instant invention may also be used in gene therapy, for producing transgenic animals and cells, and for producing engineered lung tissue for treatment and research.

The polypeptides and/or antibodies of the instant invention may also be used to  
30 identify, diagnose, monitor, stage, image and treat lung cancer and non-cancerous disease states in lung. The invention provides methods of using the polypeptides of the invention to identify and/or monitor lung tissue, and to produce engineered lung tissue.

The agonists and antagonists of the instant invention may be used to treat lung cancer and non-cancerous disease states in lung and to produce engineered lung tissue.

Yet another object of the invention is to provide a computer readable means of storing the nucleic acid and amino acid sequences of the invention. The records of the computer readable means can be accessed for reading and displaying of sequences for  
5 comparison, alignment and ordering of the sequences of the invention to other sequences.

## DETAILED DESCRIPTION OF THE INVENTION

### Definitions and General Techniques

Unless otherwise defined herein, scientific and technical terms used in connection  
10 with the present invention shall have the meanings that are commonly understood by those of ordinary skill in the art. Further, unless otherwise required by context, singular terms shall include pluralities and plural terms shall include the singular. Generally, nomenclatures used in connection with, and techniques of, cell and tissue culture, molecular biology, immunology, microbiology, genetics and protein and nucleic acid  
15 chemistry and hybridization described herein are those well-known and commonly used in the art. The methods and techniques of the present invention are generally performed according to conventional methods well-known in the art and as described in various general and more specific references that are cited and discussed throughout the present specification unless otherwise indicated. *See, e.g.,* Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2d ed., Cold Spring Harbor Laboratory Press (1989) and  
20 Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 3d ed., Cold Spring Harbor Press (2001); Ausubel *et al.*, Current Protocols in Molecular Biology, Greene Publishing Associates (1992, and Supplements to 2000); Ausubel *et al.*, Short Protocols in Molecular Biology: A Compendium of Methods from Current Protocols in Molecular  
25 Biology – 4<sup>th</sup> Ed., Wiley & Sons (1999); Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press (1990); and Harlow and Lane, Using Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press (1999); each of which is incorporated herein by reference in its entirety.

Enzymatic reactions and purification techniques are performed according to  
30 manufacturer's specifications, as commonly accomplished in the art or as described herein. The nomenclatures used in connection with, and the laboratory procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and

-9-

pharmaceutical chemistry described herein are those well-known and commonly used in the art. Standard techniques are used for chemical syntheses, chemical analyses, pharmaceutical preparation, formulation, and delivery, and treatment of patients.

The following terms, unless otherwise indicated, shall be understood to have the  
5 following meanings:

A “nucleic acid molecule” of this invention refers to a polymeric form of nucleotides and includes both sense and antisense strands of RNA, cDNA, genomic DNA, and synthetic forms and mixed polymers of the above. A nucleotide refers to a ribonucleotide, deoxynucleotide or a modified form of either type of nucleotide. A  
10 “nucleic acid molecule” as used herein is synonymous with “nucleic acid” and “polynucleotide.” The term “nucleic acid molecule” usually refers to a molecule of at least 10 bases in length, unless otherwise specified. The term includes single- and double-stranded forms of DNA. In addition, a polynucleotide may include either or both naturally-occurring and modified nucleotides linked together by naturally-occurring  
15 and/or non-naturally occurring nucleotide linkages.

The nucleic acid molecules may be modified chemically or biochemically or may contain non-natural or derivatized nucleotide bases, as will be readily appreciated by those of skill in the art. Such modifications include, for example, labels, methylation, substitution of one or more of the naturally occurring nucleotides with an analog,  
20 internucleotide modifications such as uncharged linkages (*e.g.*, methyl phosphonates, phosphotriesters, phosphoramidates, carbamates, etc.), charged linkages (*e.g.*, phosphorothioates, phosphorodithioates, etc.), pendent moieties (*e.g.*, polypeptides), intercalators (*e.g.*, acridine, psoralen, etc.), chelators, alkylators, and modified linkages (*e.g.*, alpha anomeric nucleic acids, etc.) The term “nucleic acid molecule” also includes  
25 any topological conformation, including single-stranded, double-stranded, partially duplexed, triplexed, hairpinned, circular and padlocked conformations. Also included are synthetic molecules that mimic polynucleotides in their ability to bind to a designated sequence via hydrogen bonding and other chemical interactions. Such molecules are known in the art and include, for example, those in which peptide linkages substitute for  
30 phosphate linkages in the backbone of the molecule.

A “gene” is defined as a nucleic acid molecule that comprises a nucleic acid sequence that encodes a polypeptide and the expression control sequences that surround

the nucleic acid sequence that encodes the polypeptide. For instance, a gene may comprise a promoter, one or more enhancers, a nucleic acid sequence that encodes a polypeptide, downstream regulatory sequences and, possibly, other nucleic acid sequences involved in regulation of the expression of an RNA. As is well-known in the art, eukaryotic genes usually contain both exons and introns. The term “exon” refers to a nucleic acid sequence found in genomic DNA that is bioinformatically predicted and/or experimentally confirmed to contribute a contiguous sequence to a mature mRNA transcript. The term “intron” refers to a nucleic acid sequence found in genomic DNA that is predicted and/or confirmed to not contribute to a mature mRNA transcript, but rather to be “spliced out” during processing of the transcript.

A nucleic acid molecule or polypeptide is “derived” from a particular species if the nucleic acid molecule or polypeptide has been isolated from the particular species, or if the nucleic acid molecule or polypeptide is homologous to a nucleic acid molecule or polypeptide isolated from a particular species.

An “isolated” or “substantially pure” nucleic acid or polynucleotide (*e.g.*, an RNA, DNA or a mixed polymer) is one which is substantially separated from other cellular components that naturally accompany the native polynucleotide in its natural host cell, *e.g.*, ribosomes, polymerases, or genomic sequences with which it is naturally associated. The term embraces a nucleic acid or polynucleotide that (1) has been removed from its naturally occurring environment, (2) is not associated with all or a portion of a polynucleotide in which the “isolated polynucleotide” is found in nature, (3) is operatively linked to a polynucleotide which it is not linked to in nature, (4) does not occur in nature as part of a larger sequence or (5) includes nucleotides or internucleoside bonds that are not found in nature. The term “isolated” or “substantially pure” also can be used in reference to recombinant or cloned DNA isolates, chemically synthesized polynucleotide analogs, or polynucleotide analogs that are biologically synthesized by heterologous systems. The term “isolated nucleic acid molecule” includes nucleic acid molecules that are integrated into a host cell chromosome at a heterologous site, recombinant fusions of a native fragment to a heterologous sequence, recombinant vectors present as episomes or as integrated into a host cell chromosome.

A “part” of a nucleic acid molecule refers to a nucleic acid molecule that comprises a partial contiguous sequence of at least 10 bases of the reference nucleic acid

molecule. Preferably, a part comprises at least 15 to 20 bases of a reference nucleic acid molecule. In theory, a nucleic acid sequence of 17 nucleotides is of sufficient length to occur at random less frequently than once in the three gigabase human genome, and thus to provide a nucleic acid probe that can uniquely identify the reference sequence in a nucleic acid mixture of genomic complexity. A preferred part is one that comprises a nucleic acid sequence that can encode at least 6 contiguous amino acid sequences (fragments of at least 18 nucleotides) because they are useful in directing the expression or synthesis of peptides that are useful in mapping the epitopes of the polypeptide encoded by the reference nucleic acid. *See, e.g., Geysen et al., Proc. Natl. Acad. Sci. USA* 81:3998-4002 (1984); and United States Patent Nos. 4,708,871 and 5,595,915, the disclosures of which are incorporated herein by reference in their entireties. A part may also comprise at least 25, 30, 35 or 40 nucleotides of a reference nucleic acid molecule, or at least 50, 60, 70, 80, 90, 100, 150, 200, 250, 300, 350, 400 or 500 nucleotides of a reference nucleic acid molecule. A part of a nucleic acid molecule may comprise no other nucleic acid sequences. Alternatively, a part of a nucleic acid may comprise other nucleic acid sequences from other nucleic acid molecules.

The term "oligonucleotide" refers to a nucleic acid molecule generally comprising a length of 200 bases or fewer. The term often refers to single-stranded deoxyribonucleotides, but it can refer as well to single- or double-stranded ribonucleotides, RNA:DNA hybrids and double-stranded DNAs, among others. Preferably, oligonucleotides are 10 to 60 bases in length and most preferably 12, 13, 14, 15, 16, 17, 18, 19 or 20 bases in length. Other preferred oligonucleotides are 25, 30, 35, 40, 45, 50, 55 or 60 bases in length. Oligonucleotides may be single-stranded, *e.g.* for use as probes or primers, or may be double-stranded, *e.g.* for use in the construction of a mutant gene. Oligonucleotides of the invention can be either sense or antisense oligonucleotides. An oligonucleotide can be derivatized or modified as discussed above for nucleic acid molecules.

Oligonucleotides, such as single-stranded DNA probe oligonucleotides, often are synthesized by chemical methods, such as those implemented on automated oligonucleotide synthesizers. However, oligonucleotides can be made by a variety of other methods, including *in vitro* recombinant DNA-mediated techniques and by expression of DNAs in cells and organisms. Initially, chemically synthesized DNAs



typically are obtained without a 5' phosphate. The 5' ends of such oligonucleotides are not substrates for phosphodiester bond formation by ligation reactions that employ DNA ligases typically used to form recombinant DNA molecules. Where ligation of such oligonucleotides is desired, a phosphate can be added by standard techniques, such as those that employ a kinase and ATP. The 3' end of a chemically synthesized oligonucleotide generally has a free hydroxyl group and, in the presence of a ligase, such as T4 DNA ligase, readily will form a phosphodiester bond with a 5' phosphate of another polynucleotide, such as another oligonucleotide. As is well-known, this reaction can be prevented selectively, where desired, by removing the 5' phosphates of the other polynucleotide(s) prior to ligation.

The term "naturally-occurring nucleotide" referred to herein includes naturally-occurring deoxyribonucleotides and ribonucleotides. The term "modified nucleotides" referred to herein includes nucleotides with modified or substituted sugar groups and the like. The term "nucleotide linkages" referred to herein includes nucleotides linkages such as phosphorothioate, phosphorodithioate, phosphoroselenoate, phosphorodiselenoate, phosphoroanilothioate, phosphoraniladate, phosphoroamidate, and the like. *See e.g., LaPlanche et al. Nucl. Acids Res.* 14:9081-9093 (1986); *Stein et al. Nucl. Acids Res.* 16:3209-3221 (1988); *Zon et al. Anti-Cancer Drug Design* 6:539-568 (1991); *Zon et al., in Eckstein (ed.) Oligonucleotides and Analogues: A Practical Approach*, pp. 87-108, Oxford University Press (1991); United States Patent No. 5,151,510; *Uhlmann and Peyman Chemical Reviews* 90:543 (1990), the disclosures of which are hereby incorporated by reference.

Unless specified otherwise, the left hand end of a polynucleotide sequence in sense orientation is the 5' end and the right hand end of the sequence is the 3' end. In addition, the left hand direction of a polynucleotide sequence in sense orientation is referred to as the 5' direction, while the right hand direction of the polynucleotide sequence is referred to as the 3' direction. Further, unless otherwise indicated, each nucleotide sequence is set forth herein as a sequence of deoxyribonucleotides. It is intended, however, that the given sequence be interpreted as would be appropriate to the polynucleotide composition: for example, if the isolated nucleic acid is composed of RNA, the given sequence intends ribonucleotides, with uridine substituted for thymidine.

The term "allelic variant" refers to one of two or more alternative naturally-occurring forms of a gene, wherein each gene possesses a unique nucleotide sequence. In a preferred embodiment, different alleles of a given gene have similar or identical biological properties.

5           The term "percent sequence identity" in the context of nucleic acid sequences refers to the residues in two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over a stretch of at least about nine nucleotides, usually at least about 20 nucleotides, more usually at least about 24 nucleotides, typically at least about 28 nucleotides, more typically at least about  
10 32 nucleotides, and preferably at least about 36 or more nucleotides. There are a number of different algorithms known in the art which can be used to measure nucleotide sequence identity. For instance, polynucleotide sequences can be compared using FASTA, Gap or Bestfit, which are programs in Wisconsin Package Version 10.0, Genetics Computer Group (GCG), Madison, Wisconsin. FASTA, which includes, *e.g.*,  
15 the programs FASTA2 and FASTA3, provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson, *Methods Enzymol.* 183: 63-98 (1990); Pearson, *Methods Mol. Biol.* 132: 185-219 (2000); Pearson, *Methods Enzymol.* 266: 227-258 (1996); Pearson, *J. Mol. Biol.* 276: 71-84 (1998); herein incorporated by reference). Unless otherwise specified, default  
20 parameters for a particular program or algorithm are used. For instance, percent sequence identity between nucleic acid sequences can be determined using FASTA with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) or using Gap with its default parameters as provided in GCG Version 6.1, herein incorporated by reference.

25           A reference to a nucleic acid sequence encompasses its complement unless otherwise specified. Thus, a reference to a nucleic acid molecule having a particular sequence should be understood to encompass its complementary strand, with its complementary sequence. The complementary strand is also useful, *e.g.*, for antisense therapy, hybridization probes and PCR primers.

30           In the molecular biology art, researchers use the terms "percent sequence identity", "percent sequence similarity" and "percent sequence homology"

-14-

interchangeably. In this application, these terms shall have the same meaning with respect to nucleic acid sequences only.

The term "substantial similarity" or "substantial sequence similarity," when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 50%, more preferably 60% of the nucleotide bases, usually at least about 70%, more usually at least about 80%, preferably at least about 90%, and more preferably at least about 95-98% of the nucleotide bases, as measured by any well-known algorithm of sequence identity, such as FASTA, BLAST or Gap, as discussed above.

Alternatively, substantial similarity exists when a nucleic acid or fragment thereof hybridizes to another nucleic acid, to a strand of another nucleic acid, or to the complementary strand thereof, under selective hybridization conditions. Typically, selective hybridization will occur when there is at least about 55% sequence identity, preferably at least about 65%, more preferably at least about 75%, and most preferably at least about 90% sequence identity, over a stretch of at least about 14 nucleotides, more preferably at least 17 nucleotides, even more preferably at least 20, 25, 30, 35, 40, 50, 60, 70, 80, 90 or 100 nucleotides.

Nucleic acid hybridization will be affected by such conditions as salt concentration, temperature, solvents, the base composition of the hybridizing species, length of the complementary regions, and the number of nucleotide base mismatches between the hybridizing nucleic acids, as will be readily appreciated by those skilled in the art. "Stringent hybridization conditions" and "stringent wash conditions" in the context of nucleic acid hybridization experiments depend upon a number of different physical parameters. The most important parameters include temperature of hybridization, base composition of the nucleic acids, salt concentration and length of the nucleic acid. One having ordinary skill in the art knows how to vary these parameters to achieve a particular stringency of hybridization. In general, "stringent hybridization" is performed at about 25°C below the thermal melting point ( $T_m$ ) for the specific DNA hybrid under a particular set of conditions. "Stringent washing" is performed at temperatures about 5°C lower than the  $T_m$  for the specific DNA hybrid under a particular set of conditions. The  $T_m$  is the temperature at which 50% of the target sequence

hybridizes to a perfectly matched probe. *See* Sambrook (1989), *supra*, p. 9.51, hereby incorporated by reference.

The  $T_m$  for a particular DNA-DNA hybrid can be estimated by the formula:

$$T_m = 81.5^\circ\text{C} + 16.6 (\log_{10}[\text{Na}^+]) + 0.41 (\text{fraction G} + \text{C}) - 0.63 (\% \text{ formamide}) - (600/l)$$

5        where  $l$  is the length of the hybrid in base pairs.

The  $T_m$  for a particular RNA-RNA hybrid can be estimated by the formula:

$$T_m = 79.8^\circ\text{C} + 18.5 (\log_{10}[\text{Na}^+]) + 0.58 (\text{fraction G} + \text{C}) + 11.8 (\text{fraction G} + \text{C})^2 - 0.35 (\% \text{ formamide}) - (820/l).$$

The  $T_m$  for a particular RNA-DNA hybrid can be estimated by the formula:

$$10 \quad T_m = 79.8^\circ\text{C} + 18.5 (\log_{10}[\text{Na}^+]) + 0.58 (\text{fraction G} + \text{C}) + 11.8 (\text{fraction G} + \text{C})^2 - 0.50 (\% \text{ formamide}) - (820/l).$$

In general, the  $T_m$  decreases by 1-1.5°C for each 1% of mismatch between two nucleic acid sequences. Thus, one having ordinary skill in the art can alter hybridization and/or washing conditions to obtain sequences that have higher or lower degrees of sequence identity to the target nucleic acid. For instance, to obtain hybridizing nucleic acids that contain up to 10% mismatch from the target nucleic acid sequence, 10-15°C would be subtracted from the calculated  $T_m$  of a perfectly matched hybrid, and then the hybridization and washing temperatures adjusted accordingly. Probe sequences may also hybridize specifically to duplex DNA under certain conditions to form triplex or other higher order DNA complexes. The preparation of such probes and suitable hybridization conditions are well-known in the art.

An example of stringent hybridization conditions for hybridization of complementary nucleic acid sequences having more than 100 complementary residues on a filter in a Southern or Northern blot or for screening a library is 50% formamide/6X SSC at 42°C for at least ten hours and preferably overnight (approximately 16 hours). Another example of stringent hybridization conditions is 6X SSC at 68°C without formamide for at least ten hours and preferably overnight. An example of moderate stringency hybridization conditions is 6X SSC at 55°C without formamide for at least ten hours and preferably overnight. An example of low stringency hybridization conditions for hybridization of complementary nucleic acid sequences having more than 100 complementary residues on a filter in a Southern or Northern blot or for screening a library is 6X SSC at 42°C for at least ten hours. Hybridization conditions to identify

nucleic acid sequences that are similar but not identical can be identified by experimentally changing the hybridization temperature from 68°C to 42°C while keeping the salt concentration constant (6X SSC), or keeping the hybridization temperature and salt concentration constant (*e.g.* 42°C and 6X SSC) and varying the formamide concentration from 50% to 0%. Hybridization buffers may also include blocking agents to lower background. These agents are well-known in the art. *See* Sambrook *et al.* (1989), *supra*, pages 8.46 and 9.46-9.58, herein incorporated by reference. *See also* Ausubel (1992), *supra*, Ausubel (1999), *supra*, and Sambrook (2001), *supra*.

Wash conditions also can be altered to change stringency conditions. An example of stringent wash conditions is a 0.2x SSC wash at 65°C for 15 minutes (*see* Sambrook (1989), *supra*, for SSC buffer). Often the high stringency wash is preceded by a low stringency wash to remove excess probe. An exemplary medium stringency wash for duplex DNA of more than 100 base pairs is 1x SSC at 45°C for 15 minutes. An exemplary low stringency wash for such a duplex is 4x SSC at 40°C for 15 minutes. In general, signal-to-noise ratio of 2x or higher than that observed for an unrelated probe in the particular hybridization assay indicates detection of a specific hybridization.

As defined herein, nucleic acid molecules that do not hybridize to each other under stringent conditions are still substantially similar to one another if they encode polypeptides that are substantially identical to each other. This occurs, for example, when a nucleic acid molecule is created synthetically or recombinantly using high codon degeneracy as permitted by the redundancy of the genetic code.

Hybridization conditions for nucleic acid molecules that are shorter than 100 nucleotides in length (*e.g.*, for oligonucleotide probes) may be calculated by the formula:  $T_m = 81.5^{\circ}\text{C} + 16.6(\log_{10}[\text{Na}^+]) + 0.41(\text{fraction G+C}) - (600/N)$ , wherein N is change length and the  $[\text{Na}^+]$  is 1 M or less. *See* Sambrook (1989), *supra*, p. 11.46. For hybridization of probes shorter than 100 nucleotides, hybridization is usually performed under stringent conditions (5-10°C below the  $T_m$ ) using high concentrations (0.1-1.0 pmol/ml) of probe. *Id.* at p. 11.45. Determination of hybridization using mismatched probes, pools of degenerate probes or “guessmers,” as well as hybridization solutions and methods for empirically determining hybridization conditions are well-known in the art. *See, e.g.*, Ausubel (1999), *supra*; Sambrook (1989), *supra*, pp. 11.45-11.57.

The term "digestion" or "digestion of DNA" refers to catalytic cleavage of the DNA with a restriction enzyme that acts only at certain sequences in the DNA. The various restriction enzymes referred to herein are commercially available and their reaction conditions, cofactors and other requirements for use are known and routine to the skilled artisan. For analytical purposes, typically, 1 µg of plasmid or DNA fragment is digested with about 2 units of enzyme in about 20 µl of reaction buffer. For the purpose of isolating DNA fragments for plasmid construction, typically 5 to 50 µg of DNA are digested with 20 to 250 units of enzyme in proportionately larger volumes. Appropriate buffers and substrate amounts for particular restriction enzymes are described in standard laboratory manuals, such as those referenced below, and they are specified by commercial suppliers. Incubation times of about 1 hour at 37°C are ordinarily used, but conditions may vary in accordance with standard procedures, the supplier's instructions and the particulars of the reaction. After digestion, reactions may be analyzed, and fragments may be purified by electrophoresis through an agarose or polyacrylamide gel, using well-known methods that are routine for those skilled in the art.

The term "ligation" refers to the process of forming phosphodiester bonds between two or more polynucleotides, which most often are double-stranded DNAs. Techniques for ligation are well-known to the art and protocols for ligation are described in standard laboratory manuals and references, such as, *e.g.*, Sambrook (1989), *supra*.

Genome-derived "single exon probes," are probes that comprise at least part of an exon ("reference exon") and can hybridize detectably under high stringency conditions to transcript-derived nucleic acids that include the reference exon but do not hybridize detectably under high stringency conditions to nucleic acids that lack the reference exon. Single exon probes typically further comprise, contiguous to a first end of the exon portion, a first intronic and/or intergenic sequence that is identically contiguous to the exon in the genome, and may contain a second intronic and/or intergenic sequence that is identically contiguous to the exon in the genome. The minimum length of genome-derived single exon probes is defined by the requirement that the exonic portion be of sufficient length to hybridize under high stringency conditions to transcript-derived nucleic acids, as discussed above. The maximum length of genome-derived single exon probes is defined by the requirement that the probes contain portions of no more than one

exon. The single exon probes may contain priming sequences not found in contiguity with the rest of the probe sequence in the genome, which priming sequences are useful for PCR and other amplification-based technologies.

The term "microarray" or "nucleic acid microarray" refers to a substrate-bound  
5 collection of plural nucleic acids, hybridization to each of the plurality of bound nucleic acids being separately detectable. The substrate can be solid or porous, planar or non-planar, unitary or distributed. Microarrays or nucleic acid microarrays include all the devices so called in Schena (ed.), DNA Microarrays: A Practical Approach (Practical Approach Series), Oxford University Press (1999); *Nature Genet.* 21(1)(suppl.):1 - 60  
10 (1999); Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000). These microarrays include substrate-bound collections of plural nucleic acids in which the plurality of nucleic acids are disposed on a plurality of beads, rather than on a unitary planar substrate, as is described, *inter alia*, in Brenner *et al.*, *Proc. Natl. Acad. Sci. USA* 97(4):1665-1670 (2000).

15 The term "mutated" when applied to nucleic acid molecules means that nucleotides in the nucleic acid sequence of the nucleic acid molecule may be inserted, deleted or changed compared to a reference nucleic acid sequence. A single alteration may be made at a locus (a point mutation) or multiple nucleotides may be inserted, deleted or changed at a single locus. In addition, one or more alterations may be made at  
20 any number of loci within a nucleic acid sequence. In a preferred embodiment, the nucleic acid molecule comprises the wild type nucleic acid sequence encoding an LSP or is an LSNA. The nucleic acid molecule may be mutated by any method known in the art including those mutagenesis techniques described *infra*.

The term "error-prone PCR" refers to a process for performing PCR under  
25 conditions where the copying fidelity of the DNA polymerase is low, such that a high rate of point mutations is obtained along the entire length of the PCR product. *See, e.g.*, Leung *et al.*, *Technique* 1: 11-15 (1989) and Caldwell *et al.*, *PCR Methods Applic.* 2: 28-33 (1992).

The term "oligonucleotide-directed mutagenesis" refers to a process which  
30 enables the generation of site-specific mutations in any cloned DNA segment of interest. *See, e.g.*, Reidhaar-Olson *et al.*, *Science* 241: 53-57 (1988).

The term "assembly PCR" refers to a process which involves the assembly of a PCR product from a mixture of small DNA fragments. A large number of different PCR reactions occur in parallel in the same vial, with the products of one reaction priming the products of another reaction.

- 5       The term "sexual PCR mutagenesis" or "DNA shuffling" refers to a method of error-prone PCR coupled with forced homologous recombination between DNA molecules of different but highly related DNA sequence *in vitro*, caused by random fragmentation of the DNA molecule based on sequence similarity, followed by fixation of the crossover by primer extension in an error-prone PCR reaction. *See, e.g.,* Stemmer, 10 *Proc. Natl. Acad. Sci. U.S.A.* 91: 10747-10751 (1994). DNA shuffling can be carried out between several related genes ("Family shuffling").

- The term "*in vivo* mutagenesis" refers to a process of generating random mutations in any cloned DNA of interest which involves the propagation of the DNA in a strain of bacteria such as *E. coli* that carries mutations in one or more of the DNA repair 15 pathways. These "mutator" strains have a higher random mutation rate than that of a wild-type parent. Propagating the DNA in a mutator strain will eventually generate random mutations within the DNA.

- The term "cassette mutagenesis" refers to any process for replacing a small region of a double-stranded DNA molecule with a synthetic oligonucleotide "cassette" that 20 differs from the native sequence. The oligonucleotide often contains completely and/or partially randomized native sequence.

- The term "recursive ensemble mutagenesis" refers to an algorithm for protein engineering (protein mutagenesis) developed to produce diverse populations of phenotypically related mutants whose members differ in amino acid sequence. This 25 method uses a feedback mechanism to control successive rounds of combinatorial cassette mutagenesis. *See, e.g.,* Arkin *et al., Proc. Natl. Acad. Sci. U.S.A.* 89: 7811-7815 (1992).

- The term "exponential ensemble mutagenesis" refers to a process for generating combinatorial libraries with a high percentage of unique and functional mutants, wherein 30 small groups of residues are randomized in parallel to identify, at each altered position, amino acids which lead to functional proteins. *See, e.g.,* Delegrave *et al., Biotechnology Research* 11: 1548-1552 (1993); Arnold, *Current Opinion in Biotechnology* 4: 450-455



(1993). Each of the references mentioned above are hereby incorporated by reference in its entirety.

“Operatively linked” expression control sequences refers to a linkage in which the expression control sequence is contiguous with the gene of interest to control the gene of interest, as well as expression control sequences that act in *trans* or at a distance to control the gene of interest.

The term “expression control sequence” as used herein refers to polynucleotide sequences which are necessary to affect the expression of coding sequences to which they are operatively linked. Expression control sequences are sequences which control the transcription, post-transcriptional events and translation of nucleic acid sequences. Expression control sequences include appropriate transcription initiation, termination, promoter and enhancer sequences; efficient RNA processing signals such as splicing and polyadenylation signals; sequences that stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (*e.g.*, ribosome binding sites); sequences that enhance protein stability; and when desired, sequences that enhance protein secretion. The nature of such control sequences differs depending upon the host organism; in prokaryotes, such control sequences generally include the promoter, ribosomal binding site, and transcription termination sequence. The term “control sequences” is intended to include, at a minimum, all components whose presence is essential for expression, and can also include additional components whose presence is advantageous, for example, leader sequences and fusion partner sequences.

The term “vector,” as used herein, is intended to refer to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a “plasmid”, which refers to a circular double-stranded DNA loop into which additional DNA segments may be ligated. Other vectors include cosmids, bacterial artificial chromosomes (BAC) and yeast artificial chromosomes (YAC). Another type of vector is a viral vector, wherein additional DNA segments may be ligated into the viral genome. Viral vectors that infect bacterial cells are referred to as bacteriophages. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (*e.g.*, bacterial vectors having a bacterial origin of replication). Other vectors can be integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable

of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as “recombinant expression vectors” (or simply, “expression vectors”). In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, “plasmid” and “vector” may  
5 be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include other forms of expression vectors that serve equivalent functions.

The term “recombinant host cell” (or simply “host cell”), as used herein, is intended to refer to a cell into which an expression vector has been introduced. It should  
10 be understood that such terms are intended to refer not only to the particular subject cell but to the progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term “host cell” as used herein.

15 As used herein, the phrase “open reading frame” and the equivalent acronym “ORF” refer to that portion of a transcript-derived nucleic acid that can be translated in its entirety into a sequence of contiguous amino acids. As so defined, an ORF has length, measured in nucleotides, exactly divisible by 3. As so defined, an ORF need not encode the entirety of a natural protein.

20 As used herein, the phrase “ORF-encoded peptide” refers to the predicted or actual translation of an ORF.

As used herein, the phrase “degenerate variant” of a reference nucleic acid sequence intends all nucleic acid sequences that can be directly translated, using the standard genetic code, to provide an amino acid sequence identical to that translated from  
25 the reference nucleic acid sequence.

The term “polypeptide” encompasses both naturally-occurring and non-naturally-occurring proteins and polypeptides, polypeptide fragments and polypeptide mutants, derivatives and analogs. A polypeptide may be monomeric or polymeric. Further, a polypeptide may comprise a number of different modules within a single polypeptide  
30 each of which has one or more distinct activities. A preferred polypeptide in accordance with the invention comprises an LSP encoded by a nucleic acid molecule of the instant invention, as well as a fragment, mutant, analog and derivative thereof.

The term "isolated protein" or "isolated polypeptide" is a protein or polypeptide that by virtue of its origin or source of derivation (1) is not associated with naturally associated components that accompany it in its native state, (2) is free of other proteins from the same species (3) is expressed by a cell from a different species, or (4) does not occur in nature. Thus, a polypeptide that is chemically synthesized or synthesized in a cellular system different from the cell from which it naturally originates will be "isolated" from its naturally associated components. A polypeptide or protein may also be rendered substantially free of naturally associated components by isolation, using protein purification techniques well-known in the art.

10 A protein or polypeptide is "substantially pure," "substantially homogeneous" or "substantially purified" when at least about 60% to 75% of a sample exhibits a single species of polypeptide. The polypeptide or protein may be monomeric or multimeric. A substantially pure polypeptide or protein will typically comprise about 50%, 60%, 70%, 80% or 90% W/W of a protein sample, more usually about 95%, and preferably will be over 99% pure. Protein purity or homogeneity may be indicated by a number of means well-known in the art, such as polyacrylamide gel electrophoresis of a protein sample, followed by visualizing a single polypeptide band upon staining the gel with a stain well-known in the art. For certain purposes, higher resolution may be provided by using HPLC or other means well-known in the art for purification.

20 The term "polypeptide fragment" as used herein refers to a polypeptide of the instant invention that has an amino-terminal and/or carboxy-terminal deletion compared to a full-length polypeptide. In a preferred embodiment, the polypeptide fragment is a contiguous sequence in which the amino acid sequence of the fragment is identical to the corresponding positions in the naturally-occurring sequence. Fragments typically are at least 5, 6, 7, 8, 9 or 10 amino acids long, preferably at least 12, 14, 16 or 18 amino acids long, more preferably at least 20 amino acids long, more preferably at least 25, 30, 35, 40 or 45, amino acids, even more preferably at least 50 or 60 amino acids long, and even more preferably at least 70 amino acids long.

A "derivative" refers to polypeptides or fragments thereof that are substantially similar in primary structural sequence but which include, *e.g.*, *in vivo* or *in vitro* chemical and biochemical modifications that are not found in the native polypeptide. Such modifications include, for example, acetylation, acylation, ADP-ribosylation, amidation,

covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cystine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. Other modification include, *e.g.*, labeling with radionuclides, and various enzymatic modifications, as will be readily appreciated by those skilled in the art. A variety of methods for labeling polypeptides and of substituents or labels useful for such purposes are well-known in the art, and include radioactive isotopes such as  $^{125}\text{I}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ , and  $^3\text{H}$ , ligands which bind to labeled antiligands (*e.g.*, antibodies), fluorophores, chemiluminescent agents, enzymes, and antiligands which can serve as specific binding pair members for a labeled ligand. The choice of label depends on the sensitivity required, ease of conjugation with the primer, stability requirements, and available instrumentation. Methods for labeling polypeptides are well-known in the art. *See* Ausubel (1992), *supra*; Ausubel (1999), *supra*, herein incorporated by reference.

20       The term "fusion protein" refers to polypeptides of the instant invention comprising polypeptides or fragments coupled to heterologous amino acid sequences. Fusion proteins are useful because they can be constructed to contain two or more desired functional elements from two or more different proteins. A fusion protein comprises at least 10 contiguous amino acids from a polypeptide of interest, more preferably at least 20 or 30 amino acids, even more preferably at least 40, 50 or 60 amino acids, yet more preferably at least 75, 100 or 125 amino acids. Fusion proteins can be produced recombinantly by constructing a nucleic acid sequence which encodes the polypeptide or a fragment thereof in frame with a nucleic acid sequence encoding a different protein or peptide and then expressing the fusion protein. Alternatively, a fusion protein can be produced chemically by crosslinking the polypeptide or a fragment thereof to another protein.

The term "analog" refers to both polypeptide analogs and non-peptide analogs. The term "polypeptide analog" as used herein refers to a polypeptide of the instant invention that is comprised of a segment of at least 25 amino acids that has substantial identity to a portion of an amino acid sequence but which contains non-natural amino acids or non-natural inter-residue bonds. In a preferred embodiment, the analog has the same or similar biological activity as the native polypeptide. Typically, polypeptide analogs comprise a conservative amino acid substitution (or insertion or deletion) with respect to the naturally-occurring sequence. Analogs typically are at least 20 amino acids long, preferably at least 50 amino acids long or longer, and can often be as long as a full-length naturally-occurring polypeptide.

The term "non-peptide analog" refers to a compound with properties that are analogous to those of a reference polypeptide of the instant invention. A non-peptide compound may also be termed a "peptide mimetic" or a "peptidomimetic." Such compounds are often developed with the aid of computerized molecular modeling. Peptide mimetics that are structurally similar to useful peptides may be used to produce an equivalent effect. Generally, peptidomimetics are structurally similar to a paradigm polypeptide (*i.e.*, a polypeptide that has a desired biochemical property or pharmacological activity), but have one or more peptide linkages optionally replaced by a linkage selected from the group consisting of: --CH<sub>2</sub>NH--, --CH<sub>2</sub>S--, --CH<sub>2</sub>-CH<sub>2</sub>--, --CH=CH--(cis and trans), --COCH<sub>2</sub>--, --CH(OH)CH<sub>2</sub>--, and --CH<sub>2</sub>SO--, by methods well-known in the art. Systematic substitution of one or more amino acids of a consensus sequence with a D-amino acid of the same type (*e.g.*, D-lysine in place of L-lysine) may also be used to generate more stable peptides. In addition, constrained peptides comprising a consensus sequence or a substantially identical consensus sequence variation may be generated by methods known in the art (Rizo *et al.*, *Ann. Rev. Biochem.* 61:387-418 (1992), incorporated herein by reference). For example, one may add internal cysteine residues capable of forming intramolecular disulfide bridges which cyclize the peptide.

A "polypeptide mutant" or "mutein" refers to a polypeptide of the instant invention whose sequence contains substitutions, insertions or deletions of one or more amino acids compared to the amino acid sequence of a native or wild-type protein. A mutein may have one or more amino acid point substitutions, in which a single amino

-25-

acid at a position has been changed to another amino acid, one or more insertions and/or deletions, in which one or more amino acids are inserted or deleted, respectively, in the sequence of the naturally-occurring protein, and/or truncations of the amino acid sequence at either or both the amino or carboxy termini. Further, a mutein may have the same or different biological activity as the naturally-occurring protein. For instance, a mutein may have an increased or decreased biological activity. A mutein has at least 50% sequence similarity to the wild type protein, preferred is 60% sequence similarity, more preferred is 70% sequence similarity. Even more preferred are muteins having 80%, 85% or 90% sequence similarity to the wild type protein. In an even more preferred embodiment, a mutein exhibits 95% sequence identity, even more preferably 97%, even more preferably 98% and even more preferably 99%. Sequence similarity may be measured by any common sequence analysis algorithm, such as Gap or Bestfit.

Preferred amino acid substitutions are those which: (1) reduce susceptibility to proteolysis, (2) reduce susceptibility to oxidation, (3) alter binding affinity for forming protein complexes, (4) alter binding affinity or enzymatic activity, and (5) confer or modify other physicochemical or functional properties of such analogs. For example, single or multiple amino acid substitutions (preferably conservative amino acid substitutions) may be made in the naturally-occurring sequence (preferably in the portion of the polypeptide outside the domain(s) forming intermolecular contacts. In a preferred embodiment, the amino acid substitutions are moderately conservative substitutions or conservative substitutions. In a more preferred embodiment, the amino acid substitutions are conservative substitutions. A conservative amino acid substitution should not substantially change the structural characteristics of the parent sequence (*e.g.*, a replacement amino acid should not tend to disrupt a helix that occurs in the parent sequence, or disrupt other types of secondary structure that characterizes the parent sequence). Examples of art-recognized polypeptide secondary and tertiary structures are described in Creighton (ed.), Proteins, Structures and Molecular Principles, W. H. Freeman and Company (1984); Branden *et al.* (ed.), Introduction to Protein Structure, Garland Publishing (1991); Thornton *et al.*, *Nature* 354:105-106 (1991), each of which are incorporated herein by reference.

As used herein, the twenty conventional amino acids and their abbreviations follow conventional usage. See Golub *et al.* (eds.), Immunology - A Synthesis 2<sup>nd</sup> Ed.,

Sinauer Associates (1991), which is incorporated herein by reference. Stereoisomers (*e.g.*, D-amino acids) of the twenty conventional amino acids, unnatural amino acids such as -, -disubstituted amino acids, N-alkyl amino acids, and other unconventional amino acids may also be suitable components for polypeptides of the present invention.

- 5 Examples of unconventional amino acids include: 4-hydroxyproline,  $\gamma$ -carboxyglutamate, -N,N,N-trimethyllysine, -N-acetyllysine, O-phosphoserine, N-acetylserine, N-formylmethionine, 3-methylhistidine, 5-hydroxylysine, s-N-methylarginine, and other similar amino acids and imino acids (*e.g.*, 4-hydroxyproline). In the polypeptide notation used herein, the lefthand direction is the amino terminal direction and the right hand
- 10 direction is the carboxy-terminal direction, in accordance with standard usage and convention.

- A protein has "homology" or is "homologous" to a protein from another organism if the encoded amino acid sequence of the protein has a similar sequence to the encoded amino acid sequence of a protein of a different organism and has a similar biological
- 15 activity or function. Alternatively, a protein may have homology or be homologous to another protein if the two proteins have similar amino acid sequences and have similar biological activities or functions. Although two proteins are said to be "homologous," this does not imply that there is necessarily an evolutionary relationship between the proteins. Instead, the term "homologous" is defined to mean that the two proteins have
- 20 similar amino acid sequences and similar biological activities or functions. In a preferred embodiment, a homologous protein is one that exhibits 50% sequence similarity to the wild type protein, preferred is 60% sequence similarity, more preferred is 70% sequence similarity. Even more preferred are homologous proteins that exhibit 80%, 85% or 90% sequence similarity to the wild type protein. In a yet more preferred embodiment, a
- 25 homologous protein exhibits 95%, 97%, 98% or 99% sequence similarity.

When "sequence similarity" is used in reference to proteins or peptides, it is recognized that residue positions that are not identical often differ by conservative amino acid substitutions. In a preferred embodiment, a polypeptide that has "sequence similarity" comprises conservative or moderately conservative amino acid substitutions.

- 30 A "conservative amino acid substitution" is one in which an amino acid residue is substituted by another amino acid residue having a side chain (R group) with similar chemical properties (*e.g.*, charge or hydrophobicity). In general, a conservative amino

-27-

acid substitution will not substantially change the functional properties of a protein. In cases where two or more amino acid sequences differ from each other by conservative substitutions, the percent sequence identity or degree of similarity may be adjusted upwards to correct for the conservative nature of the substitution. Means for making this  
5 adjustment are well-known to those of skill in the art. *See, e.g., Pearson, Methods Mol. Biol.* 24: 307-31 (1994), herein incorporated by reference.

For instance, the following six groups each contain amino acids that are conservative substitutions for one another:

- 1) Serine (S), Threonine (T);
- 10 2) Aspartic Acid (D), Glutamic Acid (E);
- 3) Asparagine (N), Glutamine (Q);
- 4) Arginine (R), Lysine (K);
- 5) Isoleucine (I), Leucine (L), Methionine (M), Alanine (A), Valine (V), and
- 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W).

15 Alternatively, a conservative replacement is any change having a positive value in the PAM250 log-likelihood matrix disclosed in Gonnet *et al.*, *Science* 256: 1443-45 (1992), herein incorporated by reference. A “moderately conservative” replacement is any change having a nonnegative value in the PAM250 log-likelihood matrix.

Sequence similarity for polypeptides, which is also referred to as sequence  
20 identity, is typically measured using sequence analysis software. Protein analysis software matches similar sequences using measures of similarity assigned to various substitutions, deletions and other modifications, including conservative amino acid substitutions. For instance, GCG contains programs such as “Gap” and “Bestfit” which can be used with default parameters to determine sequence homology or sequence  
25 identity between closely related polypeptides, such as homologous polypeptides from different species of organisms or between a wild type protein and a mutein thereof. *See, e.g., GCG Version 6.1. Other programs include FASTA, discussed supra.*

A preferred algorithm when comparing a sequence of the invention to a database containing a large number of sequences from different organisms is the computer  
30 program BLAST, especially blastp or tblastn. *See, e.g., Altschul et al., J. Mol. Biol.* 215: 403-410 (1990); Altschul *et al., Nucleic Acids Res.* 25:3389-402 (1997); herein incorporated by reference. Preferred parameters for blastp are:



-28-

- Expectation value: 10 (default)
- Filter: seg (default)
- Cost to open a gap: 11 (default)
- Cost to extend a gap: 1 (default)
- 5 Max. alignments: 100 (default)
- Word size: 11 (default)
- No. of descriptions: 100 (default)
- Penalty Matrix: BLOSUM62

10 The length of polypeptide sequences compared for homology will generally be at least about 16 amino acid residues, usually at least about 20 residues, more usually at least about 24 residues, typically at least about 28 residues, and preferably more than about 35 residues. When searching a database containing sequences from a large number of different organisms, it is preferable to compare amino acid sequences.

15 Database searching using amino acid sequences can be measured by algorithms other than blastp are known in the art. For instance, polypeptide sequences can be compared using FASTA, a program in GCG Version 6.1. FASTA (*e.g.*, FASTA2 and FASTA3) provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson (1990), *supra*; Pearson (2000), *supra*). For example, percent sequence identity between amino acid sequences can be  
 20 determined using FASTA with its default or recommended parameters (a word size of 2 and the PAM250 scoring matrix), as provided in GCG Version 6.1, herein incorporated by reference.

An "antibody" refers to an intact immunoglobulin, or to an antigen-binding portion thereof that competes with the intact antibody for specific binding to a molecular  
 25 species, *e.g.*, a polypeptide of the instant invention. Antigen-binding portions may be produced by recombinant DNA techniques or by enzymatic or chemical cleavage of intact antibodies. Antigen-binding portions include, *inter alia*, Fab, Fab', F(ab')<sub>2</sub>, Fv, dAb, and complementarity determining region (CDR) fragments, single-chain antibodies (scFv), chimeric antibodies, diabodies and polypeptides that contain at least a portion of  
 30 an immunoglobulin that is sufficient to confer specific antigen binding to the polypeptide. An Fab fragment is a monovalent fragment consisting of the VL, VH, CL and CH1 domains; an F(ab')<sub>2</sub> fragment is a bivalent fragment comprising two Fab

fragments linked by a disulfide bridge at the hinge region; an Fd fragment consists of the VH and CH1 domains; an Fv fragment consists of the VL and VH domains of a single arm of an antibody; and a dAb fragment consists of a VH domain. *See, e.g., Ward et al., Nature* 341: 544-546 (1989).

5 By “bind specifically” and “specific binding” is here intended the ability of the antibody to bind to a first molecular species in preference to binding to other molecular species with which the antibody and first molecular species are admixed. An antibody is said specifically to “recognize” a first molecular species when it can bind specifically to that first molecular species.

10 A single-chain antibody (scFv) is an antibody in which a VL and VH region are paired to form a monovalent molecule via a synthetic linker that enables them to be made as a single protein chain. *See, e.g., Bird et al., Science* 242: 423-426 (1988); Huston *et al., Proc. Natl. Acad. Sci. USA* 85: 5879-5883 (1988). Diabodies are bivalent, bispecific antibodies in which VH and VL domains are expressed on a single polypeptide chain, but  
15 using a linker that is too short to allow for pairing between the two domains on the same chain, thereby forcing the domains to pair with complementary domains of another chain and creating two antigen binding sites. *See e.g., Holliger et al., Proc. Natl. Acad. Sci. USA* 90: 6444-6448 (1993); Poljak *et al., Structure* 2: 1121-1123 (1994). One or more CDRs may be incorporated into a molecule either covalently or noncovalently to make it  
20 an immunoadhesin. An immunoadhesin may incorporate the CDR(s) as part of a larger polypeptide chain, may covalently link the CDR(s) to another polypeptide chain, or may incorporate the CDR(s) noncovalently. The CDRs permit the immunoadhesin to specifically bind to a particular antigen of interest. A chimeric antibody is an antibody that contains one or more regions from one antibody and one or more regions from one  
25 or more other antibodies.

An antibody may have one or more binding sites. If there is more than one binding site, the binding sites may be identical to one another or may be different. For instance, a naturally-occurring immunoglobulin has two identical binding sites, a single-chain antibody or Fab fragment has one binding site, while a “bispecific” or  
30 “bifunctional” antibody has two different binding sites.

An “isolated antibody” is an antibody that (1) is not associated with naturally-associated components, including other naturally-associated antibodies, that accompany

it in its native state, (2) is free of other proteins from the same species, (3) is expressed by a cell from a different species, or (4) does not occur in nature. It is known that purified proteins, including purified antibodies, may be stabilized with non-naturally-associated components. The non-naturally-associated component may be a protein, such as albumin (*e.g.*, BSA) or a chemical such as polyethylene glycol (PEG).

A “neutralizing antibody” or “an inhibitory antibody” is an antibody that inhibits the activity of a polypeptide or blocks the binding of a polypeptide to a ligand that normally binds to it. An “activating antibody” is an antibody that increases the activity of a polypeptide.

The term “epitope” includes any protein determinant capable of specifically binding to an immunoglobulin or T-cell receptor. Epitopic determinants usually consist of chemically active surface groupings of molecules such as amino acids or sugar side chains and usually have specific three-dimensional structural characteristics, as well as specific charge characteristics. An antibody is said to specifically bind an antigen when the dissociation constant is less than  $1\ \mu\text{M}$ , preferably less than  $100\ \text{nM}$  and most preferably less than  $10\ \text{nM}$ .

The term “patient” as used herein includes human and veterinary subjects.

Throughout this specification and claims, the word “comprise,” or variations such as “comprises” or “comprising,” will be understood to imply the inclusion of a stated integer or group of integers but not the exclusion of any other integer or group of integers.

The term “lung specific” refers to a nucleic acid molecule or polypeptide that is expressed predominantly in the lung as compared to other tissues in the body. In a preferred embodiment, a “lung specific” nucleic acid molecule or polypeptide is expressed at a level that is 5-fold higher than any other tissue in the body. In a more preferred embodiment, the “lung specific” nucleic acid molecule or polypeptide is expressed at a level that is 10-fold higher than any other tissue in the body, more preferably at least 15-fold, 20-fold, 25-fold, 50-fold or 100-fold higher than any other tissue in the body. Nucleic acid molecule levels may be measured by nucleic acid hybridization, such as Northern blot hybridization, or quantitative PCR. Polypeptide levels may be measured by any method known to accurately quantitate protein levels, such as Western blot analysis.

Nucleic Acid Molecules, Regulatory Sequences, Vectors, Host Cells and Recombinant Methods of Making Polypeptides

*Nucleic Acid Molecules*

5           One aspect of the invention provides isolated nucleic acid molecules that are specific to the lung or to lung cells or tissue or that are derived from such nucleic acid molecules. These isolated lung specific nucleic acids (LSNAs) may comprise a cDNA, a genomic DNA, RNA, or a fragment of one of these nucleic acids, or may be a non-naturally-occurring nucleic acid molecule. In a preferred embodiment, the nucleic acid  
10 molecule encodes a polypeptide that is specific to lung, a lung-specific polypeptide (LSP). In a more preferred embodiment, the nucleic acid molecule encodes a polypeptide that comprises an amino acid sequence of SEQ ID NO: 165 through 284. In another highly preferred embodiment, the nucleic acid molecule comprises a nucleic acid sequence of SEQ ID NO: 1 through 164.

15           An LSNA may be derived from a human or from another animal. In a preferred embodiment, the LSNA is derived from a human or other mammal. In a more preferred embodiment, the LSNA is derived from a human or other primate. In an even more preferred embodiment, the LSNA is derived from a human.

          By "nucleic acid molecule" for purposes of the present invention, it is also meant  
20 to be inclusive of nucleic acid sequences that selectively hybridize to a nucleic acid molecule encoding an LSNA or a complement thereof. The hybridizing nucleic acid molecule may or may not encode a polypeptide or may not encode an LSP. However, in a preferred embodiment, the hybridizing nucleic acid molecule encodes an LSP. In a more preferred embodiment, the invention provides a nucleic acid molecule that  
25 selectively hybridizes to a nucleic acid molecule that encodes a polypeptide comprising an amino acid sequence of SEQ ID NO: 165 through 284. In an even more preferred embodiment, the invention provides a nucleic acid molecule that selectively hybridizes to a nucleic acid molecule comprising the nucleic acid sequence of SEQ ID NO: 1 through 164.

30           In a preferred embodiment, the nucleic acid molecule selectively hybridizes to a nucleic acid molecule encoding an LSP under low stringency conditions. In a more preferred embodiment, the nucleic acid molecule selectively hybridizes to a nucleic acid molecule encoding an LSP under moderate stringency conditions. In a more preferred

embodiment, the nucleic acid molecule selectively hybridizes to a nucleic acid molecule encoding an LSP under high stringency conditions. In an even more preferred embodiment, the nucleic acid molecule hybridizes under low, moderate or high stringency conditions to a nucleic acid molecule encoding a polypeptide comprising an amino acid sequence of SEQ ID NO: 165 through 284. In a yet more preferred embodiment, the nucleic acid molecule hybridizes under low, moderate or high stringency conditions to a nucleic acid molecule comprising a nucleic acid sequence selected from SEQ ID NO: 1 through 164. In a preferred embodiment of the invention, the hybridizing nucleic acid molecule may be used to express recombinantly a polypeptide of the invention.

By "nucleic acid molecule" as used herein it is also meant to be inclusive of sequences that exhibits substantial sequence similarity to a nucleic acid encoding an LSP or a complement of the encoding nucleic acid molecule. In a preferred embodiment, the nucleic acid molecule exhibits substantial sequence similarity to a nucleic acid molecule encoding human LSP. In a more preferred embodiment, the nucleic acid molecule exhibits substantial sequence similarity to a nucleic acid molecule encoding a polypeptide having an amino acid sequence of SEQ ID NO: 165 through 284. In a preferred embodiment, the similar nucleic acid molecule is one that has at least 60% sequence identity with a nucleic acid molecule encoding an LSP, such as a polypeptide having an amino acid sequence of SEQ ID NO: 165 through 284, more preferably at least 70%, even more preferably at least 80% and even more preferably at least 85%. In a more preferred embodiment, the similar nucleic acid molecule is one that has at least 90% sequence identity with a nucleic acid molecule encoding an LSP, more preferably at least 95%, more preferably at least 97%, even more preferably at least 98%, and still more preferably at least 99%. In another highly preferred embodiment, the nucleic acid molecule is one that has at least 99.5%, 99.6%, 99.7%, 99.8% or 99.9% sequence identity with a nucleic acid molecule encoding an LSP.

In another preferred embodiment, the nucleic acid molecule exhibits substantial sequence similarity to an LSNA or its complement. In a more preferred embodiment, the nucleic acid molecule exhibits substantial sequence similarity to a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID NO: 1 through 164. In a preferred embodiment, the nucleic acid molecule is one that has at least 60% sequence identity

with an LSNA, such as one having a nucleic acid sequence of SEQ ID NO: 1 through 164, more preferably at least 70%, even more preferably at least 80% and even more preferably at least 85%. In a more preferred embodiment, the nucleic acid molecule is one that has at least 90% sequence identity with an LSNA, more preferably at least 95%,  
5 more preferably at least 97%, even more preferably at least 98%, and still more preferably at least 99%. In another highly preferred embodiment, the nucleic acid molecule is one that has at least 99.5%, 99.6%, 99.7%, 99.8% or 99.9% sequence identity with an LSNA.

A nucleic acid molecule that exhibits substantial sequence similarity may be one  
10 that exhibits sequence identity over its entire length to an LSNA or to a nucleic acid molecule encoding an LSP, or may be one that is similar over only a part of its length. In this case, the part is at least 50 nucleotides of the LSNA or the nucleic acid molecule encoding an LSP, preferably at least 100 nucleotides, more preferably at least 150 or 200 nucleotides, even more preferably at least 250 or 300 nucleotides, still more preferably at  
15 least 400 or 500 nucleotides.

The substantially similar nucleic acid molecule may be a naturally-occurring one that is derived from another species, especially one derived from another primate, wherein the similar nucleic acid molecule encodes an amino acid sequence that exhibits significant sequence identity to that of SEQ ID NO: 165 through 284 or demonstrates  
20 significant sequence identity to the nucleotide sequence of SEQ ID NO: 1 through 164. The similar nucleic acid molecule may also be a naturally-occurring nucleic acid molecule from a human, when the LSNA is a member of a gene family. The similar nucleic acid molecule may also be a naturally-occurring nucleic acid molecule derived from a non-primate, mammalian species, including without limitation, domesticated  
25 species, *e.g.*, dog, cat, mouse, rat, rabbit, hamster, cow, horse and pig; and wild animals, *e.g.*, monkey, fox, lions, tigers, bears, giraffes, zebras, etc. The substantially similar nucleic acid molecule may also be a naturally-occurring nucleic acid molecule derived from a non-mammalian species, such as birds or reptiles. The naturally-occurring substantially similar nucleic acid molecule may be isolated directly from humans or other  
30 species. In another embodiment, the substantially similar nucleic acid molecule may be one that is experimentally produced by random mutation of a nucleic acid molecule. In another embodiment, the substantially similar nucleic acid molecule may be one that is

-34-

experimentally produced by directed mutation of an LSNA. Further, the substantially similar nucleic acid molecule may or may not be an LSNA. However, in a preferred embodiment, the substantially similar nucleic acid molecule is an LSNA.

By "nucleic acid molecule" it is also meant to be inclusive of allelic variants of an LSNA or a nucleic acid encoding an LSP. For instance, single nucleotide polymorphisms (SNPs) occur frequently in eukaryotic genomes. In fact, more than 1.4 million SNPs have already identified in the human genome, International Human Genome Sequencing Consortium, *Nature* 409: 860-921 (2001). Thus, the sequence determined from one individual of a species may differ from other allelic forms present within the population. Additionally, small deletions and insertions, rather than single nucleotide polymorphisms, are not uncommon in the general population, and often do not alter the function of the protein. Further, amino acid substitutions occur frequently among natural allelic variants, and often do not substantially change protein function.

In a preferred embodiment, the nucleic acid molecule comprising an allelic variant is a variant of a gene, wherein the gene is transcribed into an mRNA that encodes an LSP. In a more preferred embodiment, the gene is transcribed into an mRNA that encodes an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284. In another preferred embodiment, the allelic variant is a variant of a gene, wherein the gene is transcribed into an mRNA that is an LSNA. In a more preferred embodiment, the gene is transcribed into an mRNA that comprises the nucleic acid sequence of SEQ ID NO: 1 through 164. In a preferred embodiment, the allelic variant is a naturally-occurring allelic variant in the species of interest. In a more preferred embodiment, the species of interest is human.

By "nucleic acid molecule" it is also meant to be inclusive of a part of a nucleic acid sequence of the instant invention. The part may or may not encode a polypeptide, and may or may not encode a polypeptide that is an LSP. However, in a preferred embodiment, the part encodes an LSP. In one aspect, the invention comprises a part of an LSNA. In a second aspect, the invention comprises a part of a nucleic acid molecule that hybridizes or exhibits substantial sequence similarity to an LSNA. In a third aspect, the invention comprises a part of a nucleic acid molecule that is an allelic variant of an LSNA. In a fourth aspect, the invention comprises a part of a nucleic acid molecule that encodes an LSP. A part comprises at least 10 nucleotides, more preferably at least 15,

17, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250, 300, 350, 400 or 500 nucleotides. The maximum size of a nucleic acid part is one nucleotide shorter than the sequence of the nucleic acid molecule encoding the full-length protein.

By "nucleic acid molecule" it is also meant to be inclusive of sequence that  
5 encoding a fusion protein, a homologous protein, a polypeptide fragment, a mutein or a polypeptide analog, as described below.

Nucleotide sequences of the instantly-described nucleic acids were determined by sequencing a DNA molecule that had resulted, directly or indirectly, from at least one enzymatic polymerization reaction (*e.g.*, reverse transcription and/or polymerase chain  
10 reaction) using an automated sequencer (such as the MegaBACE™ 1000, Molecular Dynamics, Sunnyvale, CA, USA). Further, all amino acid sequences of the polypeptides of the present invention were predicted by translation from the nucleic acid sequences so determined, unless otherwise specified.

In a preferred embodiment of the invention, the nucleic acid molecule contains  
15 modifications of the native nucleic acid molecule. These modifications include nonnative internucleoside bonds, post-synthetic modifications or altered nucleotide analogues. One having ordinary skill in the art would recognize that the type of modification that can be made will depend upon the intended use of the nucleic acid molecule. For instance, when the nucleic acid molecule is used as a hybridization probe,  
20 the range of such modifications will be limited to those that permit sequence-discriminating base pairing of the resulting nucleic acid. When used to direct expression of RNA or protein *in vitro* or *in vivo*, the range of such modifications will be limited to those that permit the nucleic acid to function properly as a polymerization substrate. When the isolated nucleic acid is used as a therapeutic agent, the modifications will be  
25 limited to those that do not confer toxicity upon the isolated nucleic acid.

In a preferred embodiment, isolated nucleic acid molecules can include nucleotide analogues that incorporate labels that are directly detectable, such as radiolabels or fluorophores, or nucleotide analogues that incorporate labels that can be visualized in a subsequent reaction, such as biotin or various haptens. In a more preferred embodiment,  
30 the labeled nucleic acid molecule may be used as a hybridization probe.



-36-

Common radiolabeled analogues include those labeled with  $^{33}\text{P}$ ,  $^{32}\text{P}$ , and  $^{35}\text{S}$ , such as  $^{-32}\text{P}$ -dATP,  $^{-32}\text{P}$ -dCTP,  $^{-32}\text{P}$ -dGTP,  $^{-32}\text{P}$ -dTTP,  $^{-32}\text{P}$ -3'dATP,  $^{-32}\text{P}$ -ATP,  $^{-32}\text{P}$ -CTP,  $^{-32}\text{P}$ -GTP,  $^{-32}\text{P}$ -UTP,  $^{-35}\text{S}$ -dATP,  $\alpha$ - $^{35}\text{S}$ -GTP,  $\alpha$ - $^{33}\text{P}$ -dATP, and the like.

Commercially available fluorescent nucleotide analogues readily incorporated  
5 into the nucleic acids of the present invention include Cy3-dCTP, Cy3-dUTP, Cy5-dCTP, Cy3-dUTP (Amersham Pharmacia Biotech, Piscataway, New Jersey, USA), fluorescein-12-dUTP, tetramethylrhodamine-6-dUTP, Texas Red®-5-dUTP, Cascade Blue®-7-dUTP, BODIPY® FL-14-dUTP, BODIPY® TMR-14-dUTP, BODIPY® TR-14-dUTP, Rhodamine Green™-5-dUTP, Oregon Green® 488-5-dUTP, Texas  
10 Red®-12-dUTP, BODIPY® 630/650-14-dUTP, BODIPY® 650/665-14-dUTP, Alexa Fluor® 488-5-dUTP, Alexa Fluor® 532-5-dUTP, Alexa Fluor® 568-5-dUTP, Alexa Fluor® 594-5-dUTP, Alexa Fluor® 546-14-dUTP, fluorescein-12-UTP, tetramethylrhodamine-6-UTP, Texas Red®-5-UTP, Cascade Blue®-7-UTP, BODIPY® FL-14-UTP, BODIPY® TMR-14-UTP, BODIPY® TR-14-UTP, Rhodamine  
15 Green™-5-UTP, Alexa Fluor® 488-5-UTP, Alexa Fluor® 546-14-UTP (Molecular Probes, Inc. Eugene, OR, USA). One may also custom synthesize nucleotides having other fluorophores. See Henegariu *et al.*, *Nature Biotechnol.* 18: 345-348 (2000), the disclosure of which is incorporated herein by reference in its entirety.

Haptens that are commonly conjugated to nucleotides for subsequent labeling  
20 include biotin (biotin-11-dUTP, Molecular Probes, Inc., Eugene, OR, USA; biotin-21-UTP, biotin-21-dUTP, Clontech Laboratories, Inc., Palo Alto, CA, USA), digoxigenin (DIG-11-dUTP, alkali labile, DIG-11-UTP, Roche Diagnostics Corp., Indianapolis, IN, USA), and dinitrophenyl (dinitrophenyl-11-dUTP, Molecular Probes, Inc., Eugene, OR, USA).

25 Nucleic acid molecules can be labeled by incorporation of labeled nucleotide analogues into the nucleic acid. Such analogues can be incorporated by enzymatic polymerization, such as by nick translation, random priming, polymerase chain reaction (PCR), terminal transferase tailing, and end-filling of overhangs, for DNA molecules, and *in vitro* transcription driven, *e.g.*, from phage promoters, such as T7, T3, and SP6, for  
30 RNA molecules. Commercial kits are readily available for each such labeling approach. Analogues can also be incorporated during automated solid phase chemical synthesis. Labels can also be incorporated after nucleic acid synthesis, with the 5' phosphate and 3'

-37-

hydroxyl providing convenient sites for post-synthetic covalent attachment of detectable labels.

Other post-synthetic approaches also permit internal labeling of nucleic acids.

For example, fluorophores can be attached using a cisplatin reagent that reacts with the  
5 N7 of guanine residues (and, to a lesser extent, adenine bases) in DNA, RNA, and PNA  
to provide a stable coordination complex between the nucleic acid and fluorophore label  
(Universal Linkage System) (available from Molecular Probes, Inc., Eugene, OR, USA  
and Amersham Pharmacia Biotech, Piscataway, NJ, USA); *see Alers et al., Genes,  
Chromosomes & Cancer* 25: 301- 305 (1999); Jelsma *et al., J. NIH Res.* 5: 82 (1994);  
10 Van Belkum *et al., BioTechniques* 16: 148-153 (1994), incorporated herein by reference.  
As another example, nucleic acids can be labeled using a disulfide-containing linker  
(FastTag™ Reagent, Vector Laboratories, Inc., Burlingame, CA, USA) that is photo- or  
thermally-coupled to the target nucleic acid using aryl azide chemistry; after reduction, a  
free thiol is available for coupling to a hapten, fluorophore, sugar, affinity ligand, or  
15 other marker.

One or more independent or interacting labels can be incorporated into the  
nucleic acid molecules of the present invention. For example, both a fluorophore and a  
moiety that in proximity thereto acts to quench fluorescence can be included to report  
specific hybridization through release of fluorescence quenching or to report  
20 exonucleotidic excision. *See, e.g., Tyagi et al., Nature Biotechnol.* 14: 303-308 (1996);  
*Tyagi et al., Nature Biotechnol.* 16: 49-53 (1998); Sokol *et al., Proc. Natl. Acad. Sci.*  
*USA* 95: 11538-11543 (1998); Kostrikis *et al., Science* 279: 1228-1229 (1998); Marras  
*et al., Genet. Anal.* 14: 151-156 (1999); U. S. Patent 5,846,726; 5,925,517; 5,925,517;  
5,723,591 and 5,538,848; Holland *et al., Proc. Natl. Acad. Sci. USA* 88: 7276-7280  
25 (1991); Heid *et al., Genome Res.* 6(10): 986-94 (1996); Kuimelis *et al., Nucleic Acids*  
*Symp. Ser.* (37): 255-6 (1997); the disclosures of which are incorporated herein by  
reference in their entireties.

Nucleic acid molecules of the invention may be modified by altering one or more  
native phosphodiester internucleoside bonds to more nuclease-resistant, internucleoside  
30 bonds. *See Hartmann et al. (eds.), Manual of Antisense Methodology: Perspectives in*  
*Antisense Science*, Kluwer Law International (1999); Stein *et al. (eds.), Applied*  
*Antisense Oligonucleotide Technology*, Wiley-Liss (1998); Chadwick *et al. (eds.),*

Oligonucleotides as Therapeutic Agents - Symposium No. 209, John Wiley & Son Ltd (1997); the disclosures of which are incorporated herein by reference in their entireties. Such altered internucleoside bonds are often desired for antisense techniques or for targeted gene correction. *See Gamper et al., Nucl. Acids Res.* 28(21): 4332-4339 (2000),  
5 the disclosure of which is incorporated herein by reference in its entirety.

Modified oligonucleotide backbones include, without limitation, phosphorothioates, chiral phosphorothioates, phosphorodithioates, phosphotriesters, aminoalkylphosphotriesters, methyl and other alkyl phosphonates including 3'-alkylene phosphonates and chiral phosphonates, phosphinates, phosphoramidates including  
10 3'-amino phosphoramidate and aminoalkylphosphoramidates, thionophosphoramidates, thionoalkylphosphonates, thionoalkylphosphotriesters, and boranophosphates having normal 3'-5' linkages, 2'-5' linked analogs of these, and those having inverted polarity wherein the adjacent pairs of nucleoside units are linked 3'-5' to 5'-3' or 2'-5' to 5'-2'. Representative United States patents that teach the preparation of the above  
15 phosphorus-containing linkages include, but are not limited to, U. S. Patents 3,687,808; 4,469,863; 4,476,301; 5,023,243; 5,177,196; 5,188,897; 5,264,423; 5,276,019; 5,278,302; 5,286,717; 5,321,131; 5,399,676; 5,405,939; 5,453,496; 5,455,233; 5,466,677; 5,476,925; 5,519,126; 5,536,821; 5,541,306; 5,550,111; 5,563,253; 5,571,799; 5,587,361; and 5,625,050, the disclosures of which are incorporated herein by  
20 reference in their entireties. In a preferred embodiment, the modified internucleoside linkages may be used for antisense techniques.

Other modified oligonucleotide backbones do not include a phosphorus atom, but have backbones that are formed by short chain alkyl or cycloalkyl internucleoside linkages, mixed heteroatom and alkyl or cycloalkyl internucleoside linkages, or one or  
25 more short chain heteroatomic or heterocyclic internucleoside linkages. These include those having morpholino linkages (formed in part from the sugar portion of a nucleoside); siloxane backbones; sulfide, sulfoxide and sulfone backbones; formacetyl and thioformacetyl backbones; methylene formacetyl and thioformacetyl backbones; alkene containing backbones; sulfamate backbones; methyleneimino and  
30 methylenehydrazino backbones; sulfonate and sulfonamide backbones; amide backbones; and others having mixed N, O, S and CH<sub>2</sub> component parts. Representative U.S. patents that teach the preparation of the above backbones include, but are not limited to, U.S.

-39-

Patent 5,034,506; 5,166,315; 5,185,444; 5,214,134; 5,216,141; 5,235,033; 5,264,562; 5,264,564; 5,405,938; 5,434,257; 5,466,677; 5,470,967; 5,489,677; 5,541,307; 5,561,225; 5,596,086; 5,602,240; 5,610,289; 5,602,240; 5,608,046; 5,610,289; 5,618,704; 5,623,070; 5,663,312; 5,633,360; 5,677,437 and 5,677,439; the disclosures of which are incorporated herein by reference in their entireties.

In other preferred oligonucleotide mimetics, both the sugar and the internucleoside linkage are replaced with novel groups, such as peptide nucleic acids (PNA). In PNA compounds, the phosphodiester backbone of the nucleic acid is replaced with an amide-containing backbone, in particular by repeating N-(2-aminoethyl) glycine units linked by amide bonds. Nucleobases are bound directly or indirectly to aza nitrogen atoms of the amide portion of the backbone, typically by methylene carbonyl linkages. PNA can be synthesized using a modified peptide synthesis protocol. PNA oligomers can be synthesized by both Fmoc and tBoc methods. Representative U.S. patents that teach the preparation of PNA compounds include, but are not limited to, U.S. Patent 5,539,082; 5,714,331; and 5,719,262, each of which is herein incorporated by reference. Automated PNA synthesis is readily achievable on commercial synthesizers (*see, e.g.*, "PNA User's Guide," Rev. 2, February 1998, Perseptive Biosystems Part No. 60138, Applied Biosystems, Inc., Foster City, CA).

PNA molecules are advantageous for a number of reasons. First, because the PNA backbone is uncharged, PNA/DNA and PNA/RNA duplexes have a higher thermal stability than is found in DNA/DNA and DNA/RNA duplexes. The  $T_m$  of a PNA/DNA or PNA/RNA duplex is generally 1°C higher per base pair than the  $T_m$  of the corresponding DNA/DNA or DNA/RNA duplex (in 100 mM NaCl). Second, PNA molecules can also form stable PNA/DNA complexes at low ionic strength, under conditions in which DNA/DNA duplex formation does not occur. Third, PNA also demonstrates greater specificity in binding to complementary DNA because a PNA/DNA mismatch is more destabilizing than DNA/DNA mismatch. A single mismatch in mixed a PNA/DNA 15-mer lowers the  $T_m$  by 8–20°C (15°C on average). In the corresponding DNA/DNA duplexes, a single mismatch lowers the  $T_m$  by 4–16°C (11°C on average). Because PNA probes can be significantly shorter than DNA probes, their specificity is greater. Fourth, PNA oligomers are resistant to degradation by enzymes, and the lifetime of these compounds is extended both *in vivo* and *in vitro* because nucleases and proteases

do not recognize the PNA polyamide backbone with nucleobase sidechains. *See, e.g.,* Ray *et al.*, *FASEB J.* 14(9): 1041-60 (2000); Nielsen *et al.*, *Pharmacol Toxicol.* 86(1): 3-7 (2000); Larsen *et al.*, *Biochim Biophys Acta.* 1489(1): 159-66 (1999); Nielsen, *Curr. Opin. Struct. Biol.* 9(3): 353-7 (1999), and Nielsen, *Curr. Opin. Biotechnol.* 10(1): 71-5  
5 (1999), the disclosures of which are incorporated herein by reference in their entireties.

Nucleic acid molecules may be modified compared to their native structure throughout the length of the nucleic acid molecule or can be localized to discrete portions thereof. As an example of the latter, chimeric nucleic acids can be synthesized that have discrete DNA and RNA domains and that can be used for targeted gene repair and  
10 modified PCR reactions, as further described in U.S. Patents 5,760,012 and 5,731,181, Misra *et al.*, *Biochem.* 37: 1917-1925 (1998); and Finn *et al.*, *Nucl. Acids Res.* 24: 3357-3363 (1996), the disclosures of which are incorporated herein by reference in their entireties.

Unless otherwise specified, nucleic acids of the present invention can include any  
15 topological conformation appropriate to the desired use; the term thus explicitly comprehends, among others, single-stranded, double-stranded, triplexed, quadruplexed, partially double-stranded, partially-triplexed, partially-quadruplexed, branched, hairpinned, circular, and padlocked conformations. Padlock conformations and their utilities are further described in Banér *et al.*, *Curr. Opin. Biotechnol.* 12: 11-15 (2001);  
20 Escude *et al.*, *Proc. Natl. Acad. Sci. USA* 14: 96(19):10603-7 (1999); Nilsson *et al.*, *Science* 265(5181): 2085-8 (1994), the disclosures of which are incorporated herein by reference in their entireties. Triplex and quadruplex conformations, and their utilities, are reviewed in Praseuth *et al.*, *Biochim. Biophys. Acta.* 1489(1): 181-206 (1999); Fox, *Curr. Med. Chem.* 7(1): 17-37 (2000); Kochetkova *et al.*, *Methods Mol. Biol.* 130: 189-201  
25 (2000); Chan *et al.*, *J. Mol. Med.* 75(4): 267-82 (1997), the disclosures of which are incorporated herein by reference in their entireties.

#### *Methods for Using Nucleic Acid Molecules as Probes and Primers*

The isolated nucleic acid molecules of the present invention can be used as  
30 hybridization probes to detect, characterize, and quantify hybridizing nucleic acids in, and isolate hybridizing nucleic acids from, both genomic and transcript-derived nucleic acid samples. When free in solution, such probes are typically, but not invariably,

detectably labeled; bound to a substrate, as in a microarray, such probes are typically, but not invariably unlabeled.

In one embodiment, the isolated nucleic acids of the present invention can be used as probes to detect and characterize gross alterations in the gene of an LSNA, such as deletions, insertions, translocations, and duplications of the LSNA genomic locus through fluorescence *in situ* hybridization (FISH) to chromosome spreads. *See, e.g.,* Andreeff *et al.* (eds.), Introduction to Fluorescence In Situ Hybridization: Principles and Clinical Applications, John Wiley & Sons (1999), the disclosure of which is incorporated herein by reference in its entirety. The isolated nucleic acids of the present invention can be used as probes to assess smaller genomic alterations using, *e.g.*, Southern blot detection of restriction fragment length polymorphisms. The isolated nucleic acid molecules of the present invention can be used as probes to isolate genomic clones that include the nucleic acid molecules of the present invention, which thereafter can be restriction mapped and sequenced to identify deletions, insertions, translocations, and substitutions (single nucleotide polymorphisms, SNPs) at the sequence level.

In another embodiment, the isolated nucleic acid molecules of the present invention can be used as probes to detect, characterize, and quantify LSNA in, and isolate LSNA from, transcript-derived nucleic acid samples. In one aspect, the isolated nucleic acid molecules of the present invention can be used as hybridization probes to detect, characterize by length, and quantify mRNA by Northern blot of total or poly-A<sup>+</sup>-selected RNA samples. In another aspect, the isolated nucleic acid molecules of the present invention can be used as hybridization probes to detect, characterize by location, and quantify mRNA by *in situ* hybridization to tissue sections. *See, e.g.,* Schwarczacher *et al.*, In Situ Hybridization, Springer-Verlag New York (2000), the disclosure of which is incorporated herein by reference in its entirety. In another preferred embodiment, the isolated nucleic acid molecules of the present invention can be used as hybridization probes to measure the representation of clones in a cDNA library or to isolate hybridizing nucleic acid molecules acids from cDNA libraries, permitting sequence level characterization of mRNAs that hybridize to LSNAs, including, without limitations, identification of deletions, insertions, substitutions, truncations, alternatively spliced forms and single nucleotide polymorphisms. In yet another preferred embodiment, the nucleic acid molecules of the instant invention may be used in microarrays.

All of the aforementioned probe techniques are well within the skill in the art, and are described at greater length in standard texts such as Sambrook (2001), *supra*; Ausubel (1999), *supra*; and Walker *et al.* (eds.), The Nucleic Acids Protocols Handbook, Humana Press (2000), the disclosures of which are incorporated herein by reference in  
5 their entirety.

Thus, in one embodiment, a nucleic acid molecule of the invention may be used as a probe or primer to identify or amplify a second nucleic acid molecule that selectively hybridizes to the nucleic acid molecule of the invention. In a preferred embodiment, the probe or primer is derived from a nucleic acid molecule encoding an LSP. In a more  
10 preferred embodiment, the probe or primer is derived from a nucleic acid molecule encoding a polypeptide having an amino acid sequence of SEQ ID NO: 165 through 284. In another preferred embodiment, the probe or primer is derived from an LSNA. In a more preferred embodiment, the probe or primer is derived from a nucleic acid molecule having a nucleotide sequence of SEQ ID NO: 1 through 164.

15 In general, a probe or primer is at least 10 nucleotides in length, more preferably at least 12, more preferably at least 14 and even more preferably at least 16 or 17 nucleotides in length. In an even more preferred embodiment, the probe or primer is at least 18 nucleotides in length, even more preferably at least 20 nucleotides and even more preferably at least 22 nucleotides in length. Primers and probes may also be longer  
20 in length. For instance, a probe or primer may be 25 nucleotides in length, or may be 30, 40 or 50 nucleotides in length. Methods of performing nucleic acid hybridization using oligonucleotide probes are well-known in the art. *See, e.g.*, Sambrook *et al.*, 1989, *supra*, Chapter 11 and pp. 11.31-11.32 and 11.40-11.44, which describes radiolabeling of short probes, and pp. 11.45-11.53, which describe hybridization conditions for oligonucleotide  
25 probes, including specific conditions for probe hybridization (pp. 11.50-11.51).

Methods of performing primer-directed amplification are also well-known in the art. Methods for performing the polymerase chain reaction (PCR) are compiled, *inter alia*, in McPherson, PCR Basics: From Background to Bench, Springer Verlag (2000); Innis *et al.* (eds.), PCR Applications: Protocols for Functional Genomics, Academic  
30 Press (1999); Gelfand *et al.* (eds.), PCR Strategies, Academic Press (1998); Newton *et al.*, PCR, Springer-Verlag New York (1997); Burke (ed.), PCR: Essential Techniques, John Wiley & Son Ltd (1996); White (ed.), PCR Cloning Protocols: From Molecular

Cloning to Genetic Engineering, Vol. 67, Humana Press (1996); McPherson *et al.* (eds.), PCR 2: A Practical Approach, Oxford University Press, Inc. (1995); the disclosures of which are incorporated herein by reference in their entireties. Methods for performing RT-PCR are collected, *e.g.*, in Siebert *et al.* (eds.), Gene Cloning and Analysis by RT-PCR, Eaton Publishing Company/Bio Techniques Books Division, 1998; Siebert (ed.), PCR Technique: RT-PCR, Eaton Publishing Company/ BioTechniques Books (1995); the disclosure of which is incorporated herein by reference in its entirety.

PCR and hybridization methods may be used to identify and/or isolate allelic variants, homologous nucleic acid molecules and fragments of the nucleic acid molecules of the invention. PCR and hybridization methods may also be used to identify, amplify and/or isolate nucleic acid molecules that encode homologous proteins, analogs, fusion protein or muteins of the invention. The nucleic acid primers of the present invention can be used to prime amplification of nucleic acid molecules of the invention, using transcript-derived or genomic DNA as template.

The nucleic acid primers of the present invention can also be used, for example, to prime single base extension (SBE) for SNP detection (*See, e.g.*, U.S. Patent 6,004,744, the disclosure of which is incorporated herein by reference in its entirety).

Isothermal amplification approaches, such as rolling circle amplification, are also now well-described. *See, e.g.*, Schweitzer *et al.*, *Curr. Opin. Biotechnol.* 12(1): 21-7 (2001); U.S. Patents 5,854,033 and 5,714,320; and international patent publications WO 97/19193 and WO 00/15779, the disclosures of which are incorporated herein by reference in their entireties. Rolling circle amplification can be combined with other techniques to facilitate SNP detection. *See, e.g.*, Lizardi *et al.*, *Nature Genet.* 19(3): 225-32 (1998).

Nucleic acid molecules of the present invention may be bound to a substrate either covalently or noncovalently. The substrate can be porous or solid, planar or non-planar, unitary or distributed. The bound nucleic acid molecules may be used as hybridization probes, and may be labeled or unlabeled. In a preferred embodiment, the bound nucleic acid molecules are unlabeled.

In one embodiment, the nucleic acid molecule of the present invention is bound to a porous substrate, *e.g.*, a membrane, typically comprising nitrocellulose, nylon, or positively-charged derivatized nylon. The nucleic acid molecule of the present invention



can be used to detect a hybridizing nucleic acid molecule that is present within a labeled nucleic acid sample, e.g., a sample of transcript-derived nucleic acids. In another embodiment, the nucleic acid molecule is bound to a solid substrate, including, without limitation, glass, amorphous silicon, crystalline silicon or plastics. Examples of plastics include, without limitation, polymethylacrylic, polyethylene, polypropylene, polyacrylate, polymethylmethacrylate, polyvinylchloride, polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, or mixtures thereof. The solid substrate may be any shape, including rectangular, disk-like and spherical. In a preferred embodiment, the solid substrate is a microscope slide or slide-shaped substrate.

The nucleic acid molecule of the present invention can be attached covalently to a surface of the support substrate or applied to a derivatized surface in a chaotropic agent that facilitates denaturation and adherence by presumed noncovalent interactions, or some combination thereof. The nucleic acid molecule of the present invention can be bound to a substrate to which a plurality of other nucleic acids are concurrently bound, hybridization to each of the plurality of bound nucleic acids being separately detectable. At low density, e.g. on a porous membrane, these substrate-bound collections are typically denominated macroarrays; at higher density, typically on a solid support, such as glass, these substrate bound collections of plural nucleic acids are colloquially termed microarrays. As used herein, the term microarray includes arrays of all densities. It is, therefore, another aspect of the invention to provide microarrays that include the nucleic acids of the present invention.

#### *Expression Vectors, Host Cells and Recombinant Methods of Producing Polypeptides*

Another aspect of the present invention relates to vectors that comprise one or more of the isolated nucleic acid molecules of the present invention, and host cells in which such vectors have been introduced.

The vectors can be used, *inter alia*, for propagating the nucleic acids of the present invention in host cells (cloning vectors), for shuttling the nucleic acids of the present invention between host cells derived from disparate organisms (shuttle vectors), for inserting the nucleic acids of the present invention into host cell chromosomes (insertion vectors), for expressing sense or antisense RNA transcripts of the nucleic acids of the present invention *in vitro* or within a host cell, and for expressing polypeptides

encoded by the nucleic acids of the present invention, alone or as fusions to heterologous polypeptides (expression vectors). Vectors of the present invention will often be suitable for several such uses.

Vectors are by now well-known in the art, and are described, *inter alia*, in Jones  
5 *et al.* (eds.), Vectors: Cloning Applications: Essential Techniques (Essential Techniques Series), John Wiley & Son Ltd. (1998); Jones *et al.* (eds.), Vectors: Expression Systems: Essential Techniques (Essential Techniques Series), John Wiley & Son Ltd. (1998); Gacesa *et al.*, Vectors: Essential Data, John Wiley & Sons Ltd. (1995); Cid-Arregui (eds.), Viral Vectors: Basic Science and Gene Therapy, Eaton Publishing Co. (2000);  
10 Sambrook (2001), *supra*; Ausubel (1999), *supra*; the disclosures of which are incorporated herein by reference in their entireties. Furthermore, an enormous variety of vectors are available commercially. Use of existing vectors and modifications thereof being well within the skill in the art, only basic features need be described here.

Nucleic acid sequences may be expressed by operatively linking them to an  
15 expression control sequence in an appropriate expression vector and employing that expression vector to transform an appropriate unicellular host. Expression control sequences are sequences which control the transcription, post-transcriptional events and translation of nucleic acid sequences. Such operative linking of a nucleic sequence of this invention to an expression control sequence, of course, includes, if not already part  
20 of the nucleic acid sequence, the provision of a translation initiation codon, ATG or GTG, in the correct reading frame upstream of the nucleic acid sequence.

A wide variety of host/expression vector combinations may be employed in expressing the nucleic acid sequences of this invention. Useful expression vectors, for example, may consist of segments of chromosomal, non-chromosomal and synthetic  
25 nucleic acid sequences.

In one embodiment, prokaryotic cells may be used with an appropriate vector. Prokaryotic host cells are often used for cloning and expression. In a preferred embodiment, prokaryotic host cells include *E. coli*, *Pseudomonas*, *Bacillus* and *Streptomyces*. In a preferred embodiment, bacterial host cells are used to express the  
30 nucleic acid molecules of the instant invention. Useful expression vectors for bacterial hosts include bacterial plasmids, such as those from *E. coli*, *Bacillus* or *Streptomyces*, including pBluescript, pGEX-2T, pUC vectors, col E1, pCR1, pBR322, pMB9 and their

derivatives, wider host range plasmids, such as RP4, phage DNAs, *e.g.*, the numerous derivatives of phage lambda, *e.g.*, NM989,  $\lambda$ GT10 and  $\lambda$ GT11, and other phages, *e.g.*, M13 and filamentous single-stranded phage DNA. Where *E. coli* is used as host, selectable markers are, analogously, chosen for selectivity in gram negative bacteria: *e.g.*,  
5 typical markers confer resistance to antibiotics, such as ampicillin, tetracycline, chloramphenicol, kanamycin, streptomycin and zeocin; auxotrophic markers can also be used.

In other embodiments, eukaryotic host cells, such as yeast, insect, mammalian or plant cells, may be used. Yeast cells, typically *S. cerevisiae*, are useful for eukaryotic  
10 genetic studies, due to the ease of targeting genetic changes by homologous recombination and the ability to easily complement genetic defects using recombinantly expressed proteins. Yeast cells are useful for identifying interacting protein components, *e.g.* through use of a two-hybrid system. In a preferred embodiment, yeast cells are useful for protein expression. Vectors of the present invention for use in yeast will  
15 typically, but not invariably, contain an origin of replication suitable for use in yeast and a selectable marker that is functional in yeast. Yeast vectors include Yeast Integrating plasmids (*e.g.*, YIp5) and Yeast Replicating plasmids (the YRp and YEplac series plasmids), Yeast Centromere plasmids (the YCp series plasmids), Yeast Artificial Chromosomes (YACs) which are based on yeast linear plasmids, denoted YLp, pGPD-2,  
20 2 $\mu$  plasmids and derivatives thereof, and improved shuttle vectors such as those described in Gietz *et al.*, *Gene*, 74: 527-34 (1988) (YIplac, YEplac and YCplac). Selectable markers in yeast vectors include a variety of auxotrophic markers, the most common of which are (in *Saccharomyces cerevisiae*) URA3, HIS3, LEU2, TRP1 and LYS2, which complement specific auxotrophic mutations, such as *ura3-52*, *his3-D1*,  
25 *leu2-D1*, *trp1-D1* and *lys2-201*.

Insect cells are often chosen for high efficiency protein expression. Where the host cells are from *Spodoptera frugiperda*, *e.g.*, Sf9 and Sf21 cell lines, and expresSFTM cells (Protein Sciences Corp., Meriden, CT, USA)), the vector replicative strategy is typically based upon the baculovirus life cycle. Typically, baculovirus transfer vectors  
30 are used to replace the wild-type AcMNPV polyhedrin gene with a heterologous gene of interest. Sequences that flank the polyhedrin gene in the wild-type genome are positioned 5' and 3' of the expression cassette on the transfer vectors. Following co-

transfection with AcMNPV DNA, a homologous recombination event occurs between these sequences resulting in a recombinant virus carrying the gene of interest and the polyhedrin or p10 promoter. Selection can be based upon visual screening for lacZ fusion activity.

5           In another embodiment, the host cells may be mammalian cells, which are particularly useful for expression of proteins intended as pharmaceutical agents, and for screening of potential agonists and antagonists of a protein or a physiological pathway. Mammalian vectors intended for autonomous extrachromosomal replication will typically include a viral origin, such as the SV40 origin (for replication in cell lines  
10   expressing the large T-antigen, such as COS1 and COS7 cells), the papillomavirus origin, or the EBV origin for long term episomal replication (for use, *e.g.*, in 293-EBNA cells, which constitutively express the EBV EBNA-1 gene product and adenovirus E1A). Vectors intended for integration, and thus replication as part of the mammalian chromosome, can, but need not, include an origin of replication functional in mammalian  
15   cells, such as the SV40 origin. Vectors based upon viruses, such as adenovirus, adeno-associated virus, vaccinia virus, and various mammalian retroviruses, will typically replicate according to the viral replicative strategy. Selectable markers for use in mammalian cells include resistance to neomycin (G418), blasticidin, hygromycin and to zeocin, and selection based upon the purine salvage pathway using HAT medium.

20           Expression in mammalian cells can be achieved using a variety of plasmids, including pSV2, pBC12BI, and p91023, as well as lytic virus vectors (*e.g.*, vaccinia virus, adeno virus, and baculovirus), episomal virus vectors (*e.g.*, bovine papillomavirus), and retroviral vectors (*e.g.*, murine retroviruses). Useful vectors for insect cells include baculoviral vectors and pVL 941.

25           Plant cells can also be used for expression, with the vector replicon typically derived from a plant virus (*e.g.*, cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) and selectable markers chosen for suitability in plants.

          It is known that codon usage of different host cells may be different. For example, a plant cell and a human cell may exhibit a difference in codon preference for  
30   encoding a particular amino acid. As a result, human mRNA may not be efficiently translated in a plant, bacteria or insect host cell. Therefore, another embodiment of this invention is directed to codon optimization. The codons of the nucleic acid molecules of

the invention may be modified to resemble, as much as possible, genes naturally contained within the host cell without altering the amino acid sequence encoded by the nucleic acid molecule.

Any of a wide variety of expression control sequences may be used in these  
5 vectors to express the DNA sequences of this invention. Such useful expression control sequences include the expression control sequences associated with structural genes of the foregoing expression vectors. Expression control sequences that control transcription include, *e.g.*, promoters, enhancers and transcription termination sites. Expression control sequences in eukaryotic cells that control post-transcriptional events include  
10 splice donor and acceptor sites and sequences that modify the half-life of the transcribed RNA, *e.g.*, sequences that direct poly(A) addition or binding sites for RNA-binding proteins. Expression control sequences that control translation include ribosome binding sites, sequences which direct targeted expression of the polypeptide to or within particular cellular compartments, and sequences in the 5' and 3' untranslated regions that  
15 modify the rate or efficiency of translation.

Examples of useful expression control sequences for a prokaryote, *e.g.*, *E. coli*, will include a promoter, often a phage promoter, such as phage lambda pL promoter, the *trc* promoter, a hybrid derived from the *trp* and *lac* promoters, the bacteriophage T7 promoter (in *E. coli* cells engineered to express the T7 polymerase), the TAC or TRC  
20 system, the major operator and promoter regions of phage lambda, the control regions of fd coat protein, or the *araBAD* operon. Prokaryotic expression vectors may further include transcription terminators, such as the *aspA* terminator, and elements that facilitate translation, such as a consensus ribosome binding site and translation termination codon, Schomer *et al.*, *Proc. Natl. Acad. Sci. USA* 83: 8506-8510 (1986).

25 Expression control sequences for yeast cells, typically *S. cerevisiae*, will include a yeast promoter, such as the *CYC1* promoter, the *GAL1* promoter, the *GAL10* promoter, *ADH1* promoter, the promoters of the yeast  $\alpha$ -mating system, or the *GPD* promoter, and will typically have elements that facilitate transcription termination, such as the transcription termination signals from the *CYC1* or *ADH1* gene.

30 Expression vectors useful for expressing proteins in mammalian cells will include a promoter active in mammalian cells. These promoters include those derived from mammalian viruses, such as the enhancer-promoter sequences from the immediate early

gene of the human cytomegalovirus (CMV), the enhancer-promoter sequences from the Rous sarcoma virus long terminal repeat (RSV LTR), the enhancer-promoter from SV40 or the early and late promoters of adenovirus. Other expression control sequences include the promoter for 3-phosphoglycerate kinase or other glycolytic enzymes, the  
5 promoters of acid phosphatase. Other expression control sequences include those from the gene comprising the LSNA of interest. Often, expression is enhanced by incorporation of polyadenylation sites, such as the late SV40 polyadenylation site and the polyadenylation signal and transcription termination sequences from the bovine growth hormone (BGH) gene, and ribosome binding sites. Furthermore, vectors can include  
10 introns, such as intron II of rabbit  $\beta$ -globin gene and the SV40 splice elements.

Preferred nucleic acid vectors also include a selectable or amplifiable marker gene and means for amplifying the copy number of the gene of interest. Such marker genes are well-known in the art. Nucleic acid vectors may also comprise stabilizing sequences (*e.g.*, ori- or ARS-like sequences and telomere-like sequences), or may  
15 alternatively be designed to favor directed or non-directed integration into the host cell genome. In a preferred embodiment, nucleic acid sequences of this invention are inserted in frame into an expression vector that allows high level expression of an RNA which encodes a protein comprising the encoded nucleic acid sequence of interest. Nucleic acid cloning and sequencing methods are well-known to those of skill in the art and are  
20 described in an assortment of laboratory manuals, including Sambrook (1989), *supra*, Sambrook (2000), *supra*; and Ausubel (1992), *supra*, Ausubel (1999), *supra*. Product information from manufacturers of biological, chemical and immunological reagents also provide useful information.

Expression vectors may be either constitutive or inducible. Inducible vectors  
25 include either naturally inducible promoters, such as the *trc* promoter, which is regulated by the *lac* operon, and the *pL* promoter, which is regulated by tryptophan, the MMTV-LTR promoter, which is inducible by dexamethasone, or can contain synthetic promoters and/or additional elements that confer inducible control on adjacent promoters. Examples of inducible synthetic promoters are the hybrid *Plac/ara-1* promoter and the  
30 *PLtetO-1* promoter. The *PLtetO-1* promoter takes advantage of the high expression levels from the *PL* promoter of phage lambda, but replaces the lambda repressor sites with two copies of operator 2 of the *Tn10* tetracycline resistance operon, causing this promoter to

-50-

be tightly repressed by the Tet repressor protein and induced in response to tetracycline (Tc) and Tc derivatives such as anhydrotetracycline. Vectors may also be inducible because they contain hormone response elements, such as the glucocorticoid response element (GRE) and the estrogen response element (ERE), which can confer hormone  
5 inducibility where vectors are used for expression in cells having the respective hormone receptors. To reduce background levels of expression, elements responsive to ecdysone, an insect hormone, can be used instead, with coexpression of the ecdysone receptor.

In one aspect of the invention, expression vectors can be designed to fuse the expressed polypeptide to small protein tags that facilitate purification and/or  
10 visualization. Tags that facilitate purification include a polyhistidine tag that facilitates purification of the fusion protein by immobilized metal affinity chromatography, for example using NiNTA resin (Qiagen Inc., Valencia, CA, USA) or TALON™ resin (cobalt immobilized affinity chromatography medium, Clontech Labs, Palo Alto, CA, USA). The fusion protein can include a chitin-binding tag and self-excising intein,  
15 permitting chitin-based purification with self-removal of the fused tag (IMPACT™ system, New England Biolabs, Inc., Beverly, MA, USA). Alternatively, the fusion protein can include a calmodulin-binding peptide tag, permitting purification by calmodulin affinity resin (Stratagene, La Jolla, CA, USA), or a specifically excisable fragment of the biotin carboxylase carrier protein, permitting purification of *in vivo*  
20 biotinylated protein using an avidin resin and subsequent tag removal (Promega, Madison, WI, USA). As another useful alternative, the proteins of the present invention can be expressed as a fusion protein with glutathione-S-transferase, the affinity and specificity of binding to glutathione permitting purification using glutathione affinity resins, such as Glutathione-Superflow Resin (Clontech Laboratories, Palo Alto, CA,  
25 USA), with subsequent elution with free glutathione. Other tags include, for example, the Xpress epitope, detectable by anti-Xpress antibody (Invitrogen, Carlsbad, CA, USA), a myc tag, detectable by anti-myc tag antibody, the V5 epitope, detectable by anti-V5 antibody (Invitrogen, Carlsbad, CA, USA), FLAG® epitope, detectable by anti-FLAG® antibody (Stratagene, La Jolla, CA, USA), and the HA epitope.

30 For secretion of expressed proteins, vectors can include appropriate sequences that encode secretion signals, such as leader peptides. For example, the pSecTag2 vectors (Invitrogen, Carlsbad, CA, USA) are 5.2 kb mammalian expression vectors that

carry the secretion signal from the V-J2-C region of the mouse Ig kappa-chain for efficient secretion of recombinant proteins from a variety of mammalian cell lines.

Expression vectors can also be designed to fuse proteins encoded by the heterologous nucleic acid insert to polypeptides that are larger than purification and/or identification tags. Useful fusion proteins include those that permit display of the encoded protein on the surface of a phage or cell, fusion to intrinsically fluorescent proteins, such as those that have a green fluorescent protein (GFP)-like chromophore, fusions to the IgG Fc region, and fusion proteins for use in two hybrid systems.

Vectors for phage display fuse the encoded polypeptide to, *e.g.*, the gene III protein (pIII) or gene VIII protein (pVIII) for display on the surface of filamentous phage, such as M13. *See* Barbas *et al.*, Phage Display: A Laboratory Manual, Cold Spring Harbor Laboratory Press (2001); Kay *et al.* (eds.), Phage Display of Peptides and Proteins: A Laboratory Manual, Academic Press, Inc., (1996); Abelson *et al.* (eds.), Combinatorial Chemistry (Methods in Enzymology, Vol. 267) Academic Press (1996). Vectors for yeast display, *e.g.* the pYD1 yeast display vector (Invitrogen, Carlsbad, CA, USA), use the  $\alpha$ -agglutinin yeast adhesion receptor to display recombinant protein on the surface of *S. cerevisiae*. Vectors for mammalian display, *e.g.*, the pDisplay™ vector (Invitrogen, Carlsbad, CA, USA), target recombinant proteins using an N-terminal cell surface targeting signal and a C-terminal transmembrane anchoring domain of platelet derived growth factor receptor.

A wide variety of vectors now exist that fuse proteins encoded by heterologous nucleic acids to the chromophore of the substrate-independent, intrinsically fluorescent green fluorescent protein from *Aequorea victoria* ("GFP") and its variants. The GFP-like chromophore can be selected from GFP-like chromophores found in naturally occurring proteins, such as *A. victoria* GFP (GenBank accession number AAA27721), *Renilla reniformis* GFP, FP583 (GenBank accession no. AF168419) (DsRed), FP593 (AF272711), FP483 (AF168420), FP484 (AF168424), FP595 (AF246709), FP486 (AF168421), FP538 (AF168423), and FP506 (AF168422), and need include only so much of the native protein as is needed to retain the chromophore's intrinsic fluorescence. Methods for determining the minimal domain required for fluorescence are known in the art. *See* Li *et al.*, *J. Biol. Chem.* 272: 28545-28549 (1997). Alternatively, the GFP-like chromophore can be selected from GFP-like chromophores modified from



those found in nature. The methods for engineering such modified GFP-like chromophores and testing them for fluorescence activity, both alone and as part of protein fusions, are well-known in the art. *See* Heim *et al.*, *Curr. Biol.* 6: 178-182 (1996) and Palm *et al.*, *Methods Enzymol.* 302: 378-394 (1999), incorporated herein by  
5 reference in its entirety. A variety of such modified chromophores are now commercially available and can readily be used in the fusion proteins of the present invention. These include EGFP ("enhanced GFP"), EBFP ("enhanced blue fluorescent protein"), BFP2, EYFP ("enhanced yellow fluorescent protein"), ECFP ("enhanced cyan fluorescent protein") or Citrine. EGFP (*see, e.g.* Cormack *et al.*, *Gene* 173: 33-38  
10 (1996); United States Patent Nos. 6,090,919 and 5,804,387) is found on a variety of vectors, both plasmid and viral, which are available commercially (Clontech Labs, Palo Alto, CA, USA); EBFP is optimized for expression in mammalian cells whereas BFP2, which retains the original jellyfish codons, can be expressed in bacteria (*see, e.g.* Heim *et al.*, *Curr. Biol.* 6: 178-182 (1996) and Cormack *et al.*, *Gene* 173: 33-38 (1996)).  
15 Vectors containing these blue-shifted variants are available from Clontech Labs (Palo Alto, CA, USA). Vectors containing EYFP, ECFP (*see, e.g.* Heim *et al.*, *Curr. Biol.* 6: 178-182 (1996); Miyawaki *et al.*, *Nature* 388: 882-887 (1997)) and Citrine (*see, e.g.* Heikal *et al.*, *Proc. Natl. Acad. Sci. USA* 97: 11996-12001 (2000)) are also available from Clontech Labs. The GFP-like chromophore can also be drawn from other modified  
20 GFPs, including those described in U.S. Patents 6,124,128; 6,096,865; 6,090,919; 6,066,476; 6,054,321; 6,027,881; 5,968,750; 5,874,304; 5,804,387; 5,777,079; 5,741,668; and 5,625,048, the disclosures of which are incorporated herein by reference in their entireties. *See also* Conn (ed.), Green Fluorescent Protein (Methods in Enzymology, Vol. 302), Academic Press, Inc. (1999). The GFP-like chromophore of  
25 each of these GFP variants can usefully be included in the fusion proteins of the present invention.

Fusions to the IgG Fc region increase serum half life of protein pharmaceutical products through interaction with the FcRn receptor (also denominated the FcRp receptor and the Brambell receptor, FcRb), further described in International Patent Application  
30 Nos. WO 97/43316, WO 97/34631, WO 96/32478, WO 96/18412.

For long-term, high-yield recombinant production of the proteins, protein fusions, and protein fragments of the present invention, stable expression is preferred. Stable

expression is readily achieved by integration into the host cell genome of vectors having selectable markers, followed by selection of these integrants. Vectors such as pUB6/V5-His A, B, and C (Invitrogen, Carlsbad, CA, USA) are designed for high-level stable expression of heterologous proteins in a wide range of mammalian tissue types and cell lines. pUB6/V5-His uses the promoter/enhancer sequence from the human ubiquitin C gene to drive expression of recombinant proteins: expression levels in 293, CHO, and NIH3T3 cells are comparable to levels from the CMV and human EF-1a promoters. The bsd gene permits rapid selection of stably transfected mammalian cells with the potent antibiotic blasticidin.

Replication incompetent retroviral vectors, typically derived from Moloney murine leukemia virus, also are useful for creating stable transfectants having integrated provirus. The highly efficient transduction machinery of retroviruses, coupled with the availability of a variety of packaging cell lines such as RetroPack™ PT 67, EcoPack2™-293, AmphoPack-293, and GP2-293 cell lines (all available from Clontech Laboratories, Palo Alto, CA, USA), allow a wide host range to be infected with high efficiency; varying the multiplicity of infection readily adjusts the copy number of the integrated provirus.

Of course, not all vectors and expression control sequences will function equally well to express the nucleic acid sequences of this invention. Neither will all hosts function equally well with the same expression system. However, one of skill in the art may make a selection among these vectors, expression control sequences and hosts without undue experimentation and without departing from the scope of this invention. For example, in selecting a vector, the host must be considered because the vector must be replicated in it. The vector's copy number, the ability to control that copy number, the ability to control integration, if any, and the expression of any other proteins encoded by the vector, such as antibiotic or other selection markers, should also be considered. The present invention further includes host cells comprising the vectors of the present invention, either present episomally within the cell or integrated, in whole or in part, into the host cell chromosome. Among other considerations, some of which are described above, a host cell strain may be chosen for its ability to process the expressed protein in the desired fashion. Such post-translational modifications of the polypeptide include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation,

and acylation, and it is an aspect of the present invention to provide LSPs with such post-translational modifications.

Polypeptides of the invention may be post-translationally modified. Post-translational modifications include phosphorylation of amino acid residues serine, threonine and/or tyrosine, N-linked and/or O-linked glycosylation, methylation, acetylation, prenylation, methylation, acetylation, arginylation, ubiquitination and racemization. One may determine whether a polypeptide of the invention is likely to be post-translationally modified by analyzing the sequence of the polypeptide to determine if there are peptide motifs indicative of sites for post-translational modification. There are a number of computer programs that permit prediction of post-translational modifications. See, e.g., [www.expasy.org](http://www.expasy.org) (accessed August 31, 2001), which includes PSORT, for prediction of protein sorting signals and localization sites, SignalP, for prediction of signal peptide cleavage sites, MITOPROT and Predotar, for prediction of mitochondrial targeting sequences, NetOGlyc, for prediction of type O-glycosylation sites in mammalian proteins, big-PI Predictor and DGPI, for prediction of prenylation-anchor and cleavage sites, and NetPhos, for prediction of Ser, Thr and Tyr phosphorylation sites in eukaryotic proteins. Other computer programs, such as those included in GCG, also may be used to determine post-translational modification peptide motifs.

General examples of types of post-translational modifications may be found in web sites such as the Delta Mass database <http://www.abrf.org/ABRF/ResearchCommittees/deltamass/deltamass.html> (accessed October 19, 2001); "GlycoSuiteDB: a new curated relational database of glycoprotein glycan structures and their biological sources" Cooper et al. *Nucleic Acids Res.* 29; 332-335 (2001) and <http://www.glycosuite.com/> (accessed October 19, 2001); "O-GLYCBASE version 4.0: a revised database of O-glycosylated proteins" Gupta et al. *Nucleic Acids Research*, 27: 370-372 (1999) and <http://www.cbs.dtu.dk/databases/OGLYCBASE/> (accessed October 19, 2001); "PhosphoBase, a database of phosphorylation sites: release 2.0.", Kreegipuu et al. *Nucleic Acids Res* 27(1):237-239 (1999) and <http://www.cbs.dtu.dk/databases/PhosphoBase/> (accessed October 19, 2001); or <http://pir.georgetown.edu/pirwww/search/textresid.html> (accessed October 19, 2001).

Tumorigenesis is often accompanied by alterations in the post-translational modifications of proteins. Thus, in another embodiment, the invention provides polypeptides from cancerous cells or tissues that have altered post-translational modifications compared to the post-translational modifications of polypeptides from normal cells or tissues. A number of altered post-translational modifications are known. One common alteration is a change in phosphorylation state, wherein the polypeptide from the cancerous cell or tissue is hyperphosphorylated or hypophosphorylated compared to the polypeptide from a normal tissue, or wherein the polypeptide is phosphorylated on different residues than the polypeptide from a normal cell. Another common alteration is a change in glycosylation state, wherein the polypeptide from the cancerous cell or tissue has more or less glycosylation than the polypeptide from a normal tissue, and/or wherein the polypeptide from the cancerous cell or tissue has a different type of glycosylation than the polypeptide from a noncancerous cell or tissue. Changes in glycosylation may be critical because carbohydrate-protein and carbohydrate-carbohydrate interactions are important in cancer cell progression, dissemination and invasion. See, e.g., Barchi, *Curr. Pharm. Des.* 6: 485-501 (2000), Verma, *Cancer Biochem. Biophys.* 14: 151-162 (1994) and Dennis et al., *Bioessays* 5: 412-421 (1999).

Another post-translational modification that may be altered in cancer cells is prenylation. Prenylation is the covalent attachment of a hydrophobic prenyl group (either farnesyl or geranylgeranyl) to a polypeptide. Prenylation is required for localizing a protein to a cell membrane and is often required for polypeptide function. For instance, the Ras superfamily of GTPase signaling proteins must be prenylated for function in a cell. See, e.g., Prendergast et al., *Semin. Cancer Biol.* 10: 443-452 (2000) and Khwaja et al., *Lancet* 355: 741-744 (2000).

Other post-translation modifications that may be altered in cancer cells include, without limitation, polypeptide methylation, acetylation, arginylation or racemization of amino acid residues. In these cases, the polypeptide from the cancerous cell may exhibit either increased or decreased amounts of the post-translational modification compared to the corresponding polypeptides from noncancerous cells.

Other polypeptide alterations in cancer cells include abnormal polypeptide cleavage of proteins and aberrant protein-protein interactions. Abnormal polypeptide cleavage may be cleavage of a polypeptide in a cancerous cell that does not usually occur

in a normal cell, or a lack of cleavage in a cancerous cell, wherein the polypeptide is cleaved in a normal cell. Aberrant protein-protein interactions may be either covalent cross-linking or non-covalent binding between proteins that do not normally bind to each other. Alternatively, in a cancerous cell, a protein may fail to bind to another protein to which it is bound in a noncancerous cell. Alterations in cleavage or in protein-protein interactions may be due to over- or underproduction of a polypeptide in a cancerous cell compared to that in a normal cell, or may be due to alterations in post-translational modifications (see above) of one or more proteins in the cancerous cell. See, e.g., Henschen-Edman, *Ann. N.Y. Acad. Sci.* 936: 580-593 (2001).

Alterations in polypeptide post-translational modifications, as well as changes in polypeptide cleavage and protein-protein interactions, may be determined by any method known in the art. For instance, alterations in phosphorylation may be determined by using anti-phosphoserine, anti-phosphothreonine or anti-phosphotyrosine antibodies or by amino acid analysis. Glycosylation alterations may be determined using antibodies specific for different sugar residues, by carbohydrate sequencing, or by alterations in the size of the glycoprotein, which can be determined by, e.g., SDS polyacrylamide gel electrophoresis (PAGE). Other alterations of post-translational modifications, such as prenylation, racemization, methylation, acetylation and arginylation, may be determined by chemical analysis, protein sequencing, amino acid analysis, or by using antibodies specific for the particular post-translational modifications. Changes in protein-protein interactions and in polypeptide cleavage may be analyzed by any method known in the art including, without limitation, non-denaturing PAGE (for non-covalent protein-protein interactions), SDS PAGE (for covalent protein-protein interactions and protein cleavage), chemical cleavage, protein sequencing or immunoassays.

In another embodiment, the invention provides polypeptides that have been post-translationally modified. In one embodiment, polypeptides may be modified enzymatically or chemically, by addition or removal of a post-translational modification. For example, a polypeptide may be glycosylated or deglycosylated enzymatically. Similarly, polypeptides may be phosphorylated using a purified kinase, such as a MAP kinase (e.g, p38, ERK, or JNK) or a tyrosine kinase (e.g., Src or erbB2). A polypeptide may also be modified through synthetic chemistry. Alternatively, one may isolate the polypeptide of interest from a cell or tissue that expresses the polypeptide with the

desired post-translational modification. In another embodiment, a nucleic acid molecule encoding the polypeptide of interest is introduced into a host cell that is capable of post-translationally modifying the encoded polypeptide in the desired fashion. If the polypeptide does not contain a motif for a desired post-translational modification, one  
5 may alter the post-translational modification by mutating the nucleic acid sequence of a nucleic acid molecule encoding the polypeptide so that it contains a site for the desired post-translational modification. Amino acid sequences that may be post-translationally modified are known in the art. See, e.g., the programs described above on the website [www.expasy.org](http://www.expasy.org). The nucleic acid molecule is then be introduced into a host cell that is  
10 capable of post-translationally modifying the encoded polypeptide. Similarly, one may delete sites that are post-translationally modified by either mutating the nucleic acid sequence so that the encoded polypeptide does not contain the post-translational modification motif, or by introducing the native nucleic acid molecule into a host cell that is not capable of post-translationally modifying the encoded polypeptide.

15 In selecting an expression control sequence, a variety of factors should also be considered. These include, for example, the relative strength of the sequence, its controllability, and its compatibility with the nucleic acid sequence of this invention, particularly with regard to potential secondary structures. Unicellular hosts should be selected by consideration of their compatibility with the chosen vector, the toxicity of the  
20 product coded for by the nucleic acid sequences of this invention, their secretion characteristics, their ability to fold the polypeptide correctly, their fermentation or culture requirements, and the ease of purification from them of the products coded for by the nucleic acid sequences of this invention.

The recombinant nucleic acid molecules and more particularly, the expression  
25 vectors of this invention may be used to express the polypeptides of this invention as recombinant polypeptides in a heterologous host cell. The polypeptides of this invention may be full-length or less than full-length polypeptide fragments recombinantly expressed from the nucleic acid sequences according to this invention. Such polypeptides include analogs, derivatives and muteins that may or may not have  
30 biological activity.

Vectors of the present invention will also often include elements that permit *in vitro* transcription of RNA from the inserted heterologous nucleic acid. Such vectors

typically include a phage promoter, such as that from T7, T3, or SP6, flanking the nucleic acid insert. Often two different such promoters flank the inserted nucleic acid, permitting separate *in vitro* production of both sense and antisense strands.

Transformation and other methods of introducing nucleic acids into a host cell  
5 (e.g., conjugation, protoplast transformation or fusion, transfection, electroporation, liposome delivery, membrane fusion techniques, high velocity DNA-coated pellets, viral infection and protoplast fusion) can be accomplished by a variety of methods which are well-known in the art (*See*, for instance, Ausubel, *supra*, and Sambrook *et al.*, *supra*). Bacterial, yeast, plant or mammalian cells are transformed or transfected with an  
10 expression vector, such as a plasmid, a cosmid, or the like, wherein the expression vector comprises the nucleic acid of interest. Alternatively, the cells may be infected by a viral expression vector comprising the nucleic acid of interest. Depending upon the host cell, vector, and method of transformation used, transient or stable expression of the polypeptide will be constitutive or inducible. One having ordinary skill in the art will be  
15 able to decide whether to express a polypeptide transiently or stably, and whether to express the protein constitutively or inducibly.

A wide variety of unicellular host cells are useful in expressing the DNA sequences of this invention. These hosts may include well-known eukaryotic and prokaryotic hosts, such as strains of, fungi, yeast, insect cells such as *Spodoptera*  
20 *frugiperda* (SF9), animal cells such as CHO, as well as plant cells in tissue culture. Representative examples of appropriate host cells include, but are not limited to, bacterial cells, such as *E. coli*, *Caulobacter crescentus*, *Streptomyces* species, and *Salmonella typhimurium*; yeast cells, such as *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, *Pichia pastoris*, *Pichia methanolica*; insect cell lines, such as those from  
25 *Spodoptera frugiperda*, e.g., Sf9 and Sf21 cell lines, and expresSF™ cells (Protein Sciences Corp., Meriden, CT, USA), *Drosophila* S2 cells, and *Trichoplusia ni* High Five® Cells (Invitrogen, Carlsbad, CA, USA); and mammalian cells. Typical mammalian cells include BHK cells, BSC 1 cells, BSC 40 cells, BMT 10 cells, VERO cells, COS1 cells, COS7 cells, Chinese hamster ovary (CHO) cells, 3T3 cells, NIH 3T3  
30 cells, 293 cells, HEPG2 cells, HeLa cells, L cells, MDCK cells, HEK293 cells, WI38 cells, murine ES cell lines (e.g., from strains 129/SV, C57/BL6, DBA-1, 129/SVJ), K562 cells, Jurkat cells, and BW5147 cells. Other mammalian cell lines are well-known and

readily available from the American Type Culture Collection (ATCC) (Manassas, VA, USA) and the National Institute of General Medical Sciences (NIGMS) Human Genetic Cell Repository at the Coriell Cell Repositories (Camden, NJ, USA). Cells or cell lines derived from lung are particularly preferred because they may provide a more native  
5 post-translational processing. Particularly preferred are human lung cells.

Particular details of the transfection, expression and purification of recombinant proteins are well documented and are understood by those of skill in the art. Further details on the various technical aspects of each of the steps used in recombinant production of foreign genes in bacterial cell expression systems can be found in a number  
10 of texts and laboratory manuals in the art. *See, e.g.*, Ausubel (1992), *supra*, Ausubel (1999), *supra*, Sambrook (1989), *supra*, and Sambrook (2001), *supra*, herein incorporated by reference.

Methods for introducing the vectors and nucleic acids of the present invention into the host cells are well-known in the art; the choice of technique will depend  
15 primarily upon the specific vector to be introduced and the host cell chosen.

Nucleic acid molecules and vectors may be introduced into prokaryotes, such as *E. coli*, in a number of ways. For instance, phage lambda vectors will typically be packaged using a packaging extract (*e.g.*, Gigapack® packaging extract, Stratagene, La Jolla, CA, USA), and the packaged virus used to infect *E. coli*.

20 Plasmid vectors will typically be introduced into chemically competent or electrocompetent bacterial cells. *E. coli* cells can be rendered chemically competent by treatment, *e.g.*, with  $\text{CaCl}_2$ , or a solution of  $\text{Mg}^{2+}$ ,  $\text{Mn}^{2+}$ ,  $\text{Ca}^{2+}$ ,  $\text{Rb}^+$  or  $\text{K}^+$ , dimethyl sulfoxide, dithiothreitol, and hexamine cobalt (III), Hanahan, *J. Mol. Biol.* 166(4):557-80 (1983), and vectors introduced by heat shock. A wide variety of chemically competent  
25 strains are also available commercially (*e.g.*, Epicurian Coli® XL10-Gold® Ultracompetent Cells (Stratagene, La Jolla, CA, USA); DH5 competent cells (Clontech Laboratories, Palo Alto, CA, USA); and TOP10 Chemically Competent *E. coli* Kit (Invitrogen, Carlsbad, CA, USA)). Bacterial cells can be rendered electrocompetent, that is, competent to take up exogenous DNA by electroporation, by various pre-pulse  
30 treatments; vectors are introduced by electroporation followed by subsequent outgrowth in selected media. An extensive series of protocols is provided online in [Electroprotocols](#)



(BioRad, Richmond, CA, USA) ([http://www.biorad.com/LifeScience/pdf/New\\_Gene\\_Pulser.pdf](http://www.biorad.com/LifeScience/pdf/New_Gene_Pulser.pdf)).

Vectors can be introduced into yeast cells by spheroplasting, treatment with lithium salts, electroporation, or protoplast fusion. Spheroplasts are prepared by the  
5 action of hydrolytic enzymes such as snail-gut extract, usually denoted Glusulase, or Zymolyase, an enzyme from *Arthrobacter luteus*, to remove portions of the cell wall in the presence of osmotic stabilizers, typically 1 M sorbitol. DNA is added to the spheroplasts, and the mixture is co-precipitated with a solution of polyethylene glycol (PEG) and  $\text{Ca}^{2+}$ . Subsequently, the cells are resuspended in a solution of sorbitol, mixed  
10 with molten agar and then layered on the surface of a selective plate containing sorbitol.

For lithium-mediated transformation, yeast cells are treated with lithium acetate, which apparently permeabilizes the cell wall, DNA is added and the cells are co-precipitated with PEG. The cells are exposed to a brief heat shock, washed free of PEG and lithium acetate, and subsequently spread on plates containing ordinary selective  
15 medium. Increased frequencies of transformation are obtained by using specially-prepared single-stranded carrier DNA and certain organic solvents. Schiestl *et al.*, *Curr. Genet.* 16(5-6): 339-46 (1989).

For electroporation, freshly-grown yeast cultures are typically washed, suspended in an osmotic protectant, such as sorbitol, mixed with DNA, and the cell suspension  
20 pulsed in an electroporation device. Subsequently, the cells are spread on the surface of plates containing selective media. Becker *et al.*, *Methods Enzymol.* 194: 182-187 (1991). The efficiency of transformation by electroporation can be increased over 100-fold by using PEG, single-stranded carrier DNA and cells that are in late log-phase of growth. Larger constructs, such as YACs, can be introduced by protoplast fusion.

25 Mammalian and insect cells can be directly infected by packaged viral vectors, or transfected by chemical or electrical means. For chemical transfection, DNA can be coprecipitated with  $\text{CaPO}_4$  or introduced using liposomal and nonliposomal lipid-based agents. Commercial kits are available for  $\text{CaPO}_4$  transfection (CalPhos™ Mammalian Transfection Kit, Clontech Laboratories, Palo Alto, CA, USA), and lipid-mediated  
30 transfection can be practiced using commercial reagents, such as LIPOFECTAMINE™ 2000, LIPOFECTAMINE™ Reagent, CELLFECTIN® Reagent, and LIPOFECTIN® Reagent (Invitrogen, Carlsbad, CA, USA), DOTAP Liposomal Transfection Reagent,

FuGENE 6, X-tremeGENE Q2, DOSPER, (Roche Molecular Biochemicals, Indianapolis, IN USA), Effectene™, PolyFect®, Superfect® (Qiagen, Inc., Valencia, CA, USA).

Protocols for electroporating mammalian cells can be found online in Electroprotocols (Bio-Rad, Richmond, CA, USA) (<http://www.bio-rad.com/LifeScience/pdf/>

- 5 New\_Gene\_Pulser.pdf); Norton *et al.* (eds.), Gene Transfer Methods: Introducing DNA into Living Cells and Organisms, BioTechniques Books, Eaton Publishing Co. (2000); incorporated herein by reference in its entirety. Other transfection techniques include transfection by particle bombardment and microinjection. *See, e.g.,* Cheng *et al.*, *Proc. Natl. Acad. Sci. USA* 90(10): 4455-9 (1993); Yang *et al.*, *Proc. Natl. Acad. Sci. USA* 10 87(24): 9568-72 (1990).

Production of the recombinantly produced proteins of the present invention can optionally be followed by purification.

- Purification of recombinantly expressed proteins is now well by those skilled in the art. *See, e.g.,* Thorner *et al.* (eds.), Applications of Chimeric Genes and Hybrid 15 Proteins, Part A: Gene Expression and Protein Purification (Methods in Enzymology, Vol. 326), Academic Press (2000); Harbin (ed.), Cloning, Gene Expression and Protein Purification : Experimental Procedures and Process Rationale, Oxford Univ. Press (2001); Marshak *et al.*, Strategies for Protein Purification and Characterization: A Laboratory Course Manual, Cold Spring Harbor Laboratory Press (1996); and Roe (ed.), 20 Protein Purification Applications, Oxford University Press (2001); the disclosures of which are incorporated herein by reference in their entireties, and thus need not be detailed here.

- Briefly, however, if purification tags have been fused through use of an expression vector that appends such tags, purification can be effected, at least in part, by 25 means appropriate to the tag, such as use of immobilized metal affinity chromatography for polyhistidine tags. Other techniques common in the art include ammonium sulfate fractionation, immunoprecipitation, fast protein liquid chromatography (FPLC), high performance liquid chromatography (HPLC), and preparative gel electrophoresis.

### Polypeptides

- 30 Another object of the invention is to provide polypeptides encoded by the nucleic acid molecules of the instant invention. In a preferred embodiment, the polypeptide is a lung specific polypeptide (LSP). In an even more preferred embodiment, the polypeptide

is derived from a polypeptide comprising the amino acid sequence of SEQ ID NO: 165 through 284. A polypeptide as defined herein may be produced recombinantly, as discussed *supra*, may be isolated from a cell that naturally expresses the protein, or may be chemically synthesized following the teachings of the specification and using methods well-known to those having ordinary skill in the art.

In another aspect, the polypeptide may comprise a fragment of a polypeptide, wherein the fragment is as defined herein. In a preferred embodiment, the polypeptide fragment is a fragment of an LSP. In a more preferred embodiment, the fragment is derived from a polypeptide comprising the amino acid sequence of SEQ ID NO: 165 through 284. A polypeptide that comprises only a fragment of an entire LSP may or may not be a polypeptide that is also an LSP. For instance, a full-length polypeptide may be lung-specific, while a fragment thereof may be found in other tissues as well as in lung. A polypeptide that is not an LSP, whether it is a fragment, analog, mutein, homologous protein or derivative, is nevertheless useful, especially for immunizing animals to prepare anti-LSP antibodies. However, in a preferred embodiment, the part or fragment is an LSP. Methods of determining whether a polypeptide is an LSP are described *infra*.

Fragments of at least 6 contiguous amino acids are useful in mapping B cell and T cell epitopes of the reference protein. *See, e.g., Geysen et al., Proc. Natl. Acad. Sci. USA* 81: 3998-4002 (1984) and U.S. Patents 4,708,871 and 5,595,915, the disclosures of which are incorporated herein by reference in their entireties. Because the fragment need not itself be immunogenic, part of an immunodominant epitope, nor even recognized by native antibody, to be useful in such epitope mapping, all fragments of at least 6 amino acids of the proteins of the present invention have utility in such a study.

Fragments of at least 8 contiguous amino acids, often at least 15 contiguous amino acids, are useful as immunogens for raising antibodies that recognize the proteins of the present invention. *See, e.g., Lerner, Nature* 299: 592-596 (1982); Shinnick *et al., Annu. Rev. Microbiol.* 37: 425-46 (1983); Sutcliffe *et al., Science* 219: 660-6 (1983), the disclosures of which are incorporated herein by reference in their entireties. As further described in the above-cited references, virtually all 8-mers, conjugated to a carrier, such as a protein, prove immunogenic, meaning that they are capable of eliciting antibody for the conjugated peptide; accordingly, all fragments of at least 8 amino acids of the proteins of the present invention have utility as immunogens.

Fragments of at least 8, 9, 10 or 12 contiguous amino acids are also useful as competitive inhibitors of binding of the entire protein, or a portion thereof, to antibodies (as in epitope mapping), and to natural binding partners, such as subunits in a multimeric complex or to receptors or ligands of the subject protein; this competitive inhibition  
5 permits identification and separation of molecules that bind specifically to the protein of interest, U.S. Patents 5,539,084 and 5,783,674, incorporated herein by reference in their entireties.

The protein, or protein fragment, of the present invention is thus at least 6 amino acids in length, typically at least 8, 9, 10 or 12 amino acids in length, and often at least 15  
10 amino acids in length. Often, the protein of the present invention, or fragment thereof, is at least 20 amino acids in length, even 25 amino acids, 30 amino acids, 35 amino acids, or 50 amino acids or more in length. Of course, larger fragments having at least 75 amino acids, 100 amino acids, or even 150 amino acids are also useful, and at times preferred.

15 One having ordinary skill in the art can produce fragments of a polypeptide by truncating the nucleic acid molecule, *e.g.*, an LSNA, encoding the polypeptide and then expressing it recombinantly. Alternatively, one can produce a fragment by chemically synthesizing a portion of the full-length polypeptide. One may also produce a fragment by enzymatically cleaving either a recombinant polypeptide or an isolated naturally-  
20 occurring polypeptide. Methods of producing polypeptide fragments are well-known in the art. *See, e.g.*, Sambrook (1989), *supra*; Sambrook (2001), *supra*; Ausubel (1992), *supra*; and Ausubel (1999), *supra*. In one embodiment, a polypeptide comprising only a fragment of polypeptide of the invention, preferably an LSP, may be produced by chemical or enzymatic cleavage of a polypeptide. In a preferred embodiment, a  
25 polypeptide fragment is produced by expressing a nucleic acid molecule encoding a fragment of the polypeptide, preferably an LSP, in a host cell.

By "polypeptides" as used herein it is also meant to be inclusive of mutants, fusion proteins, homologous proteins and allelic variants of the polypeptides specifically exemplified.

30 A mutant protein, or mutein, may have the same or different properties compared to a naturally-occurring polypeptide and comprises at least one amino acid insertion, duplication, deletion, rearrangement or substitution compared to the amino acid sequence

-64-

of a native protein. Small deletions and insertions can often be found that do not alter the function of the protein. In one embodiment, the mutein may or may not be lung-specific. In a preferred embodiment, the mutein is lung-specific. In a preferred embodiment, the mutein is a polypeptide that comprises at least one amino acid insertion, duplication,  
5 deletion, rearrangement or substitution compared to the amino acid sequence of SEQ ID NO: 165 through 284. In a more preferred embodiment, the mutein is one that exhibits at least 50% sequence identity, more preferably at least 60% sequence identity, even more preferably at least 70%, yet more preferably at least 80% sequence identity to an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284. In yet a more  
10 preferred embodiment, the mutein exhibits at least 85%, more preferably 90%, even more preferably 95% or 96%, and yet more preferably at least 97%, 98%, 99% or 99.5% sequence identity to an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284.

A mutein may be produced by isolation from a naturally-occurring mutant cell,  
15 tissue or organism. A mutein may be produced by isolation from a cell, tissue or organism that has been experimentally mutagenized. Alternatively, a mutein may be produced by chemical manipulation of a polypeptide, such as by altering the amino acid residue to another amino acid residue using synthetic or semi-synthetic chemical techniques. In a preferred embodiment, a mutein may be produced from a host cell  
20 comprising an altered nucleic acid molecule compared to the naturally-occurring nucleic acid molecule. For instance, one may produce a mutein of a polypeptide by introducing one or more mutations into a nucleic acid sequence of the invention and then expressing it recombinantly. These mutations may be targeted, in which particular encoded amino acids are altered, or may be untargeted, in which random encoded amino acids within the  
25 polypeptide are altered. Muteins with random amino acid alterations can be screened for a particular biological activity or property, particularly whether the polypeptide is lung-specific, as described below. Multiple random mutations can be introduced into the gene by methods well-known to the art, *e.g.*, by error-prone PCR, shuffling, oligonucleotide-directed mutagenesis, assembly PCR, sexual PCR mutagenesis, *in vivo*  
30 mutagenesis, cassette mutagenesis, recursive ensemble mutagenesis, exponential ensemble mutagenesis and site-specific mutagenesis. Methods of producing muteins with targeted or random amino acid alterations are well-known in the art. *See, e.g.*,

Sambrook (1989), *supra*; Sambrook (2001), *supra*; Ausubel (1992), *supra*; and Ausubel (1999), U.S. Patent 5,223,408, and the references discussed *supra*, each herein incorporated by reference.

By "polypeptide" as used herein it is also meant to be inclusive of polypeptides  
5 homologous to those polypeptides exemplified herein. In a preferred embodiment, the polypeptide is homologous to an LSP. In an even more preferred embodiment, the polypeptide is homologous to an LSP selected from the group having an amino acid sequence of SEQ ID NO: 165 through 284. In a preferred embodiment, the homologous polypeptide is one that exhibits significant sequence identity to an LSP. In a more  
10 preferred embodiment, the polypeptide is one that exhibits significant sequence identity to an comprising an amino acid sequence of SEQ ID NO: 165 through 284. In an even more preferred embodiment, the homologous polypeptide is one that exhibits at least 50% sequence identity, more preferably at least 60% sequence identity, even more preferably at least 70%, yet more preferably at least 80% sequence identity to an LSP  
15 comprising an amino acid sequence of SEQ ID NO: 165 through 284. In a yet more preferred embodiment, the homologous polypeptide is one that exhibits at least 85%, more preferably 90%, even more preferably 95% or 96%, and yet more preferably at least 97% or 98% sequence identity to an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284. In another preferred embodiment, the homologous  
20 polypeptide is one that exhibits at least 99%, more preferably 99.5%, even more preferably 99.6%, 99.7%, 99.8% or 99.9% sequence identity to an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284. In a preferred embodiment, the amino acid substitutions are conservative amino acid substitutions as discussed above.

In another embodiment, the homologous polypeptide is one that is encoded by a  
25 nucleic acid molecule that selectively hybridizes to an LSNA. In a preferred embodiment, the homologous polypeptide is encoded by a nucleic acid molecule that hybridizes to an LSNA under low stringency, moderate stringency or high stringency conditions, as defined herein. In a more preferred embodiment, the LSNA is selected from the group consisting of SEQ ID NO: 1 through 164. In another preferred  
30 embodiment, the homologous polypeptide is encoded by a nucleic acid molecule that hybridizes to a nucleic acid molecule that encodes an LSP under low stringency, moderate stringency or high stringency conditions, as defined herein. In a more preferred

embodiment, the LSP is selected from the group consisting of SEQ ID NO: 165 through 284.

- The homologous polypeptide may be a naturally-occurring one that is derived from another species, especially one derived from another primate, such as chimpanzee, gorilla, rhesus macaque, baboon or gorilla, wherein the homologous polypeptide comprises an amino acid sequence that exhibits significant sequence identity to that of SEQ ID NO: 165 through 284. The homologous polypeptide may also be a naturally-occurring polypeptide from a human, when the LSP is a member of a family of polypeptides. The homologous polypeptide may also be a naturally-occurring polypeptide derived from a non-primate, mammalian species, including without limitation, domesticated species, *e.g.*, dog, cat, mouse, rat, rabbit, guinea pig, hamster, cow, horse, goat or pig. The homologous polypeptide may also be a naturally-occurring polypeptide derived from a non-mammalian species, such as birds or reptiles. The naturally-occurring homologous protein may be isolated directly from humans or other species. Alternatively, the nucleic acid molecule encoding the naturally-occurring homologous polypeptide may be isolated and used to express the homologous polypeptide recombinantly. In another embodiment, the homologous polypeptide may be one that is experimentally produced by random mutation of a nucleic acid molecule and subsequent expression of the nucleic acid molecule. In another embodiment, the homologous polypeptide may be one that is experimentally produced by directed mutation of one or more codons to alter the encoded amino acid of an LSP. Further, the homologous protein may or may not encode polypeptide that is an LSP. However, in a preferred embodiment, the homologous polypeptide encodes a polypeptide that is an LSP.
- Relatedness of proteins can also be characterized using a second functional test, the ability of a first protein competitively to inhibit the binding of a second protein to an antibody. It is, therefore, another aspect of the present invention to provide isolated proteins not only identical in sequence to those described with particularity herein, but also to provide isolated proteins ("cross-reactive proteins") that competitively inhibit the binding of antibodies to all or to a portion of various of the isolated polypeptides of the present invention. Such competitive inhibition can readily be determined using immunoassays well-known in the art.

As discussed above, single nucleotide polymorphisms (SNPs) occur frequently in eukaryotic genomes, and the sequence determined from one individual of a species may differ from other allelic forms present within the population. Thus, by "polypeptide" as used herein it is also meant to be inclusive of polypeptides encoded by an allelic variant of a nucleic acid molecule encoding an LSP. In a preferred embodiment, the polypeptide is encoded by an allelic variant of a gene that encodes a polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO: 165 through 284. In a yet more preferred embodiment, the polypeptide is encoded by an allelic variant of a gene that has the nucleic acid sequence selected from the group consisting of SEQ ID NO: 1 through 164.

In another embodiment, the invention provides polypeptides which comprise derivatives of a polypeptide encoded by a nucleic acid molecule according to the instant invention. In a preferred embodiment, the polypeptide is an LSP. In a preferred embodiment, the polypeptide has an amino acid sequence selected from the group consisting of SEQ ID NO: 165 through 284, or is a mutein, allelic variant, homologous protein or fragment thereof. In a preferred embodiment, the derivative has been acetylated, carboxylated, phosphorylated, glycosylated or ubiquitinated. In another preferred embodiment, the derivative has been labeled with, e.g., radioactive isotopes such as  $^{125}\text{I}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ , and  $^3\text{H}$ . In another preferred embodiment, the derivative has been labeled with fluorophores, chemiluminescent agents, enzymes, and antigens that can serve as specific binding pair members for a labeled ligand.

Polypeptide modifications are well-known to those of skill and have been described in great detail in the scientific literature. Several particularly common modifications, glycosylation, lipid attachment, sulfation, gamma-carboxylation of glutamic acid residues, hydroxylation and ADP-ribosylation, for instance, are described in most basic texts, such as, for instance Creighton, Protein Structure and Molecular Properties, 2nd ed., W. H. Freeman and Company (1993). Many detailed reviews are available on this subject, such as, for example, those provided by Wold, in Johnson (ed.), Posttranslational Covalent Modification of Proteins, pgs. 1-12, Academic Press (1983); Seifter *et al.*, *Meth. Enzymol.* 182: 626-646 (1990) and Rattan *et al.*, *Ann. N.Y. Acad. Sci.* 663: 48-62 (1992).



It will be appreciated, as is well-known and as noted above, that polypeptides are not always entirely linear. For instance, polypeptides may be branched as a result of ubiquitination, and they may be circular, with or without branching, generally as a result of posttranslation events, including natural processing event and events brought about by human manipulation which do not occur naturally. Circular, branched and branched circular polypeptides may be synthesized by non-translation natural process and by entirely synthetic methods, as well. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. In fact, blockage of the amino or carboxyl group in a polypeptide, or both, by a covalent modification, is common in naturally occurring and synthetic polypeptides and such modifications may be present in polypeptides of the present invention, as well. For instance, the amino terminal residue of polypeptides made in *E. coli*, prior to proteolytic processing, almost invariably will be N-formylmethionine.

Useful post-synthetic (and post-translational) modifications include conjugation to detectable labels, such as fluorophores. A wide variety of amine-reactive and thiol-reactive fluorophore derivatives have been synthesized that react under nondenaturing conditions with N-terminal amino groups and epsilon amino groups of lysine residues, on the one hand, and with free thiol groups of cysteine residues, on the other.

Kits are available commercially that permit conjugation of proteins to a variety of amine-reactive or thiol-reactive fluorophores: Molecular Probes, Inc. (Eugene, OR, USA), e.g., offers kits for conjugating proteins to Alexa Fluor 350, Alexa Fluor 430, Fluorescein-EX, Alexa Fluor 488, Oregon Green 488, Alexa Fluor 532, Alexa Fluor 546, Alexa Fluor 546, Alexa Fluor 568, Alexa Fluor 594, and Texas Red-X.

A wide variety of other amine-reactive and thiol-reactive fluorophores are available commercially (Molecular Probes, Inc., Eugene, OR, USA), including Alexa Fluor® 350, Alexa Fluor® 488, Alexa Fluor® 532, Alexa Fluor® 546, Alexa Fluor® 568, Alexa Fluor® 594, Alexa Fluor® 647 (monoclonal antibody labeling kits available from Molecular Probes, Inc., Eugene, OR, USA), BODIPY dyes, such as BODIPY 493/503, BODIPY FL, BODIPY R6G, BODIPY 530/550, BODIPY TMR, BODIPY 558/568, BODIPY 558/568, BODIPY 564/570, BODIPY 576/589, BODIPY 581/591, BODIPY TR, BODIPY 630/650, BODIPY 650/665, Cascade Blue, Cascade Yellow, Dansyl, lissamine rhodamine B, Marina Blue, Oregon Green 488, Oregon Green 514,

Pacific Blue, rhodamine 6G, rhodamine green, rhodamine red, tetramethylrhodamine, Texas Red (available from Molecular Probes, Inc., Eugene, OR, USA).

The polypeptides of the present invention can also be conjugated to fluorophores, other proteins, and other macromolecules, using bifunctional linking reagents. Common homobifunctional reagents include, *e.g.*, APG, AEDP, BASED, BMB, BMDB, BMH, BMOE, BM[PEO]3, BM[PEO]4, BS3, BSOCOES, DFDNB, DMA, DMP, DMS, DPDPB, DSG, DSP (Lomant's Reagent), DSS, DST, DTBP, DTME, DTSSP, EGS, HBVS, Sulfo-BSOCOES, Sulfo-DST, Sulfo-EGS (all available from Pierce, Rockford, IL, USA); common heterobifunctional cross-linkers include ABH, AMAS, ANB-NOS, APDP, ASBA, BMPA, BMPH, BMPS, EDC, EMCA, EMCH, EMCS, KMUA, KMUH, GMBS, LC-SMCC, LC-SPDP, MBS, M2C2H, MPBH, MSA, NHS-ASA, PDPH, PMPI, SADP, SAED, SAND, SANPAH, SASD, SATP, SBAP, SFAD, SIA, SIAB, SMCC, SMPB, SMPH, SMPT, SPDP, Sulfo-EMCS, Sulfo-GMBS, Sulfo-HSAB, Sulfo-KMUS, Sulfo-LC-SPDP, Sulfo-MBS, Sulfo-NHS-LC-ASA, Sulfo-SADP, Sulfo-SANPAH, Sulfo-SIAB, Sulfo-SMCC, Sulfo-SMPB, Sulfo-LC-SMPT, SVSB, TFCS (all available Pierce, Rockford, IL, USA).

The polypeptides, fragments, and fusion proteins of the present invention can be conjugated, using such cross-linking reagents, to fluorophores that are not amine- or thiol-reactive. Other labels that usefully can be conjugated to the polypeptides, fragments, and fusion proteins of the present invention include radioactive labels, echosonographic contrast reagents, and MRI contrast agents.

The polypeptides, fragments, and fusion proteins of the present invention can also usefully be conjugated using cross-linking agents to carrier proteins, such as KLH, bovine thyroglobulin, and even bovine serum albumin (BSA), to increase immunogenicity for raising anti-LSP antibodies.

The polypeptides, fragments, and fusion proteins of the present invention can also usefully be conjugated to polyethylene glycol (PEG); PEGylation increases the serum half-life of proteins administered intravenously for replacement therapy. Delgado *et al.*, *Crit. Rev. Ther. Drug Carrier Syst.* 9(3-4): 249-304 (1992); Scott *et al.*, *Curr. Pharm. Des.* 4(6): 423-38 (1998); DeSantis *et al.*, *Curr. Opin. Biotechnol.* 10(4): 324-30 (1999), incorporated herein by reference in their entireties. PEG monomers can be attached to the protein directly or through a linker, with PEGylation using PEG monomers activated

with tresyl chloride (2,2,2-trifluoroethanesulphonyl chloride) permitting direct attachment under mild conditions.

In yet another embodiment, the invention provides analogs of a polypeptide encoded by a nucleic acid molecule according to the instant invention. In a preferred embodiment, the polypeptide is an LSP. In a more preferred embodiment, the analog is derived from a polypeptide having part or all of the amino acid sequence of SEQ ID NO: 165 through 284. In a preferred embodiment, the analog is one that comprises one or more substitutions of non-natural amino acids or non-native inter-residue bonds compared to the naturally-occurring polypeptide. In general, the non-peptide analog is structurally similar to an LSP, but one or more peptide linkages is replaced by a linkage selected from the group consisting of --CH<sub>2</sub>NH--, --CH<sub>2</sub>S--, --CH<sub>2</sub>-CH<sub>2</sub>--,  
--CH=CH--(cis and trans), --COCH<sub>2</sub>--, --CH(OH)CH<sub>2</sub>-- and --CH<sub>2</sub>SO--. In another embodiment, the non-peptide analog comprises substitution of one or more amino acids of an LSP with a D-amino acid of the same type or other non-natural amino acid in order to generate more stable peptides. D-amino acids can readily be incorporated during chemical peptide synthesis: peptides assembled from D-amino acids are more resistant to proteolytic attack; incorporation of D-amino acids can also be used to confer specific three-dimensional conformations on the peptide. Other amino acid analogues commonly added during chemical synthesis include ornithine, norleucine, phosphorylated amino acids (typically phosphoserine, phosphothreonine, phosphotyrosine), L-malonyltyrosine, a non-hydrolyzable analog of phosphotyrosine (*see, e.g., Koe et al., Biochem. Biophys. Res. Com.* 209: 817-821 (1995)), and various halogenated phenylalanine derivatives.

Non-natural amino acids can be incorporated during solid phase chemical synthesis or by recombinant techniques, although the former is typically more common. Solid phase chemical synthesis of peptides is well established in the art. Procedures are described, inter alia, in Chan *et al.* (eds.), Fmoc Solid Phase Peptide Synthesis: A Practical Approach (Practical Approach Series), Oxford Univ. Press (March 2000); Jones, Amino Acid and Peptide Synthesis (Oxford Chemistry Primers, No 7), Oxford Univ. Press (1992); and Bodanszky, Principles of Peptide Synthesis (Springer Laboratory), Springer Verlag (1993); the disclosures of which are incorporated herein by reference in their entireties.

- Amino acid analogues having detectable labels are also usefully incorporated during synthesis to provide derivatives and analogs. Biotin, for example can be added using biotinoyl-(9-fluorenylmethoxycarbonyl)-L-lysine (Fmoc biocytin) (Molecular Probes, Eugene, OR, USA). Biotin can also be added enzymatically by incorporation
- 5 into a fusion protein of a *E. coli* BirA substrate peptide. The Fmoc and *t*BOC derivatives of dabcyL-L-lysine (Molecular Probes, Inc., Eugene, OR, USA) can be used to incorporate the dabcyL chromophore at selected sites in the peptide sequence during synthesis. The aminonaphthalene derivative EDANS, the most common fluorophore for pairing with the dabcyL quencher in fluorescence resonance energy transfer (FRET)
- 10 systems, can be introduced during automated synthesis of peptides by using EDANS-Fmoc-L-glutamic acid or the corresponding *t*BOC derivative (both from Molecular Probes, Inc., Eugene, OR, USA). Tetramethylrhodamine fluorophores can be incorporated during automated Fmoc synthesis of peptides using (Fmoc)-TMR-L-lysine (Molecular Probes, Inc. Eugene, OR, USA).
- 15 Other useful amino acid analogues that can be incorporated during chemical synthesis include aspartic acid, glutamic acid, lysine, and tyrosine analogues having allyl side-chain protection (Applied Biosystems, Inc., Foster City, CA, USA); the allyl side chain permits synthesis of cyclic, branched-chain, sulfonated, glycosylated, and phosphorylated peptides.
- 20 A large number of other Fmoc-protected non-natural amino acid analogues capable of incorporation during chemical synthesis are available commercially, including, *e.g.*, Fmoc-2-aminobicyclo[2.2.1]heptane-2-carboxylic acid, Fmoc-3-endo-aminobicyclo[2.2.1]heptane-2-endo-carboxylic acid, Fmoc-3-exo-aminobicyclo[2.2.1]heptane-2-exo-carboxylic acid, Fmoc-3-endo-amino-
- 25 bicyclo[2.2.1]hept-5-ene-2-endo-carboxylic acid, Fmoc-3-exo-amino-bicyclo[2.2.1]hept-5-ene-2-exo-carboxylic acid, Fmoc-cis-2-amino-1-cyclohexanecarboxylic acid, Fmoc-trans-2-amino-1-cyclohexanecarboxylic acid, Fmoc-1-amino-1-cyclopentanecarboxylic acid, Fmoc-cis-2-amino-1-cyclopentanecarboxylic acid, Fmoc-1-amino-1-cyclopropanecarboxylic acid, Fmoc-D-2-amino-4-(ethylthio)butyric acid, Fmoc-L-2-
- 30 amino-4-(ethylthio)butyric acid, Fmoc-L-buthionine, Fmoc-S-methyl-L-Cysteine, Fmoc-2-aminobenzoic acid (anthranillic acid), Fmoc-3-aminobenzoic acid, Fmoc-4-aminobenzoic acid, Fmoc-2-aminobenzophenone-2'-carboxylic acid, Fmoc-N-(4-

aminobenzoyl)- $\beta$ -alanine, Fmoc-2-amino-4,5-dimethoxybenzoic acid, Fmoc-4-aminohippuric acid, Fmoc-2-amino-3-hydroxybenzoic acid, Fmoc-2-amino-5-hydroxybenzoic acid, Fmoc-3-amino-4-hydroxybenzoic acid, Fmoc-4-amino-3-hydroxybenzoic acid, Fmoc-4-amino-2-hydroxybenzoic acid, Fmoc-5-amino-2-hydroxybenzoic acid, Fmoc-2-amino-3-methoxybenzoic acid, Fmoc-4-amino-3-methoxybenzoic acid, Fmoc-2-amino-3-methylbenzoic acid, Fmoc-2-amino-5-methylbenzoic acid, Fmoc-2-amino-6-methylbenzoic acid, Fmoc-3-amino-2-methylbenzoic acid, Fmoc-3-amino-4-methylbenzoic acid, Fmoc-4-amino-3-methylbenzoic acid, Fmoc-3-amino-2-naphtoic acid, Fmoc-D,L-3-amino-3-phenylpropionic acid, Fmoc-L-Methyldopa, Fmoc-2-amino-4,6-dimethyl-3-pyridinecarboxylic acid, Fmoc-D,L-amino-2-thiophenacetic acid, Fmoc-4-(carboxymethyl)piperazine, Fmoc-4-carboxypiperazine, Fmoc-4-(carboxymethyl)homopiperazine, Fmoc-4-phenyl-4-piperidinecarboxylic acid, Fmoc-L-1,2,3,4-tetrahydronorharman-3-carboxylic acid, Fmoc-L-thiazolidine-4-carboxylic acid, all available from The Peptide Laboratory (Richmond, CA, USA).

Non-natural residues can also be added biosynthetically by engineering a suppressor tRNA, typically one that recognizes the UAG stop codon, by chemical aminoacylation with the desired unnatural amino acid. Conventional site-directed mutagenesis is used to introduce the chosen stop codon UAG at the site of interest in the protein gene. When the acylated suppressor tRNA and the mutant gene are combined in an *in vitro* transcription/translation system, the unnatural amino acid is incorporated in response to the UAG codon to give a protein containing that amino acid at the specified position. Liu *et al.*, *Proc. Natl Acad. Sci. USA* 96(9): 4780-5 (1999); Wang *et al.*, *Science* 292(5516): 498-500 (2001).

## 25 *Fusion Proteins*

The present invention further provides fusions of each of the polypeptides and fragments of the present invention to heterologous polypeptides. In a preferred embodiment, the polypeptide is an LSP. In a more preferred embodiment, the polypeptide that is fused to the heterologous polypeptide comprises part or all of the amino acid sequence of SEQ ID NO: 165 through 284, or is a mutein, homologous polypeptide, analog or derivative thereof. In an even more preferred embodiment, the nucleic acid molecule encoding the fusion protein comprises all or part of the nucleic

acid sequence of SEQ ID NO: 1 through 164, or comprises all or part of a nucleic acid sequence that selectively hybridizes or is homologous to a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID NO: 1 through 164.

The fusion proteins of the present invention will include at least one fragment of  
5 the protein of the present invention, which fragment is at least 6, typically at least 8, often at least 15, and usefully at least 16, 17, 18, 19, or 20 amino acids long. The fragment of the protein of the present to be included in the fusion can usefully be at least 25 amino acids long, at least 50 amino acids long, and can be at least 75, 100, or even 150 amino acids long. Fusions that include the entirety of the proteins of the present invention have  
10 particular utility.

The heterologous polypeptide included within the fusion protein of the present invention is at least 6 amino acids in length, often at least 8 amino acids in length, and usefully at least 15, 20, and 25 amino acids in length. Fusions that include larger polypeptides, such as the IgG Fc region, and even entire proteins (such as GFP  
15 chromophore-containing proteins) are particular useful.

As described above in the description of vectors and expression vectors of the present invention, which discussion is incorporated here by reference in its entirety, heterologous polypeptides to be included in the fusion proteins of the present invention can usefully include those designed to facilitate purification and/or visualization of  
20 recombinantly-expressed proteins. *See, e.g.,* Ausubel, Chapter 16, (1992), *supra*. Although purification tags can also be incorporated into fusions that are chemically synthesized, chemical synthesis typically provides sufficient purity that further purification by HPLC suffices; however, visualization tags as above described retain their utility even when the protein is produced by chemical synthesis, and when so  
25 included render the fusion proteins of the present invention useful as directly detectable markers of the presence of a polypeptide of the invention.

As also discussed above, heterologous polypeptides to be included in the fusion proteins of the present invention can usefully include those that facilitate secretion of recombinantly expressed proteins — into the periplasmic space or extracellular milieu for  
30 prokaryotic hosts, into the culture medium for eukaryotic cells — through incorporation of secretion signals and/or leader sequences. For example, a His<sup>6</sup> tagged protein can be purified on a Ni affinity column and a GST fusion protein can be purified on a

-74-

glutathione affinity column. Similarly, a fusion protein comprising the Fc domain of IgG can be purified on a Protein A or Protein G column and a fusion protein comprising an epitope tag such as myc can be purified using an immunoaffinity column containing an anti-c-myc antibody. It is preferable that the epitope tag be separated from the protein  
 5 encoded by the essential gene by an enzymatic cleavage site that can be cleaved after purification. See also the discussion of nucleic acid molecules encoding fusion proteins that may be expressed on the surface of a cell.

Other useful protein fusions of the present invention include those that permit use of the protein of the present invention as bait in a yeast two-hybrid system. See Bartel  
 10 *et al.* (eds.), The Yeast Two-Hybrid System, Oxford University Press (1997); Zhu *et al.*, Yeast Hybrid Technologies, Eaton Publishing (2000); Fields *et al.*, *Trends Genet.* 10(8): 286-92 (1994); Mendelsohn *et al.*, *Curr. Opin. Biotechnol.* 5(5): 482-6 (1994); Luban *et al.*, *Curr. Opin. Biotechnol.* 6(1): 59-64 (1995); Allen *et al.*, *Trends Biochem. Sci.* 20(12): 511-6 (1995); Drees, *Curr. Opin. Chem. Biol.* 3(1): 64-70 (1999); Topcu *et al.*,  
 15 *Pharm. Res.* 17(9): 1049-55 (2000); Fashena *et al.*, *Gene* 250(1-2): 1-14 (2000); ; Colas *et al.*, (1996) Genetic selection of peptide aptamers that recognize and inhibit cyclin-dependent kinase 2. *Nature* 380, 548-550; Norman, T. *et al.*, (1999) Genetic selection of peptide inhibitors of biological pathways. *Science* 285, 591-595, Fabbri *et al.*, (1999) Inhibition of mammalian cell proliferation by genetically selected peptide aptamers that  
 20 functionally antagonize E2F activity. *Oncogene* 18, 4357-4363; Xu *et al.*, (1997) Cells that register logical relationships among proteins. *Proc Natl Acad Sci U S A.* 94, 12473-12478; Yang, *et al.*, (1995) Protein-peptide interactions analyzed with the yeast two-hybrid system. *Nuc. Acids Res.* 23, 1152-1156; Kolonin *et al.*, (1998) Targeting cyclin-dependent kinases in *Drosophila* with peptide aptamers. *Proc Natl Acad Sci U S A* 95,  
 25 14266-14271; Cohen *et al.*, (1998) An artificial cell-cycle inhibitor isolated from a combinatorial library. *Proc Natl Acad Sci U S A* 95, 14272-14277; Uetz, P.; Giot, L.; al, e.; Fields, S.; Rothberg, J. M. (2000) A comprehensive analysis of protein-protein interactions in *Saccharomyces cerevisiae*. *Nature* 403, 623-627; Ito, *et al.*, (2001) A comprehensive two-hybrid analysis to explore the yeast protein interactome. *Proc Natl*  
 30 *Acad Sci U S A* 98, 4569-4574, the disclosures of which are incorporated herein by reference in their entireties. Typically, such fusion is to either *E. coli* LexA or yeast

GAL4 DNA binding domains. Related bait plasmids are available that express the bait fused to a nuclear localization signal.

Other useful fusion proteins include those that permit display of the encoded protein on the surface of a phage or cell, fusions to intrinsically fluorescent proteins, such as green fluorescent protein (GFP), and fusions to the IgG Fc region, as described above, which discussion is incorporated here by reference in its entirety.

The polypeptides and fragments of the present invention can also usefully be fused to protein toxins, such as *Pseudomonas* exotoxin A, *diphtheria* toxin, *shiga* toxin A, *anthrax* toxin lethal factor, ricin, in order to effect ablation of cells that bind or take up the proteins of the present invention.

Fusion partners include, *inter alia*, *myc*, hemagglutinin (HA), GST, immunoglobulins,  $\beta$ -galactosidase, biotin trpE, protein A,  $\beta$ -lactamase, -amylase, maltose binding protein, alcohol dehydrogenase, polyhistidine (for example, six histidine at the amino and/or carboxyl terminus of the polypeptide), lacZ, green fluorescent protein (GFP), yeast \_ mating factor, GAL4 transcription activation or DNA binding domain, luciferase, and serum proteins such as ovalbumin, albumin and the constant domain of IgG. See, e.g., Ausubel (1992), *supra* and Ausubel (1999), *supra*. Fusion proteins may also contain sites for specific enzymatic cleavage, such as a site that is recognized by enzymes such as Factor XIII, trypsin, pepsin, or any other enzyme known in the art. Fusion proteins will typically be made by either recombinant nucleic acid methods, as described above, chemically synthesized using techniques well-known in the art (e.g., a Merrifield synthesis), or produced by chemical cross-linking.

Another advantage of fusion proteins is that the epitope tag can be used to bind the fusion protein to a plate or column through an affinity linkage for screening binding proteins or other molecules that bind to the LSP.

As further described below, the isolated polypeptides, muteins, fusion proteins, homologous proteins or allelic variants of the present invention can readily be used as specific immunogens to raise antibodies that specifically recognize LSPs, their allelic variants and homologues. The antibodies, in turn, can be used, *inter alia*, specifically to assay for the polypeptides of the present invention, particularly LSPs, e.g. by ELISA for detection of protein fluid samples, such as serum, by immunohistochemistry or laser scanning cytometry, for detection of protein in tissue samples, or by flow cytometry, for



detection of intracellular protein in cell suspensions, for specific antibody-mediated isolation and/or purification of LSPs, as for example by immunoprecipitation, and for use as specific agonists or antagonists of LSPs.

One may determine whether polypeptides including muteins, fusion proteins, homologous proteins or allelic variants are functional by methods known in the art. For instance, residues that are tolerant of change while retaining function can be identified by altering the protein at known residues using methods known in the art, such as alanine scanning mutagenesis, Cunningham *et al.*, *Science* 244(4908): 1081-5 (1989); transposon linker scanning mutagenesis, Chen *et al.*, *Gene* 263(1-2): 39-48 (2001); combinations of homolog- and alanine-scanning mutagenesis, Jin *et al.*, *J. Mol. Biol.* 226(3): 851-65 (1992); combinatorial alanine scanning, Weiss *et al.*, *Proc. Natl. Acad. Sci USA* 97(16): 8950-4 (2000), followed by functional assay. Transposon linker scanning kits are available commercially (New England Biolabs, Beverly, MA, USA, catalog. no. E7-102S; EZ::TN™ In-Frame Linker Insertion Kit, catalogue no. EZI04KN, Epicentre Technologies Corporation, Madison, WI, USA).

Purification of the polypeptides including fragments, homologous polypeptides, muteins, analogs, derivatives and fusion proteins is well-known and within the skill of one having ordinary skill in the art. *See, e.g.*, Scopes, Protein Purification, 2d ed. (1987). Purification of recombinantly expressed polypeptides is described above. Purification of chemically-synthesized peptides can readily be effected, *e.g.*, by HPLC.

Accordingly, it is an aspect of the present invention to provide the isolated proteins of the present invention in pure or substantially pure form in the presence of absence of a stabilizing agent. Stabilizing agents include both proteinaceous or non-proteinaceous material and are well-known in the art. Stabilizing agents, such as albumin and polyethylene glycol (PEG) are known and are commercially available.

Although high levels of purity are preferred when the isolated proteins of the present invention are used as therapeutic agents, such as in vaccines and as replacement therapy, the isolated proteins of the present invention are also useful at lower purity. For example, partially purified proteins of the present invention can be used as immunogens to raise antibodies in laboratory animals.

In preferred embodiments, the purified and substantially purified proteins of the present invention are in compositions that lack detectable ampholytes, acrylamide monomers, bis-acrylamide monomers, and polyacrylamide.

The polypeptides, fragments, analogs, derivatives and fusions of the present invention can usefully be attached to a substrate. The substrate can be porous or solid, planar or non-planar; the bond can be covalent or noncovalent.

For example, the polypeptides, fragments, analogs, derivatives and fusions of the present invention can usefully be bound to a porous substrate, commonly a membrane, typically comprising nitrocellulose, polyvinylidene fluoride (PVDF), or cationically derivatized, hydrophilic PVDF; so bound, the proteins, fragments, and fusions of the present invention can be used to detect and quantify antibodies, *e.g.* in serum, that bind specifically to the immobilized protein of the present invention.

As another example, the polypeptides, fragments, analogs, derivatives and fusions of the present invention can usefully be bound to a substantially nonporous substrate, such as plastic, to detect and quantify antibodies, *e.g.* in serum, that bind specifically to the immobilized protein of the present invention. Such plastics include polymethylacrylic, polyethylene, polypropylene, polyacrylate, polymethylmethacrylate, polyvinylchloride, polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, or mixtures thereof; when the assay is performed in a standard microtiter dish, the plastic is typically polystyrene.

The polypeptides, fragments, analogs, derivatives and fusions of the present invention can also be attached to a substrate suitable for use as a surface enhanced laser desorption ionization source; so attached, the protein, fragment, or fusion of the present invention is useful for binding and then detecting secondary proteins that bind with sufficient affinity or avidity to the surface-bound protein to indicate biologic interaction there between. The proteins, fragments, and fusions of the present invention can also be attached to a substrate suitable for use in surface plasmon resonance detection; so attached, the protein, fragment, or fusion of the present invention is useful for binding and then detecting secondary proteins that bind with sufficient affinity or avidity to the surface-bound protein to indicate biological interaction there between.

Antibodies

In another aspect, the invention provides antibodies, including fragments and derivatives thereof, that bind specifically to polypeptides encoded by the nucleic acid molecules of the invention, as well as antibodies that bind to fragments, muteins, derivatives and analogs of the polypeptides. In a preferred embodiment, the antibodies are specific for a polypeptide that is an LSP, or a fragment, mutein, derivative, analog or fusion protein thereof. In a more preferred embodiment, the antibodies are specific for a polypeptide that comprises SEQ ID NO: 165 through 284, or a fragment, mutein, derivative, analog or fusion protein thereof.

The antibodies of the present invention can be specific for linear epitopes, discontinuous epitopes, or conformational epitopes of such proteins or protein fragments, either as present on the protein in its native conformation or, in some cases, as present on the proteins as denatured, as, *e.g.*, by solubilization in SDS. New epitopes may be also due to a difference in post translational modifications (PTMs) in disease versus normal tissue. For example, a particular site on a LSP may be glycosylated in cancerous cells, but not glycosylated in normal cells or visa versa. In addition, alternative splice forms of a LSP may be indicative of cancer. Differential degradation of the C or N-terminus of a LSP may also be a marker or target for anticancer therapy. For example, a LSP may be N-terminal degraded in cancer cells exposing new epitopes to which antibodies may selectively bind for diagnostic or therapeutic uses.

As is well-known in the art, the degree to which an antibody can discriminate among molecular species in a mixture will depend, in part, upon the conformational relatedness of the species in the mixture; typically, the antibodies of the present invention will discriminate over adventitious binding to non-LSP polypeptides by at least 2-fold, more typically by at least 5-fold, typically by more than 10-fold, 25-fold, 50-fold, 75-fold, and often by more than 100-fold, and on occasion by more than 500-fold or 1000-fold. When used to detect the proteins or protein fragments of the present invention, the antibody of the present invention is sufficiently specific when it can be used to determine the presence of the protein of the present invention in samples derived from human lung.

Typically, the affinity or avidity of an antibody (or antibody multimer, as in the case of an IgM pentamer) of the present invention for a protein or protein fragment of the present invention will be at least about  $1 \times 10^{-6}$  molar (M), typically at least about  $5 \times 10^{-7}$

-79-

$10^{-7}$  M,  $1 \times 10^{-7}$  M, with affinities and avidities of at least  $1 \times 10^{-8}$  M,  $5 \times 10^{-9}$  M,  $1 \times 10^{-10}$  M and up to  $1 \times 10^{-13}$  M proving especially useful.

The antibodies of the present invention can be naturally-occurring forms, such as IgG, IgM, IgD, IgE, IgY, and IgA, from any avian, reptilian, or mammalian species.

5 Human antibodies can, but will infrequently, be drawn directly from human donors or human cells. In this case, antibodies to the proteins of the present invention will typically have resulted from fortuitous immunization, such as autoimmune immunization, with the protein or protein fragments of the present invention. Such antibodies will typically, but will not invariably, be polyclonal. In addition, individual  
10 polyclonal antibodies may be isolated and cloned to generate monoclonals.

Human antibodies are more frequently obtained using transgenic animals that express human immunoglobulin genes, which transgenic animals can be affirmatively immunized with the protein immunogen of the present invention. Human Ig-transgenic mice capable of producing human antibodies and methods of producing human  
15 antibodies therefrom upon specific immunization are described, *inter alia*, in U.S. Patents 6,162,963; 6,150,584; 6,114,598; 6,075,181; 5,939,598; 5,877,397; 5,874,299; 5,814,318; 5,789,650; 5,770,429; 5,661,016; 5,633,425; 5,625,126; 5,569,825; 5,545,807; 5,545,806, and 5,591,669, the disclosures of which are incorporated herein by reference in their entireties. Such antibodies are typically monoclonal, and are typically  
20 produced using techniques developed for production of murine antibodies.

Human antibodies are particularly useful, and often preferred, when the antibodies of the present invention are to be administered to human beings as *in vivo* diagnostic or therapeutic agents, since recipient immune response to the administered antibody will often be substantially less than that occasioned by administration of an  
25 antibody derived from another species, such as mouse.

IgG, IgM, IgD, IgE, IgY, and IgA antibodies of the present invention can also be obtained from other species, including mammals such as rodents (typically mouse, but also rat, guinea pig, and hamster) lagomorphs, typically rabbits, and also larger mammals, such as sheep, goats, cows, and horses, and other egg laying birds or reptiles  
30 such as chickens or alligators. For example, avian antibodies may be generated using techniques described in WO 00/29444, published 25 May 2000, the contents of which are hereby incorporated in their entirety. In such cases, as with the transgenic human-

antibody-producing non-human mammals, fortuitous immunization is not required, and the non-human mammal is typically affirmatively immunized, according to standard immunization protocols, with the protein or protein fragment of the present invention.

As discussed above, virtually all fragments of 8 or more contiguous amino acids  
5 of the proteins of the present invention can be used effectively as immunogens when conjugated to a carrier, typically a protein such as bovine thyroglobulin, keyhole limpet hemocyanin, or bovine serum albumin, conveniently using a bifunctional linker such as those described elsewhere above, which discussion is incorporated by reference here.

Immunogenicity can also be conferred by fusion of the polypeptide and fragments  
10 of the present invention to other moieties. For example, peptides of the present invention can be produced by solid phase synthesis on a branched polylysine core matrix; these multiple antigenic peptides (MAPs) provide high purity, increased avidity, accurate chemical definition and improved safety in vaccine development. Tam *et al.*, *Proc. Natl. Acad. Sci. USA* 85: 5409-5413 (1988); Posnett *et al.*, *J. Biol. Chem.* 263: 1719-1725  
15 (1988).

Protocols for immunizing non-human mammals or avian species are well-established in the art. See Harlow *et al.* (eds.), Using Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory (1998); Coligan *et al.* (eds.), Current Protocols in Immunology, John Wiley & Sons, Inc. (2001); Zola, Monoclonal Antibodies: Preparation  
20 and Use of Monoclonal Antibodies and Engineered Antibody Derivatives (Basics: From Background to Bench), Springer Verlag (2000); Gross M, Speck *J.Dtsch. Tierarztl. Wochenschr.* 103: 417-422 (1996), the disclosures of which are incorporated herein by reference. Immunization protocols often include multiple immunizations, either with or without adjuvants such as Freund's complete adjuvant and Freund's incomplete adjuvant,  
25 and may include naked DNA immunization (Moss, *Semin. Immunol.* 2: 317-327 (1990).

Antibodies from non-human mammals and avian species can be polyclonal or monoclonal, with polyclonal antibodies having certain advantages in immunohistochemical detection of the proteins of the present invention and monoclonal antibodies having advantages in identifying and distinguishing particular epitopes of the  
30 proteins of the present invention. Antibodies from avian species may have particular advantage in detection of the proteins of the present invention, in human serum or tissues (Viking *et al.*, *Biosens. Bioelectron.* 13: 1257-1262 (1998).

Following immunization, the antibodies of the present invention can be produced using any art-accepted technique. Such techniques are well-known in the art, Coligan, *supra*; Zola, *supra*; Howard *et al.* (eds.), Basic Methods in Antibody Production and Characterization, CRC Press (2000); Harlow, *supra*; Davis (ed.), Monoclonal Antibody  
5 Protocols, Vol. 45, Humana Press (1995); Delves (ed.), Antibody Production: Essential Techniques, John Wiley & Son Ltd (1997); Kenney, Antibody Solution: An Antibody Methods Manual, Chapman & Hall (1997), incorporated herein by reference in their entireties, and thus need not be detailed here.

Briefly, however, such techniques include, *inter alia*, production of monoclonal  
10 antibodies by hybridomas and expression of antibodies or fragments or derivatives thereof from host cells engineered to express immunoglobulin genes or fragments thereof. These two methods of production are not mutually exclusive: genes encoding antibodies specific for the proteins or protein fragments of the present invention can be cloned from hybridomas and thereafter expressed in other host cells. Nor need the two  
15 necessarily be performed together: *e.g.*, genes encoding antibodies specific for the proteins and protein fragments of the present invention can be cloned directly from B cells known to be specific for the desired protein, as further described in U.S. Patent 5,627,052, the disclosure of which is incorporated herein by reference in its entirety, or from antibody-displaying phage.

20 Recombinant expression in host cells is particularly useful when fragments or derivatives of the antibodies of the present invention are desired.

Host cells for recombinant production of either whole antibodies, antibody fragments, or antibody derivatives can be prokaryotic or eukaryotic.

Prokaryotic hosts are particularly useful for producing phage displayed antibodies  
25 of the present invention.

The technology of phage-displayed antibodies, in which antibody variable region fragments are fused, for example, to the gene III protein (pIII) or gene VIII protein (pVIII) for display on the surface of filamentous phage, such as M13, is by now well-established. *See, e.g.*, Sidhu, *Curr. Opin. Biotechnol.* 11(6): 610-6 (2000); Griffiths *et al.*, *Curr. Opin. Biotechnol.* 9(1): 102-8 (1998); Hoogenboom *et al.*, *Immunotechnology*, 4(1): 1-20 (1998); Rader *et al.*, *Current Opinion in Biotechnology* 8: 503-508 (1997);  
30 Aujame *et al.*, *Human Antibodies* 8: 155-168 (1997); Hoogenboom, *Trends in*

*Biotechnol.* 15: 62-70 (1997); de Kruif *et al.*, 17: 453-455 (1996); Barbas *et al.*, *Trends in Biotechnol.* 14: 230-234 (1996); Winter *et al.*, *Ann. Rev. Immunol.* 433-455 (1994).

Techniques and protocols required to generate, propagate, screen (pan), and use the antibody fragments from such libraries have recently been compiled. *See, e.g.*, Barbas  
5 (2001), *supra*; Kay, *supra*; Abelson, *supra*, the disclosures of which are incorporated herein by reference in their entireties.

Typically, phage-displayed antibody fragments are scFv fragments or Fab fragments; when desired, full length antibodies can be produced by cloning the variable regions from the displaying phage into a complete antibody and expressing the full length  
10 antibody in a further prokaryotic or a eukaryotic host cell.

Eukaryotic cells are also useful for expression of the antibodies, antibody fragments, and antibody derivatives of the present invention.

For example, antibody fragments of the present invention can be produced in *Pichia pastoris* and in *Saccharomyces cerevisiae*. *See, e.g.*, Takahashi *et al.*, *Biosci.*  
15 *Biotechnol. Biochem.* 64(10): 2138-44 (2000); Freyre *et al.*, *J. Biotechnol.* 76(2-3):1 57-63 (2000); Fischer *et al.*, *Biotechnol. Appl. Biochem.* 30 (Pt 2): 117-20 (1999); Pennell *et al.*, *Res. Immunol.* 149(6): 599-603 (1998); Eldin *et al.*, *J. Immunol. Methods.* 201(1): 67-75 (1997);, Frenken *et al.*, *Res. Immunol.* 149(6): 589-99 (1998); Shusta *et al.*, *Nature Biotechnol.* 16(8): 773-7 (1998), the disclosures of which are incorporated herein  
20 by reference in their entireties.

Antibodies, including antibody fragments and derivatives, of the present invention can also be produced in insect cells. *See, e.g.*, Li *et al.*, *Protein Expr. Purif.* 21(1): 121-8 (2001); Ailor *et al.*, *Biotechnol. Bioeng.* 58(2-3): 196-203 (1998); Hsu *et al.*, *Biotechnol. Prog.* 13(1): 96-104 (1997); Edelman *et al.*, *Immunology* 91(1): 13-9 (1997);  
25 and Nesbit *et al.*, *J. Immunol. Methods* 151(1-2): 201-8 (1992), the disclosures of which are incorporated herein by reference in their entireties.

Antibodies and fragments and derivatives thereof of the present invention can also be produced in plant cells, particularly maize or tobacco, Giddings *et al.*, *Nature Biotechnol.* 18(11): 1151-5 (2000); Gavilondo *et al.*, *Biotechniques* 29(1): 128-38 (2000);  
30 Fischer *et al.*, *J. Biol. Regul. Homeost. Agents* 14(2): 83-92 (2000); Fischer *et al.*, *Biotechnol. Appl. Biochem.* 30 (Pt 2): 113-6 (1999); Fischer *et al.*, *Biol. Chem.* 380(7-8): 825-39 (1999); Russell, *Curr. Top. Microbiol. Immunol.* 240: 119-38 (1999); and Ma *et*

*al.*, *Plant Physiol.* 109(2): 341-6 (1995), the disclosures of which are incorporated herein by reference in their entireties.

Antibodies, including antibody fragments and derivatives, of the present invention can also be produced in transgenic, non-human, mammalian milk. *See, e.g.* 5 Pollock et al., *J. Immunol Methods.* 231: 147-57 (1999); Young et al., *Res. Immunol.* 149: 609-10 (1998); Limonta et al., *Immunotechnology* 1: 107-13 (1995), the disclosures of which are incorporated herein by reference in their entireties.

Mammalian cells useful for recombinant expression of antibodies, antibody fragments, and antibody derivatives of the present invention include CHO cells, COS 10 cells, 293 cells, and myeloma cells.

Verma et al., *J. Immunol. Methods* 216(1-2):165-81 (1998), herein incorporated by reference, review and compare bacterial, yeast, insect and mammalian expression systems for expression of antibodies.

Antibodies of the present invention can also be prepared by cell free translation, 15 as further described in Merk et al., *J. Biochem.* (Tokyo) 125(2): 328-33 (1999) and Ryabova et al., *Nature Biotechnol.* 15(1): 79-84 (1997), and in the milk of transgenic animals, as further described in Pollock et al., *J. Immunol. Methods* 231(1-2): 147-57 (1999), the disclosures of which are incorporated herein by reference in their entireties.

The invention further provides antibody fragments that bind specifically to one or 20 more of the proteins and protein fragments of the present invention, to one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, or the binding of which can be competitively inhibited by one or more of the proteins and protein fragments of the present invention or one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention.

25 Among such useful fragments are Fab, Fab', Fv, F(ab)'<sub>2</sub>, and single chain Fv (scFv) fragments. Other useful fragments are described in Hudson, *Curr. Opin. Biotechnol.* 9(4): 395-402 (1998).

It is also an aspect of the present invention to provide antibody derivatives that bind specifically to one or more of the proteins and protein fragments of the present 30 invention, to one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, or the binding of which can be competitively inhibited by one or more of the proteins and protein fragments of the present invention or



one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention.

Among such useful derivatives are chimeric, primatized, and humanized antibodies; such derivatives are less immunogenic in human beings, and thus more  
5 suitable for *in vivo* administration, than are unmodified antibodies from non-human mammalian species. Another useful derivative is PEGylation to increase the serum half life of the antibodies.

Chimeric antibodies typically include heavy and/or light chain variable regions (including both CDR and framework residues) of immunoglobulins of one species,  
10 typically mouse, fused to constant regions of another species, typically human. *See, e.g.*, United States Patent No. 5,807,715; Morrison *et al.*, *Proc. Natl. Acad. Sci USA* 81(21): 6851-5 (1984); Sharon *et al.*, *Nature* 309(5966): 364-7 (1984); Takeda *et al.*, *Nature* 314(6010): 452-4 (1985), the disclosures of which are incorporated herein by reference in their entireties. Primatized and humanized antibodies typically include heavy and/or  
15 light chain CDRs from a murine antibody grafted into a non-human primate or human antibody V region framework, usually further comprising a human constant region, Riechmann *et al.*, *Nature* 332(6162): 323-7 (1988); Co *et al.*, *Nature* 351(6326): 501-2 (1991); United States Patent Nos. 6,054,297; 5,821,337; 5,770,196; 5,766,886; 5,821,123; 5,869,619; 6,180,377; 6,013,256; 5,693,761; and 6,180,370, the disclosures of  
20 which are incorporated herein by reference in their entireties.

Other useful antibody derivatives of the invention include heteromeric antibody complexes and antibody fusions, such as diabodies (bispecific antibodies), single-chain diabodies, and intrabodies.

It is contemplated that the nucleic acids encoding the antibodies of the present  
25 invention can be operably joined to other nucleic acids forming a recombinant vector for cloning or for expression of the antibodies of the invention. The present invention includes any recombinant vector containing the coding sequences, or part thereof, whether for eukaryotic transduction, transfection or gene therapy. Such vectors may be prepared using conventional molecular biology techniques, known to those with skill in  
30 the art, and would comprise DNA encoding sequences for the immunoglobulin V-regions including framework and CDRs or parts thereof, and a suitable promoter either with or without a signal sequence for intracellular transport. Such vectors may be transduced or

transfected into eukaryotic cells or used for gene therapy (Marasco et al., *Proc. Natl. Acad. Sci. (USA)* 90: 7889-7893 (1993); Duan et al., *Proc. Natl. Acad. Sci. (USA)* 91: 5075-5079 (1994), by conventional techniques, known to those with skill in the art.

The antibodies of the present invention, including fragments and derivatives thereof, can usefully be labeled. It is, therefore, another aspect of the present invention to provide labeled antibodies that bind specifically to one or more of the proteins and protein fragments of the present invention, to one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, or the binding of which can be competitively inhibited by one or more of the proteins and protein fragments of the present invention or one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention.

The choice of label depends, in part, upon the desired use.

For example, when the antibodies of the present invention are used for immunohistochemical staining of tissue samples, the label is preferably an enzyme that catalyzes production and local deposition of a detectable product.

Enzymes typically conjugated to antibodies to permit their immunohistochemical visualization are well-known, and include alkaline phosphatase,  $\beta$ -galactosidase, glucose oxidase, horseradish peroxidase (HRP), and urease. Typical substrates for production and deposition of visually detectable products include o-nitrophenyl-beta-D-galactopyranoside (ONPG); o-phenylenediamine dihydrochloride (OPD); p-nitrophenyl phosphate (PNPP); p-nitrophenyl-beta-D-galactopyranoside (PNPG); 3',3'-diaminobenzidine (DAB); 3-amino-9-ethylcarbazole (AEC); 4-chloro-1-naphthol (CN); 5-bromo-4-chloro-3-indolyl-phosphate (BCIP); ABTS®; BluoGal; iodonitrotetrazolium (INT); nitroblue tetrazolium chloride (NBT); phenazine methosulfate (PMS); phenolphthalein monophosphate (PMP); tetramethyl benzidine (TMB); tetranitroblue tetrazolium (TNBT); X-Gal; X-Gluc; and X-Glucoside.

Other substrates can be used to produce products for local deposition that are luminescent. For example, in the presence of hydrogen peroxide ( $H_2O_2$ ), horseradish peroxidase (HRP) can catalyze the oxidation of cyclic diacylhydrazides, such as luminol. Immediately following the oxidation, the luminol is in an excited state (intermediate reaction product), which decays to the ground state by emitting light. Strong enhancement of the light emission is produced by enhancers, such as phenolic

compounds. Advantages include high sensitivity, high resolution, and rapid detection without radioactivity and requiring only small amounts of antibody. *See, e.g., Thorpe et al., Methods Enzymol.* 133: 331-53 (1986); Kricka *et al., J. Immunoassay* 17(1): 67-83 (1996); and Lundqvist *et al., J. Biolumin. Chemilumin.* 10(6): 353-9 (1995), the  
5 disclosures of which are incorporated herein by reference in their entireties. Kits for such enhanced chemiluminescent detection (ECL) are available commercially.

The antibodies can also be labeled using colloidal gold.

As another example, when the antibodies of the present invention are used, *e.g.,* for flow cytometric detection, for scanning laser cytometric detection, or for fluorescent  
10 immunoassay, they can usefully be labeled with fluorophores.

There are a wide variety of fluorophore labels that can usefully be attached to the antibodies of the present invention.

For flow cytometric applications, both for extracellular detection and for intracellular detection, common useful fluorophores can be fluorescein isothiocyanate  
15 (FITC), allophycocyanin (APC), R-phycoerythrin (PE), peridinin chlorophyll protein (PerCP), Texas Red, Cy3, Cy5, fluorescence resonance energy transfer fluorophores such as PerCP-Cy5.5, PE-Cy5, PE-Cy5.5, PE-Cy7, PE-Texas Red, and APC-Cy7.

Other fluorophores include, *inter alia*, Alexa Fluor® 350, Alexa Fluor® 488, Alexa Fluor® 532, Alexa Fluor® 546, Alexa Fluor® 568, Alexa Fluor® 594, Alexa  
20 Fluor® 647 (monoclonal antibody labeling kits available from Molecular Probes, Inc., Eugene, OR, USA), BODIPY dyes, such as BODIPY 493/503, BODIPY FL, BODIPY R6G, BODIPY 530/550, BODIPY TMR, BODIPY 558/568, BODIPY 558/568, BODIPY 564/570, BODIPY 576/589, BODIPY 581/591, BODIPY TR, BODIPY 630/650, BODIPY 650/665, Cascade Blue, Cascade Yellow, Dansyl, lissamine  
25 rhodamine B, Marina Blue, Oregon Green 488, Oregon Green 514, Pacific Blue, rhodamine 6G, rhodamine green, rhodamine red, tetramethylrhodamine, Texas Red (available from Molecular Probes, Inc., Eugene, OR, USA), and Cy2, Cy3, Cy3.5, Cy5, Cy5.5, Cy7, all of which are also useful for fluorescently labeling the antibodies of the present invention.

30 For secondary detection using labeled avidin, streptavidin, captavidin or neutravidin, the antibodies of the present invention can usefully be labeled with biotin.

-87-

When the antibodies of the present invention are used, *e.g.*, for Western blotting applications, they can usefully be labeled with radioisotopes, such as  $^{33}\text{P}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ ,  $^3\text{H}$ , and  $^{125}\text{I}$ .

As another example, when the antibodies of the present invention are used for radioimmunotherapy, the label can usefully be  $^{228}\text{Th}$ ,  $^{227}\text{Ac}$ ,  $^{225}\text{Ac}$ ,  $^{223}\text{Ra}$ ,  $^{213}\text{Bi}$ ,  $^{212}\text{Pb}$ ,  $^{212}\text{Bi}$ ,  $^{211}\text{At}$ ,  $^{203}\text{Pb}$ ,  $^{194}\text{Os}$ ,  $^{188}\text{Re}$ ,  $^{186}\text{Re}$ ,  $^{153}\text{Sm}$ ,  $^{149}\text{Tb}$ ,  $^{131}\text{I}$ ,  $^{125}\text{I}$ ,  $^{111}\text{In}$ ,  $^{105}\text{Rh}$ ,  $^{99\text{m}}\text{Tc}$ ,  $^{97}\text{Ru}$ ,  $^{90}\text{Y}$ ,  $^{90}\text{Sr}$ ,  $^{88}\text{Y}$ ,  $^{72}\text{Se}$ ,  $^{67}\text{Cu}$ , or  $^{47}\text{Sc}$ .

As another example, when the antibodies of the present invention are to be used for *in vivo* diagnostic use, they can be rendered detectable by conjugation to MRI contrast agents, such as gadolinium diethylenetriaminepentaacetic acid (DTPA), Lauffer *et al.*, *Radiology* 207(2): 529-38 (1998), or by radioisotopic labeling.

As would be understood, use of the labels described above is not restricted to the application for which they are mentioned.

The antibodies of the present invention, including fragments and derivatives thereof, can also be conjugated to toxins, in order to target the toxin's ablative action to cells that display and/or express the proteins of the present invention. Commonly, the antibody in such immunotoxins is conjugated to *Pseudomonas* exotoxin A, *diphtheria* toxin, *shiga* toxin A, *anthrax* toxin lethal factor, or ricin. See Hall (ed.), Immunotoxin Methods and Protocols (Methods in Molecular Biology, vol. 166), Humana Press (2000); and Frankel *et al.* (eds.), Clinical Applications of Immunotoxins, Springer-Verlag (1998), the disclosures of which are incorporated herein by reference in their entireties.

The antibodies of the present invention can usefully be attached to a substrate, and it is, therefore, another aspect of the invention to provide antibodies that bind specifically to one or more of the proteins and protein fragments of the present invention, to one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, or the binding of which can be competitively inhibited by one or more of the proteins and protein fragments of the present invention or one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, attached to a substrate.

Substrates can be porous or nonporous, planar or nonplanar.

-88-

For example, the antibodies of the present invention can usefully be conjugated to filtration media, such as NHS-activated Sepharose or CNBr-activated Sepharose for purposes of immunoaffinity chromatography.

For example, the antibodies of the present invention can usefully be attached to  
5 paramagnetic microspheres, typically by biotin-streptavidin interaction, which microspheres can then be used for isolation of cells that express or display the proteins of the present invention. As another example, the antibodies of the present invention can usefully be attached to the surface of a microtiter plate for ELISA.

As noted above, the antibodies of the present invention can be produced in  
10 prokaryotic and eukaryotic cells. It is, therefore, another aspect of the present invention to provide cells that express the antibodies of the present invention, including hybridoma cells, B cells, plasma cells, and host cells recombinantly modified to express the antibodies of the present invention.

In yet a further aspect, the present invention provides aptamers evolved to bind  
15 specifically to one or more of the proteins and protein fragments of the present invention, to one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present invention, or the binding of which can be competitively inhibited by one or more of the proteins and protein fragments of the present invention or one or more of the proteins and protein fragments encoded by the isolated nucleic acids of the present  
20 invention.

In sum, one of skill in the art, provided with the teachings of this invention, has available a variety of methods which may be used to alter the biological properties of the antibodies of this invention including methods which would increase or decrease the stability or half-life, immunogenicity, toxicity, affinity or yield of a given antibody  
25 molecule, or to alter it in any other way that may render it more suitable for a particular application.

#### Transgenic Animals and Cells

In another aspect, the invention provides transgenic cells and non-human  
30 organisms comprising nucleic acid molecules of the invention. In a preferred embodiment, the transgenic cells and non-human organisms comprise a nucleic acid molecule encoding an LSP. In a preferred embodiment, the LSP comprises an amino

acid sequence selected from SEQ ID NO: 165 through 284, or a fragment, mutein, homologous protein or allelic variant thereof. In another preferred embodiment, the transgenic cells and non-human organism comprise an LSNA of the invention, preferably an LSNA comprising a nucleotide sequence selected from the group consisting of SEQ  
5 ID NO: 1 through 164, or a part, substantially similar nucleic acid molecule, allelic variant or hybridizing nucleic acid molecule thereof.

In another embodiment, the transgenic cells and non-human organisms have a targeted disruption or replacement of the endogenous orthologue of the human LSG. The transgenic cells can be embryonic stem cells or somatic cells. The transgenic non-human  
10 organisms can be chimeric, nonchimeric heterozygotes, and nonchimeric homozygotes. Methods of producing transgenic animals are well-known in the art. *See, e.g., Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual*, 2d ed., Cold Spring Harbor Press (1999); Jackson *et al.*, *Mouse Genetics and Transgenics: A Practical Approach*, Oxford University Press (2000); and Pinkert, *Transgenic Animal Technology: A*  
15 *Laboratory Handbook*, Academic Press (1999).

Any technique known in the art may be used to introduce a nucleic acid molecule of the invention into an animal to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection. (*see, e.g., Paterson et al., Appl. Microbiol. Biotechnol.* 40: 691-698 (1994); Carver *et al., Biotechnology* 11:  
20 1263-1270 (1993); Wright *et al., Biotechnology* 9: 830-834 (1991); and U.S. Patent 4,873,191 (1989 retrovirus-mediated gene transfer into germ lines, blastocysts or embryos (*see, e.g., Van der Putten et al., Proc. Natl. Acad. Sci., USA* 82: 6148-6152 (1985))); gene targeting in embryonic stem cells (*see, e.g., Thompson et al., Cell* 56: 313-321 (1989)); electroporation of cells or embryos (*see, e.g., Lo, 1983, Mol. Cell. Biol.*  
25 3: 1803-1814 (1983)); introduction using a gene gun (*see, e.g., Ulmer et al., Science* 259: 1745-49 (1993); introducing nucleic acid constructs into embryonic pluripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (*see, e.g., Lavitrano et al., Cell* 57: 717-723 (1989))).

Other techniques include, for example, nuclear transfer into enucleated oocytes of  
30 nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (*see, e.g., Campell et al., Nature* 380: 64-66 (1996); Wilmut *et al., Nature* 385: 810-813 (1997)). The present invention provides for transgenic animals that carry the transgene (*i.e., a*

nucleic acid molecule of the invention) in all their cells, as well as animals which carry the transgene in some, but not all their cells, i. e., mosaic animals or chimeric animals.

The transgene may be integrated as a single transgene or as multiple copies, such as in concatamers, e. g., head-to-head tandems or head-to-tail tandems. The transgene  
5 may also be selectively introduced into and activated in a particular cell type by following, *e.g.*, the teaching of Lasko *et al. et al.*, *Proc. Natl. Acad. Sci. USA* 89: 6232-6236 (1992). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

10 Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using  
15 techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, *in situ* hybridization analysis, and reverse transcriptase-PCR (RT-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

20 Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels  
25 because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is  
30 appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of

the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Methods for creating a transgenic animal with a disruption of a targeted gene are also well-known in the art. In general, a vector is designed to comprise some nucleotide sequences homologous to the endogenous targeted gene. The vector is introduced into a cell so that it may integrate, via homologous recombination with chromosomal sequences, into the endogenous gene, thereby disrupting the function of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type. *See, e.g., Gu et al., Science* 265: 103-106 (1994). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. *See, e.g., Smithies et al., Nature* 317: 230-234 (1985); Thomas *et al., Cell* 51: 503-512 (1987); Thompson *et al., Cell* 5: 313-321 (1989).

In one embodiment, a mutant, non-functional nucleic acid molecule of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous nucleic acid sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene. *See, e.g., Thomas, supra* and Thompson, *supra*. However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (*e.g., knockouts*) are administered to a patient *in vivo*. Such cells may be obtained from an animal or patient or an MHC



compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (*e.g.*, lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt  
5 the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, *e.g.*, by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc.

10 The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, *e.g.*, in the circulation, or intraperitoneally.

15 Alternatively, the cells can be incorporated into a matrix and implanted in the body, *e.g.*, genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. *See, e.g.*, U.S. Patents 5,399,349 and 5,460,959, each of which is incorporated by reference herein in its entirety.

20 When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well-known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the  
25 introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such  
30 conditions and/or disorders.

Computer Readable Means

A further aspect of the invention relates to a computer readable means for storing the nucleic acid and amino acid sequences of the instant invention. In a preferred embodiment, the invention provides a computer readable means for storing SEQ ID NO: 1 through 164 and SEQ ID NO: 165 through 284 as described herein, as the complete set of sequences or in any combination. The records of the computer readable means can be accessed for reading and display and for interface with a computer system for the application of programs allowing for the location of data upon a query for data meeting certain criteria, the comparison of sequences, the alignment or ordering of sequences meeting a set of criteria, and the like.

The nucleic acid and amino acid sequences of the invention are particularly useful as components in databases useful for search analyses as well as in sequence analysis algorithms. As used herein, the terms "nucleic acid sequences of the invention" and "amino acid sequences of the invention" mean any detectable chemical or physical characteristic of a polynucleotide or polypeptide of the invention that is or may be reduced to or stored in a computer readable form. These include, without limitation, chromatographic scan data or peak data, photographic data or scan data therefrom, and mass spectrographic data.

This invention provides computer readable media having stored thereon sequences of the invention. A computer readable medium may comprise one or more of the following: a nucleic acid sequence comprising a sequence of a nucleic acid sequence of the invention; an amino acid sequence comprising an amino acid sequence of the invention; a set of nucleic acid sequences wherein at least one of said sequences comprises the sequence of a nucleic acid sequence of the invention; a set of amino acid sequences wherein at least one of said sequences comprises the sequence of an amino acid sequence of the invention; a data set representing a nucleic acid sequence comprising the sequence of one or more nucleic acid sequences of the invention; a data set representing a nucleic acid sequence encoding an amino acid sequence comprising the sequence of an amino acid sequence of the invention; a set of nucleic acid sequences wherein at least one of said sequences comprises the sequence of a nucleic acid sequence of the invention; a set of amino acid sequences wherein at least one of said sequences comprises the sequence of an amino acid sequence of the invention; a data set

representing a nucleic acid sequence comprising the sequence of a nucleic acid sequence of the invention; a data set representing a nucleic acid sequence encoding an amino acid sequence comprising the sequence of an amino acid sequence of the invention. The computer readable medium can be any composition of matter used to store information or data, including, for example, commercially available floppy disks, tapes, hard drives, compact disks, and video disks.

Also provided by the invention are methods for the analysis of character sequences, particularly genetic sequences. Preferred methods of sequence analysis include, for example, methods of sequence homology analysis, such as identity and similarity analysis, RNA structure analysis, sequence assembly, cladistic analysis, sequence motif analysis, open reading frame determination, nucleic acid base calling, and sequencing chromatogram peak analysis.

A computer-based method is provided for performing nucleic acid sequence identity or similarity identification. This method comprises the steps of providing a nucleic acid sequence comprising the sequence of a nucleic acid of the invention in a computer readable medium; and comparing said nucleic acid sequence to at least one nucleic acid or amino acid sequence to identify sequence identity or similarity.

A computer-based method is also provided for performing amino acid homology identification, said method comprising the steps of: providing an amino acid sequence comprising the sequence of an amino acid of the invention in a computer readable medium; and comparing said an amino acid sequence to at least one nucleic acid or an amino acid sequence to identify homology.

A computer-based method is still further provided for assembly of overlapping nucleic acid sequences into a single nucleic acid sequence, said method comprising the steps of: providing a first nucleic acid sequence comprising the sequence of a nucleic acid of the invention in a computer readable medium; and screening for at least one overlapping region between said first nucleic acid sequence and a second nucleic acid sequence.

#### Diagnostic Methods for Lung Cancer

The present invention also relates to quantitative and qualitative diagnostic assays and methods for detecting, diagnosing, monitoring, staging and predicting cancers by

comparing expression of an LSNA or an LSP in a human patient that has or may have lung cancer, or who is at risk of developing lung cancer, with the expression of an LSNA or an LSP in a normal human control. For purposes of the present invention, "expression of an LSNA" or "LSNA expression" means the quantity of LSG mRNA that can be  
5 measured by any method known in the art or the level of transcription that can be measured by any method known in the art in a cell, tissue, organ or whole patient. Similarly, the term "expression of an LSP" or "LSP expression" means the amount of LSP that can be measured by any method known in the art or the level of translation of an LSG LSNA that can be measured by any method known in the art.

10 The present invention provides methods for diagnosing lung cancer in a patient, in particular squamous cell carcinoma, by analyzing for changes in levels of LSNA or LSP in cells, tissues, organs or bodily fluids compared with levels of LSNA or LSP in cells, tissues, organs or bodily fluids of preferably the same type from a normal human control, wherein an increase, or decrease in certain cases, in levels of an LSNA or LSP in  
15 the patient versus the normal human control is associated with the presence of lung cancer or with a predilection to the disease. In another preferred embodiment, the present invention provides methods for diagnosing lung cancer in a patient by analyzing changes in the structure of the mRNA of an LSG compared to the mRNA from a normal control. These changes include, without limitation, aberrant splicing, alterations in  
20 polyadenylation and/or alterations in 5' nucleotide capping. In yet another preferred embodiment, the present invention provides methods for diagnosing lung cancer in a patient by analyzing changes in an LSP compared to an LSP from a normal control. These changes include, *e.g.*, alterations in glycosylation and/or phosphorylation of the LSP or subcellular LSP localization.

25 In a preferred embodiment, the expression of an LSNA is measured by determining the amount of an mRNA that encodes an amino acid sequence selected from SEQ ID NO: 165 through 284, a homolog, an allelic variant, or a fragment thereof. In a more preferred embodiment, the LSNA expression that is measured is the level of expression of an LSNA mRNA selected from SEQ ID NO: 1 through 164, or a  
30 hybridizing nucleic acid, homologous nucleic acid or allelic variant thereof, or a part of any of these nucleic acids. LSNA expression may be measured by any method known in the art, such as those described *supra*, including measuring mRNA expression by

Northern blot, quantitative or qualitative reverse transcriptase PCR (RT-PCR), microarray, dot or slot blots or *in situ* hybridization. *See, e.g.,* Ausubel (1992), *supra*; Ausubel (1999), *supra*; Sambrook (1989), *supra*; and Sambrook (2001), *supra*. LSNA transcription may be measured by any method known in the art including using a reporter gene hooked up to the promoter of an LSG of interest or doing nuclear run-off assays. Alterations in mRNA structure, *e.g.,* aberrant splicing variants, may be determined by any method known in the art, including, RT-PCR followed by sequencing or restriction analysis. As necessary, LSNA expression may be compared to a known control, such as normal lung nucleic acid, to detect a change in expression.

10 In another preferred embodiment, the expression of an LSP is measured by determining the level of an LSP having an amino acid sequence selected from the group consisting of SEQ ID NO: 165 through 284, a homolog, an allelic variant, or a fragment thereof. Such levels are preferably determined in at least one of cells, tissues, organs and/or bodily fluids, including determination of normal and abnormal levels. Thus, for instance, a diagnostic assay in accordance with the invention for diagnosing over- or underexpression of LSNA or LSP compared to normal control bodily fluids, cells, or tissue samples may be used to diagnose the presence of lung cancer. The expression level of an LSP may be determined by any method known in the art, such as those described *supra*. In a preferred embodiment, the LSP expression level may be determined by radioimmunoassays, competitive-binding assays, ELISA, Western blot, FACS, immunohistochemistry, immunoprecipitation, proteomic approaches: two-dimensional gel electrophoresis (2D electrophoresis) and non-gel-based approaches such as mass spectrometry or protein interaction profiling. *See, e.g.,* Harlow (1999), *supra*; Ausubel (1992), *supra*; and Ausubel (1999), *supra*. Alterations in the LSP structure may be determined by any method known in the art, including, *e.g.,* using antibodies that specifically recognize phosphoserine, phosphothreonine or phosphotyrosine residues, two-dimensional polyacrylamide gel electrophoresis (2D PAGE) and/or chemical analysis of amino acid residues of the protein. *Id.*

25 In a preferred embodiment, a radioimmunoassay (RIA) or an ELISA is used. An antibody specific to an LSP is prepared if one is not already available. In a preferred embodiment, the antibody is a monoclonal antibody. The anti-LSP antibody is bound to a solid support and any free protein binding sites on the solid support are blocked with a

protein such as bovine serum albumin. A sample of interest is incubated with the antibody on the solid support under conditions in which the LSP will bind to the anti-LSP antibody. The sample is removed, the solid support is washed to remove unbound material, and an anti-LSP antibody that is linked to a detectable reagent (a radioactive  
5 substance for RIA and an enzyme for ELISA) is added to the solid support and incubated under conditions in which binding of the LSP to the labeled antibody will occur. After binding, the unbound labeled antibody is removed by washing. For an ELISA, one or more substrates are added to produce a colored reaction product that is based upon the amount of an LSP in the sample. For an RIA, the solid support is counted for radioactive  
10 decay signals by any method known in the art. Quantitative results for both RIA and ELISA typically are obtained by reference to a standard curve.

Other methods to measure LSP levels are known in the art. For instance, a competition assay may be employed wherein an anti-LSP antibody is attached to a solid support and an allocated amount of a labeled LSP and a sample of interest are incubated  
15 with the solid support. The amount of labeled LSP detected which is attached to the solid support can be correlated to the quantity of an LSP in the sample.

Of the proteomic approaches, 2D PAGE is a well-known technique. Isolation of individual proteins from a sample such as serum is accomplished using sequential separation of proteins by isoelectric point and molecular weight. Typically, polypeptides  
20 are first separated by isoelectric point (the first dimension) and then separated by size using an electric current (the second dimension). In general, the second dimension is perpendicular to the first dimension. Because no two proteins with different sequences are identical on the basis of both size and charge, the result of 2D PAGE is a roughly square gel in which each protein occupies a unique spot. Analysis of the spots with  
25 chemical or antibody probes, or subsequent protein microsequencing can reveal the relative abundance of a given protein and the identity of the proteins in the sample.

Expression levels of an LSNA can be determined by any method known in the art, including PCR and other nucleic acid methods, such as ligase chain reaction (LCR) and nucleic acid sequence based amplification (NASBA), can be used to detect malignant  
30 cells for diagnosis and monitoring of various malignancies. For example, reverse-transcriptase PCR (RT-PCR) is a powerful technique which can be used to detect the presence of a specific mRNA population in a complex mixture of thousands of other

-98-

mRNA species. In RT-PCR, an mRNA species is first reverse transcribed to complementary DNA (cDNA) with use of the enzyme reverse transcriptase; the cDNA is then amplified as in a standard PCR reaction.

Hybridization to specific DNA molecules (*e.g.*, oligonucleotides) arrayed on a solid support can be used to both detect the expression of and quantitate the level of expression of one or more LSNAs of interest. In this approach, all or a portion of one or more LSNAs is fixed to a substrate. A sample of interest, which may comprise RNA, *e.g.*, total RNA or polyA-selected mRNA, or a complementary DNA (cDNA) copy of the RNA is incubated with the solid support under conditions in which hybridization will occur between the DNA on the solid support and the nucleic acid molecules in the sample of interest. Hybridization between the substrate-bound DNA and the nucleic acid molecules in the sample can be detected and quantitated by several means, including, without limitation, radioactive labeling or fluorescent labeling of the nucleic acid molecule or a secondary molecule designed to detect the hybrid.

The above tests can be carried out on samples derived from a variety of cells, bodily fluids and/or tissue extracts such as homogenates or solubilized tissue obtained from a patient. Tissue extracts are obtained routinely from tissue biopsy and autopsy material. Bodily fluids useful in the present invention include blood, urine, saliva or any other bodily secretion or derivative thereof. By blood it is meant to include whole blood, plasma, serum or any derivative of blood. In a preferred embodiment, the specimen tested for expression of LSNA or LSP includes, without limitation, lung tissue, fluid obtained by bronchial alveolar lavage (BAL), sputum, lung cells grown in cell culture, blood, serum, lymph node tissue and lymphatic fluid. In another preferred embodiment, especially when metastasis of a primary lung cancer is known or suspected, specimens include, without limitation, tissues from brain, bone, bone marrow, liver, adrenal glands and colon. In general, the tissues may be sampled by biopsy, including, without limitation, needle biopsy, *e.g.*, transthoracic needle aspiration, cervical mediastinoscopy, endoscopic lymph node biopsy, video-assisted thoracoscopy, exploratory thoracotomy, bone marrow biopsy and bone marrow aspiration. See Scott, *supra* and Franklin, pp. 529-570, in Kane, *supra*. For early and inexpensive detection, assaying for changes in LSNAs or LSPs in cells in sputum samples may be particularly useful. Methods of obtaining and analyzing sputum samples is disclosed in Franklin, *supra*.

All the methods of the present invention may optionally include determining the expression levels of one or more other cancer markers in addition to determining the expression level of an LSNA or LSP. In many cases, the use of another cancer marker will decrease the likelihood of false positives or false negatives. In one embodiment, the one or more other cancer markers include other LSNA or LSPs as disclosed herein. Other cancer markers useful in the present invention will depend on the cancer being tested and are known to those of skill in the art. In a preferred embodiment, at least one other cancer marker in addition to a particular LSNA or LSP is measured. In a more preferred embodiment, at least two other additional cancer markers are used. In an even more preferred embodiment, at least three, more preferably at least five, even more preferably at least ten additional cancer markers are used.

#### *Diagnosing*

In one aspect, the invention provides a method for determining the expression levels and/or structural alterations of one or more LSNAs and/or LSPs in a sample from a patient suspected of having lung cancer. In general, the method comprises the steps of obtaining the sample from the patient, determining the expression level or structural alterations of an LSNA and/or LSP and then ascertaining whether the patient has lung cancer from the expression level of the LSNA or LSP. In general, if high expression relative to a control of an LSNA or LSP is indicative of lung cancer, a diagnostic assay is considered positive if the level of expression of the LSNA or LSP is at least two times higher, and more preferably are at least five times higher, even more preferably at least ten times higher, than in preferably the same cells, tissues or bodily fluid of a normal human control. In contrast, if low expression relative to a control of an LSNA or LSP is indicative of lung cancer, a diagnostic assay is considered positive if the level of expression of the LSNA or LSP is at least two times lower, more preferably are at least five times lower, even more preferably at least ten times lower than in preferably the same cells, tissues or bodily fluid of a normal human control. The normal human control may be from a different patient or from uninvolved tissue of the same patient.

The present invention also provides a method of determining whether lung cancer has metastasized in a patient. One may identify whether the lung cancer has metastasized by measuring the expression levels and/or structural alterations of one or more LSNAs and/or LSPs in a variety of tissues. The presence of an LSNA or LSP in a certain tissue



-100-

at levels higher than that of corresponding noncancerous tissue (*e.g.*, the same tissue from another individual) is indicative of metastasis if high level expression of an LSNA or LSP is associated with lung cancer. Similarly, the presence of an LSNA or LSP in a tissue at levels lower than that of corresponding noncancerous tissue is indicative of metastasis if low level expression of an LSNA or LSP is associated with lung cancer. Further, the presence of a structurally altered LSNA or LSP that is associated with lung cancer is also indicative of metastasis.

In general, if high expression relative to a control of an LSNA or LSP is indicative of metastasis, an assay for metastasis is considered positive if the level of expression of the LSNA or LSP is at least two times higher, and more preferably are at least five times higher, even more preferably at least ten times higher, than in preferably the same cells, tissues or bodily fluid of a normal human control. In contrast, if low expression relative to a control of an LSNA or LSP is indicative of metastasis, an assay for metastasis is considered positive if the level of expression of the LSNA or LSP is at least two times lower, more preferably are at least five times lower, even more preferably at least ten times lower than in preferably the same cells, tissues or bodily fluid of a normal human control.

The LSNA or LSP of this invention may be used as element in an array or a multi-analyte test to recognize expression patterns associated with lung cancers or other lung related disorders. In addition, the sequences of either the nucleic acids or proteins may be used as elements in a computer program for pattern recognition of lung disorders.

### *Staging*

The invention also provides a method of staging lung cancer in a human patient. The method comprises identifying a human patient having lung cancer and analyzing cells, tissues or bodily fluids from such human patient for expression levels and/or structural alterations of one or more LSNAs or LSPs. First, one or more tumors from a variety of patients are staged according to procedures well-known in the art, and the expression level of one or more LSNAs or LSPs is determined for each stage to obtain a standard expression level for each LSNA and LSP. Then, the LSNA or LSP expression levels are determined in a biological sample from a patient whose stage of cancer is not known. The LSNA or LSP expression levels from the patient are then compared to the

-101-

standard expression level. By comparing the expression level of the LSNAs and LSPs from the patient to the standard expression levels, one may determine the stage of the tumor. The same procedure may be followed using structural alterations of an LSNA or LSP to determine the stage of a lung cancer.

## 5 *Monitoring*

Further provided is a method of monitoring lung cancer in a human patient. One may monitor a human patient to determine whether there has been metastasis and, if there has been, when metastasis began to occur. One may also monitor a human patient to determine whether a preneoplastic lesion has become cancerous. One may also monitor  
10 a human patient to determine whether a therapy, *e.g.*, chemotherapy, radiotherapy or surgery, has decreased or eliminated the lung cancer. The method comprises identifying a human patient that one wants to monitor for lung cancer, periodically analyzing cells, tissues or bodily fluids from such human patient for expression levels of one or more LSNAs or LSPs, and comparing the LSNA or LSP levels over time to those LSNA or  
15 LSP expression levels obtained previously. Patients may also be monitored by measuring one or more structural alterations in an LSNA or LSP that are associated with lung cancer.

If increased expression of an LSNA or LSP is associated with metastasis, treatment failure, or conversion of a preneoplastic lesion to a cancerous lesion, then  
20 detecting an increase in the expression level of an LSNA or LSP indicates that the tumor is metastasizing, that treatment has failed or that the lesion is cancerous, respectively. One having ordinary skill in the art would recognize that if this were the case, then a decreased expression level would be indicative of no metastasis, effective therapy or failure to progress to a neoplastic lesion. If decreased expression of an LSNA or LSP is  
25 associated with metastasis, treatment failure, or conversion of a preneoplastic lesion to a cancerous lesion, then detecting an decrease in the expression level of an LSNA or LSP indicates that the tumor is metastasizing, that treatment has failed or that the lesion is cancerous, respectively. In a preferred embodiment, the levels of LSNAs or LSPs are determined from the same cell type, tissue or bodily fluid as prior patient samples.  
30 Monitoring a patient for onset of lung cancer metastasis is periodic and preferably is done on a quarterly basis, but may be done more or less frequently.

-102-

The methods described herein can further be utilized as prognostic assays to identify subjects having or at risk of developing a disease or disorder associated with increased or decreased expression levels of an LSNA and/or LSP. The present invention provides a method in which a test sample is obtained from a human patient and one or  
5 more LSNAs and/or LSPs are detected. The presence of higher (or lower) LSNA or LSP levels as compared to normal human controls is diagnostic for the human patient being at risk for developing cancer, particularly lung cancer. The effectiveness of therapeutic agents to decrease (or increase) expression or activity of one or more LSNAs and/or LSPs of the invention can also be monitored by analyzing levels of expression of the  
10 LSNAs and/or LSPs in a human patient in clinical trials or in *in vitro* screening assays such as in human cells. In this way, the gene expression pattern can serve as a marker, indicative of the physiological response of the human patient or cells, as the case may be, to the agent being tested.

#### *Detection of Genetic Lesions or Mutations*

15 The methods of the present invention can also be used to detect genetic lesions or mutations in an LSG, thereby determining if a human with the genetic lesion is susceptible to developing lung cancer or to determine what genetic lesions are responsible, or are partly responsible, for a person's existing lung cancer. Genetic lesions can be detected, for example, by ascertaining the existence of a deletion, insertion  
20 and/or substitution of one or more nucleotides from the LSGs of this invention, a chromosomal rearrangement of LSG, an aberrant modification of LSG (such as of the methylation pattern of the genomic DNA), or allelic loss of an LSG. Methods to detect such lesions in the LSG of this invention are known to those having ordinary skill in the art following the teachings of the specification.

#### 25 Methods of Detecting Noncancerous Lung Diseases

The invention also provides a method for determining the expression levels and/or structural alterations of one or more LSNAs and/or LSPs in a sample from a patient suspected of having or known to have a noncancerous lung disease. In general,  
30 the method comprises the steps of obtaining a sample from the patient, determining the expression level or structural alterations of an LSNA and/or LSP, comparing the expression level or structural alteration of the LSNA or LSP to a normal lung control,

and then ascertaining whether the patient has a noncancerous lung disease. In general, if high expression relative to a control of an LSNA or LSP is indicative of a particular noncancerous lung disease, a diagnostic assay is considered positive if the level of expression of the LSNA or LSP is at least two times higher, and more preferably are at least five times higher, even more preferably at least ten times higher, than in preferably the same cells, tissues or bodily fluid of a normal human control. In contrast, if low expression relative to a control of an LSNA or LSP is indicative of a noncancerous lung disease, a diagnostic assay is considered positive if the level of expression of the LSNA or LSP is at least two times lower, more preferably are at least five times lower, even more preferably at least ten times lower than in preferably the same cells, tissues or bodily fluid of a normal human control. The normal human control may be from a different patient or from uninvolved tissue of the same patient.

One having ordinary skill in the art may determine whether an LSNA and/or LSP is associated with a particular noncancerous lung disease by obtaining lung tissue from a patient having a noncancerous lung disease of interest and determining which LSNAs and/or LSPs are expressed in the tissue at either a higher or a lower level than in normal lung tissue. In another embodiment, one may determine whether an LSNA or LSP exhibits structural alterations in a particular noncancerous lung disease state by obtaining lung tissue from a patient having a noncancerous lung disease of interest and determining the structural alterations in one or more LSNAs and/or LSPs relative to normal lung tissue.

#### Methods for Identifying Lung Tissue

In another aspect, the invention provides methods for identifying lung tissue. These methods are particularly useful in, *e.g.*, forensic science, lung cell differentiation and development, and in tissue engineering.

In one embodiment, the invention provides a method for determining whether a sample is lung tissue or has lung tissue-like characteristics. The method comprises the steps of providing a sample suspected of comprising lung tissue or having lung tissue-like characteristics, determining whether the sample expresses one or more LSNAs and/or LSPs, and, if the sample expresses one or more LSNAs and/or LSPs, concluding that the sample comprises lung tissue. In a preferred embodiment, the LSNA encodes a

- polypeptide having an amino acid sequence selected from SEQ ID NO: 165 through 284, or a homolog, allelic variant or fragment thereof. In a more preferred embodiment, the LSNA has a nucleotide sequence selected from SEQ ID NO: 1 through 164, or a hybridizing nucleic acid, an allelic variant or a part thereof. Determining whether a sample expresses an LSNA can be accomplished by any method known in the art. Preferred methods include hybridization to microarrays, Northern blot hybridization, and quantitative or qualitative RT-PCR. In another preferred embodiment, the method can be practiced by determining whether an LSP is expressed. Determining whether a sample expresses an LSP can be accomplished by any method known in the art.
- 10 Preferred methods include Western blot, ELISA, RIA and 2D PAGE. In one embodiment, the LSP has an amino acid sequence selected from SEQ ID NO: 165 through 284, or a homolog, allelic variant or fragment thereof. In another preferred embodiment, the expression of at least two LSNAs and/or LSPs is determined. In a more preferred embodiment, the expression of at least three, more preferably four and even
- 15 more preferably five LSNAs and/or LSPs are determined.

- In one embodiment, the method can be used to determine whether an unknown tissue is lung tissue. This is particularly useful in forensic science, in which small, damaged pieces of tissues that are not identifiable by microscopic or other means are recovered from a crime or accident scene. In another embodiment, the method can be used to determine whether a tissue is differentiating or developing into lung tissue. This is important in monitoring the effects of the addition of various agents to cell or tissue culture, *e.g.*, in producing new lung tissue by tissue engineering. These agents include, *e.g.*, growth and differentiation factors, extracellular matrix proteins and culture medium. Other factors that may be measured for effects on tissue development and differentiation
- 20 include gene transfer into the cells or tissues, alterations in pH, aqueous:air interface and various other culture conditions.

#### Methods for Producing and Modifying Lung Tissue

- In another aspect, the invention provides methods for producing engineered lung tissue or cells. In one embodiment, the method comprises the steps of providing cells,
- 30 introducing an LSNA or an LSG into the cells, and growing the cells under conditions in which they exhibit one or more properties of lung tissue cells. In a preferred

embodiment, the cells are pluripotent. As is well-known in the art, normal lung tissue comprises a large number of different cell types. Thus, in one embodiment, the engineered lung tissue or cells comprises one of these cell types. In another embodiment, the engineered lung tissue or cells comprises more than one lung cell type. Further, the culture conditions of the cells or tissue may require manipulation in order to achieve full differentiation and development of the lung cell tissue. Methods for manipulating culture conditions are well-known in the art.

Nucleic acid molecules encoding one or more LSPs are introduced into cells, preferably pluripotent cells. In a preferred embodiment, the nucleic acid molecules encode LSPs having amino acid sequences selected from SEQ ID NO: 165 through 284, or homologous proteins, analogs, allelic variants or fragments thereof. In a more preferred embodiment, the nucleic acid molecules have a nucleotide sequence selected from SEQ ID NO: 1 through 164, or hybridizing nucleic acids, allelic variants or parts thereof. In another highly preferred embodiment, an LSG is introduced into the cells. Expression vectors and methods of introducing nucleic acid molecules into cells are well-known in the art and are described in detail, *supra*.

Artificial lung tissue may be used to treat patients who have lost some or all of their lung function.

#### Pharmaceutical Compositions

In another aspect, the invention provides pharmaceutical compositions comprising the nucleic acid molecules, polypeptides, antibodies, antibody derivatives, antibody fragments, agonists, antagonists, and inhibitors of the present invention. In a preferred embodiment, the pharmaceutical composition comprises an LSNA or part thereof. In a more preferred embodiment, the LSNA has a nucleotide sequence selected from the group consisting of SEQ ID NO: 1 through 164, a nucleic acid that hybridizes thereto, an allelic variant thereof, or a nucleic acid that has substantial sequence identity thereto. In another preferred embodiment, the pharmaceutical composition comprises an LSP or fragment thereof. In a more preferred embodiment, the LSP having an amino acid sequence that is selected from the group consisting of SEQ ID NO: 165 through 284, a polypeptide that is homologous thereto, a fusion protein comprising all or a portion of the polypeptide, or an analog or derivative thereof. In another preferred embodiment, the

-106-

pharmaceutical composition comprises an anti-LSP antibody, preferably an antibody that specifically binds to an LSP having an amino acid that is selected from the group consisting of SEQ ID NO: 165 through 284, or an antibody that binds to a polypeptide that is homologous thereto, a fusion protein comprising all or a portion of the  
5 polypeptide, or an analog or derivative thereof.

Such a composition typically contains from about 0.1 to 90% by weight of a therapeutic agent of the invention formulated in and/or with a pharmaceutically acceptable carrier or excipient.

Pharmaceutical formulation is a well-established art, and is further described in  
10 Gennaro (ed.), Remington: The Science and Practice of Pharmacy, 20<sup>th</sup> ed., Lippincott, Williams & Wilkins (2000); Ansel *et al.*, Pharmaceutical Dosage Forms and Drug Delivery Systems, 7<sup>th</sup> ed., Lippincott Williams & Wilkins (1999); and Kibbe (ed.), Handbook of Pharmaceutical Excipients American Pharmaceutical Association, 3<sup>rd</sup> ed. (2000), the disclosures of which are incorporated herein by reference in their entireties,  
15 and thus need not be described in detail herein.

Briefly, formulation of the pharmaceutical compositions of the present invention will depend upon the route chosen for administration. The pharmaceutical compositions utilized in this invention can be administered by various routes including both enteral and parenteral routes, including oral, intravenous, intramuscular, subcutaneous, inhalation,  
20 topical, sublingual, rectal, intra-arterial, intramedullary, intrathecal, intraventricular, transmucosal, transdermal, intranasal, intraperitoneal, intrapulmonary, and intrauterine.

Oral dosage forms can be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions, and the like, for ingestion by the patient.

Solid formulations of the compositions for oral administration can contain  
25 suitable carriers or excipients, such as carbohydrate or protein fillers, such as sugars, including lactose, sucrose, mannitol, or sorbitol; starch from corn, wheat, rice, potato, or other plants; cellulose, such as methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, or microcrystalline cellulose; gums including arabic and tragacanth; proteins such as gelatin and collagen; inorganics, such as kaolin, calcium  
30 carbonate, dicalcium phosphate, sodium chloride; and other agents such as acacia and alginic acid.

-107-

Agents that facilitate disintegration and/or solubilization can be added, such as the cross-linked polyvinyl pyrrolidone, agar, alginic acid, or a salt thereof, such as sodium alginate, microcrystalline cellulose, corn starch, sodium starch glycolate, and alginic acid.

- 5           Tablet binders that can be used include acacia, methylcellulose, sodium carboxymethylcellulose, polyvinylpyrrolidone (Povidone™), hydroxypropyl methylcellulose, sucrose, starch and ethylcellulose.

Lubricants that can be used include magnesium stearates, stearic acid, silicone fluid, talc, waxes, oils, and colloidal silica.

- 10           Fillers, agents that facilitate disintegration and/or solubilization, tablet binders and lubricants, including the aforementioned, can be used singly or in combination.

- Solid oral dosage forms need not be uniform throughout. For example, dragee cores can be used in conjunction with suitable coatings, such as concentrated sugar solutions, which can also contain gum arabic, talc, polyvinylpyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures.
- 15

- Oral dosage forms of the present invention include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a coating, such as glycerol or sorbitol. Push-fit capsules can contain active ingredients mixed with a filler or binders, such as lactose or starches, lubricants, such as talc or magnesium stearate, and, optionally, stabilizers. In soft capsules, the active compounds can be dissolved or suspended in suitable liquids, such as fatty oils, liquid, or liquid polyethylene glycol with or without stabilizers.
- 20

- Additionally, dyestuffs or pigments can be added to the tablets or dragee coatings for product identification or to characterize the quantity of active compound, *i.e.*, dosage.
- 25

- Liquid formulations of the pharmaceutical compositions for oral (enteral) administration are prepared in water or other aqueous vehicles and can contain various suspending agents such as methylcellulose, alginates, tragacanth, pectin, kelgin, carrageenan, acacia, polyvinylpyrrolidone, and polyvinyl alcohol. The liquid formulations can also include solutions, emulsions, syrups and elixirs containing, together with the active compound(s), wetting agents, sweeteners, and coloring and flavoring agents.
- 30



The pharmaceutical compositions of the present invention can also be formulated for parenteral administration. Formulations for parenteral administration can be in the form of aqueous or non-aqueous isotonic sterile injection solutions or suspensions.

For intravenous injection, water soluble versions of the compounds of the present invention are formulated in, or if provided as a lyophilate, mixed with, a physiologically acceptable fluid vehicle, such as 5% dextrose ("D5"), physiologically buffered saline, 0.9% saline, Hanks' solution, or Ringer's solution. Intravenous formulations may include carriers, excipients or stabilizers including, without limitation, calcium, human serum albumin, citrate, acetate, calcium chloride, carbonate, and other salts.

Intramuscular preparations, *e.g.* a sterile formulation of a suitable soluble salt form of the compounds of the present invention, can be dissolved and administered in a pharmaceutical excipient such as Water-for-Injection, 0.9% saline, or 5% glucose solution. Alternatively, a suitable insoluble form of the compound can be prepared and administered as a suspension in an aqueous base or a pharmaceutically acceptable oil base, such as an ester of a long chain fatty acid (*e.g.*, ethyl oleate), fatty oils such as sesame oil, triglycerides, or liposomes.

Parenteral formulations of the compositions can contain various carriers such as vegetable oils, dimethylacetamide, dimethylformamide, ethyl lactate, ethyl carbonate, isopropyl myristate, ethanol, polyols (glycerol, propylene glycol, liquid polyethylene glycol, and the like).

Aqueous injection suspensions can also contain substances that increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Non-lipid polycationic amino polymers can also be used for delivery. Optionally, the suspension can also contain suitable stabilizers or agents that increase the solubility of the compounds to allow for the preparation of highly concentrated solutions.

Pharmaceutical compositions of the present invention can also be formulated to permit injectable, long-term, deposition. Injectable depot forms may be made by forming microencapsulated matrices of the compound in biodegradable polymers such as polylactide-polyglycolide. Depending upon the ratio of drug to polymer and the nature of the particular polymer employed, the rate of drug release can be controlled. Examples of other biodegradable polymers include poly(orthoesters) and poly(anhydrides). Depot

injectable formulations are also prepared by entrapping the drug in microemulsions that are compatible with body tissues.

The pharmaceutical compositions of the present invention can be administered topically.

5           For topical use the compounds of the present invention can also be prepared in suitable forms to be applied to the skin, or mucus membranes of the nose and throat, and can take the form of lotions, creams, ointments, liquid sprays or inhalants, drops, tinctures, lozenges, or throat paints. Such topical formulations further can include chemical compounds such as dimethylsulfoxide (DMSO) to facilitate surface penetration  
10 of the active ingredient. In other transdermal formulations, typically in patch-delivered formulations, the pharmaceutically active compound is formulated with one or more skin penetrants, such as 2-N-methyl-pyrrolidone (NMP) or Azone. A topical semi-solid ointment formulation typically contains a concentration of the active ingredient from about 1 to 20%, *e.g.*, 5 to 10%, in a carrier such as a pharmaceutical cream base.

15           For application to the eyes or ears, the compounds of the present invention can be presented in liquid or semi-liquid form formulated in hydrophobic or hydrophilic bases as ointments, creams, lotions, paints or powders.

            For rectal administration the compounds of the present invention can be administered in the form of suppositories admixed with conventional carriers such as  
20 cocoa butter, wax or other glyceride.

            Inhalation formulations can also readily be formulated. For inhalation, various powder and liquid formulations can be prepared. For aerosol preparations, a sterile formulation of the compound or salt form of the compound may be used in inhalers, such as metered dose inhalers, and nebulizers. Aerosolized forms may be especially useful for  
25 treating respiratory disorders.

            Alternatively, the compounds of the present invention can be in powder form for reconstitution in the appropriate pharmaceutically acceptable carrier at the time of delivery.

            The pharmaceutically active compound in the pharmaceutical compositions of the  
30 present invention can be provided as the salt of a variety of acids, including but not limited to hydrochloric, sulfuric, acetic, lactic, tartaric, malic, and succinic acid. Salts

-110-

tend to be more soluble in aqueous or other protonic solvents than are the corresponding free base forms.

After pharmaceutical compositions have been prepared, they are packaged in an appropriate container and labeled for treatment of an indicated condition.

- 5       The active compound will be present in an amount effective to achieve the intended purpose. The determination of an effective dose is well within the capability of those skilled in the art.

A “therapeutically effective dose” refers to that amount of active ingredient, for example LSP polypeptide, fusion protein, or fragments thereof, antibodies specific for  
10   LSP, agonists, antagonists or inhibitors of LSP, which ameliorates the signs or symptoms of the disease or prevents progression thereof; as would be understood in the medical arts, cure, although desired, is not required.

The therapeutically effective dose of the pharmaceutical agents of the present invention can be estimated initially by *in vitro* tests, such as cell culture assays, followed  
15   by assay in model animals, usually mice, rats, rabbits, dogs, or pigs. The animal model can also be used to determine an initial preferred concentration range and route of administration.

For example, the ED50 (the dose therapeutically effective in 50% of the population) and LD50 (the dose lethal to 50% of the population) can be determined in  
20   one or more cell culture of animal model systems. The dose ratio of toxic to therapeutic effects is the therapeutic index, which can be expressed as LD50/ED50. Pharmaceutical compositions that exhibit large therapeutic indices are preferred.

The data obtained from cell culture assays and animal studies are used in formulating an initial dosage range for human use, and preferably provide a range of  
25   circulating concentrations that includes the ED50 with little or no toxicity. After administration, or between successive administrations, the circulating concentration of active agent varies within this range depending upon pharmacokinetic factors well-known in the art, such as the dosage form employed, sensitivity of the patient, and the route of administration.

30       The exact dosage will be determined by the practitioner, in light of factors specific to the subject requiring treatment. Factors that can be taken into account by the practitioner include the severity of the disease state, general health of the subject, age,

-111-

weight, gender of the subject, diet, time and frequency of administration, drug combination(s), reaction sensitivities, and tolerance/response to therapy. Long-acting pharmaceutical compositions can be administered every 3 to 4 days, every week, or once every two weeks depending on half-life and clearance rate of the particular formulation.

- 5           Normal dosage amounts may vary from 0.1 to 100,000 micrograms, up to a total dose of about 1 g, depending upon the route of administration. Where the therapeutic agent is a protein or antibody of the present invention, the therapeutic protein or antibody agent typically is administered at a daily dosage of 0.01 mg to 30 mg/kg of body weight of the patient (*e.g.*, 1 mg/kg to 5 mg/kg). The pharmaceutical formulation can be  
10 administered in multiple doses per day, if desired, to achieve the total desired daily dose.

- Guidance as to particular dosages and methods of delivery is provided in the literature and generally available to practitioners in the art. Those skilled in the art will employ different formulations for nucleotides than for proteins or their inhibitors. Similarly, delivery of polynucleotides or polypeptides will be specific to particular cells,  
15 conditions, locations, etc.

Conventional methods, known to those of ordinary skill in the art of medicine, can be used to administer the pharmaceutical formulation(s) of the present invention to the patient. The pharmaceutical compositions of the present invention can be administered alone, or in combination with other therapeutic agents or interventions.

## 20   Therapeutic Methods

- The present invention further provides methods of treating subjects having defects in a gene of the invention, *e.g.*, in expression, activity, distribution, localization, and/or solubility, which can manifest as a disorder of lung function. As used herein,  
25 “treating” includes all medically-acceptable types of therapeutic intervention, including palliation and prophylaxis (prevention) of disease. The term “treating” encompasses any improvement of a disease, including minor improvements. These methods are discussed below.

### *Gene Therapy and Vaccines*

- 30           The isolated nucleic acids of the present invention can also be used to drive *in vivo* expression of the polypeptides of the present invention. *In vivo* expression can be driven from a vector, typically a viral vector, often a vector based upon a replication

-112-

incompetent retrovirus, an adenovirus, or an adeno-associated virus (AAV), for purpose of gene therapy. *In vivo* expression can also be driven from signals endogenous to the nucleic acid or from a vector, often a plasmid vector, such as pVAX1 (Invitrogen, Carlsbad, CA, USA), for purpose of “naked” nucleic acid vaccination, as further  
5 described in U.S. Patents 5,589,466; 5,679,647; 5,804,566; 5,830,877; 5,843,913; 5,880,104; 5,958,891; 5,985,847; 6,017,897; 6,110,898; and 6,204,250, the disclosures of which are incorporated herein by reference in their entireties. For cancer therapy, it is preferred that the vector also be tumor-selective. *See, e.g., Doronin et al., J. Virol.* 75: 3314-24 (2001).

10 In another embodiment of the therapeutic methods of the present invention, a therapeutically effective amount of a pharmaceutical composition comprising a nucleic acid of the present invention is administered. The nucleic acid can be delivered in a vector that drives expression of an LSP, fusion protein, or fragment thereof, or without such vector. Nucleic acid compositions that can drive expression of an LSP are  
15 administered, for example, to complement a deficiency in the native LSP, or as DNA vaccines. Expression vectors derived from virus, replication deficient retroviruses, adenovirus, adeno-associated (AAV) virus, herpes virus, or vaccinia virus can be used as can plasmids. *See, e.g., Cid-Arregui, supra.* In a preferred embodiment, the nucleic acid molecule encodes an LSP having the amino acid sequence of SEQ ID NO: 165 through  
20 284, or a fragment, fusion protein, allelic variant or homolog thereof.

In still other therapeutic methods of the present invention, pharmaceutical compositions comprising host cells that express an LSP, fusions, or fragments thereof can be administered. In such cases, the cells are typically autologous, so as to circumvent xenogeneic or allotypic rejection, and are administered to complement  
25 defects in LSP production or activity. In a preferred embodiment, the nucleic acid molecules in the cells encode an LSP having the amino acid sequence of SEQ ID NO: 165 through 284, or a fragment, fusion protein, allelic variant or homolog thereof.

#### *Antisense Administration*

Antisense nucleic acid compositions, or vectors that drive expression of an LSG  
30 antisense nucleic acid, are administered to downregulate transcription and/or translation of an LSG in circumstances in which excessive production, or production of aberrant protein, is the pathophysiologic basis of disease.

Antisense compositions useful in therapy can have a sequence that is complementary to coding or to noncoding regions of an LSG. For example, oligonucleotides derived from the transcription initiation site, *e.g.*, between positions -10 and +10 from the start site, are preferred.

5 Catalytic antisense compositions, such as ribozymes, that are capable of sequence-specific hybridization to LSG transcripts, are also useful in therapy. *See, e.g.*, Phylactou, *Adv. Drug Deliv. Rev.* 44(2-3): 97-108 (2000); Phylactou *et al.*, *Hum. Mol. Genet.* 7(10): 1649-53 (1998); Rossi, *Ciba Found. Symp.* 209: 195-204 (1997); and Sigurdsson *et al.*, *Trends Biotechnol.* 13(8): 286-9 (1995), the disclosures of which are  
10 incorporated herein by reference in their entirety.

Other nucleic acids useful in the therapeutic methods of the present invention are those that are capable of triplex helix formation in or near the LSG genomic locus. Such triplexing oligonucleotides are able to inhibit transcription. *See, e.g.*, Intody *et al.*, *Nucleic Acids Res.* 28(21): 4283-90 (2000); McGuffie *et al.*, *Cancer Res.* 60(14): 3790-9  
15 (2000), the disclosures of which are incorporated herein by reference. Pharmaceutical compositions comprising such triplex forming oligos (TFOs) are administered in circumstances in which excessive production, or production of aberrant protein, is a pathophysiologic basis of disease.

In a preferred embodiment, the antisense molecule is derived from a nucleic acid  
20 molecule encoding an LSP, preferably an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284, or a fragment, allelic variant or homolog thereof. In a more preferred embodiment, the antisense molecule is derived from a nucleic acid molecule having a nucleotide sequence of SEQ ID NO: 1 through 164, or a part, allelic variant, substantially similar or hybridizing nucleic acid thereof.

## 25 *Polypeptide Administration*

In one embodiment of the therapeutic methods of the present invention, a therapeutically effective amount of a pharmaceutical composition comprising an LSP, a fusion protein, fragment, analog or derivative thereof is administered to a subject with a clinically-significant LSP defect.

30 Protein compositions are administered, for example, to complement a deficiency in native LSP. In other embodiments, protein compositions are administered as a vaccine to elicit a humoral and/or cellular immune response to LSP. The immune response can

-114-

be used to modulate activity of LSP or, depending on the immunogen, to immunize against aberrant or aberrantly expressed forms, such as mutant or inappropriately expressed isoforms. In yet other embodiments, protein fusions having a toxic moiety are administered to ablate cells that aberrantly accumulate LSP.

- 5           In a preferred embodiment, the polypeptide is an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284, or a fusion protein, allelic variant, homolog, analog or derivative thereof. In a more preferred embodiment, the polypeptide is encoded by a nucleic acid molecule having a nucleotide sequence of SEQ ID NO: 1 through 164, or a part, allelic variant, substantially similar or hybridizing nucleic acid  
10 thereof.

*Antibody, Agonist and Antagonist Administration*

- In another embodiment of the therapeutic methods of the present invention, a therapeutically effective amount of a pharmaceutical composition comprising an antibody (including fragment or derivative thereof) of the present invention is  
15 administered. As is well-known, antibody compositions are administered, for example, to antagonize activity of LSP, or to target therapeutic agents to sites of LSP presence and/or accumulation. In a preferred embodiment, the antibody specifically binds to an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284, or a fusion protein, allelic variant, homolog, analog or derivative thereof. In a more preferred  
20 embodiment, the antibody specifically binds to an LSP encoded by a nucleic acid molecule having a nucleotide sequence of SEQ ID NO: 1 through 164, or a part, allelic variant, substantially similar or hybridizing nucleic acid thereof.

- The present invention also provides methods for identifying modulators which bind to an LSP or have a modulatory effect on the expression or activity of an LSP.  
25 Modulators which decrease the expression or activity of LSP (antagonists) are believed to be useful in treating lung cancer. Such screening assays are known to those of skill in the art and include, without limitation, cell-based assays and cell-free assays. Small molecules predicted via computer imaging to specifically bind to regions of an LSP can also be designed, synthesized and tested for use in the imaging and treatment of lung  
30 cancer. Further, libraries of molecules can be screened for potential anticancer agents by assessing the ability of the molecule to bind to the LSPs identified herein. Molecules identified in the library as being capable of binding to an LSP are key candidates for

further evaluation for use in the treatment of lung cancer. In a preferred embodiment, these molecules will downregulate expression and/or activity of an LSP in cells.

In another embodiment of the therapeutic methods of the present invention, a pharmaceutical composition comprising a non-antibody antagonist of LSP is  
5 administered. Antagonists of LSP can be produced using methods generally known in the art. In particular, purified LSP can be used to screen libraries of pharmaceutical agents, often combinatorial libraries of small molecules, to identify those that specifically bind and antagonize at least one activity of an LSP.

In other embodiments a pharmaceutical composition comprising an agonist of an  
10 LSP is administered. Agonists can be identified using methods analogous to those used to identify antagonists.

In a preferred embodiment, the antagonist or agonist specifically binds to and antagonizes or agonizes, respectively, an LSP comprising an amino acid sequence of SEQ ID NO: 165 through 284, or a fusion protein, allelic variant, homolog, analog or  
15 derivative thereof. In a more preferred embodiment, the antagonist or agonist specifically binds to and antagonizes or agonizes, respectively, an LSP encoded by a nucleic acid molecule having a nucleotide sequence of SEQ ID NO: 1 through 164, or a part, allelic variant, substantially similar or hybridizing nucleic acid thereof.

#### *Targeting Lung Tissue*

20 The invention also provides a method in which a polypeptide of the invention, or an antibody thereto, is linked to a therapeutic agent such that it can be delivered to the lung or to specific cells in the lung. In a preferred embodiment, an anti-LSP antibody is linked to a therapeutic agent and is administered to a patient in need of such therapeutic agent. The therapeutic agent may be a toxin, if lung tissue needs to be selectively  
25 destroyed. This would be useful for targeting and killing lung cancer cells. In another embodiment, the therapeutic agent may be a growth or differentiation factor, which would be useful for promoting lung cell function.

In another embodiment, an anti-LSP antibody may be linked to an imaging agent that can be detected using, *e.g.*, magnetic resonance imaging, CT or PET. This would be  
30 useful for determining and monitoring lung function, identifying lung cancer tumors, and identifying noncancerous lung diseases.



-116-

**EXAMPLES****Example 1: Gene Expression analysis**

LSGs were identified by mRNA subtraction analysis using standard methods.

The sequences were extended using GeneBank sequences, Incyte's proprietary database.

- 5 From the nucleotide sequences, predicted amino acid sequences were prepared.

DEX0291\_1, DEX0291\_2 correspond to SEQ ID NO.1, 2 etc. DEX0134 was the parent sequence found in the mRNA subtractions.

	DEX0291_1	DEX0134_1	DEX0291_165
	DEX0291_2	flex DEX0134_1	
10	DEX0291_3	DEX0134_2	DEX0291_166
	DEX0291_4	flex DEX0134_2	
	DEX0291_5	DEX0134_3	DEX0291_167
	DEX0291_6	flex DEX0134_3	DEX0291_168
	DEX0291_7	DEX0134_4	DEX0291_169
15	DEX0291_8	flex DEX0134_4	DEX0291_170
	DEX0291_9	DEX0134_5	DEX0291_171
	DEX0291_10	flex DEX0134_5	
	DEX0291_11	DEX0134_6	DEX0291_172
	DEX0291_12	flex DEX0134_6	
20	DEX0291_13	DEX0134_7	DEX0291_173
	DEX0291_14	flex DEX0134_7	
	DEX0291_15	DEX0134_8	DEX0291_174
	DEX0291_16	flex DEX0134_8	DEX0291_175
	DEX0291_17	DEX0134_9	
25	DEX0291_18	DEX0134_10	DEX0291_176
	DEX0291_19	DEX0134_11	DEX0291_177
	DEX0291_20	flex DEX0134_11	
	DEX0291_21	DEX0134_12	DEX0291_178
	DEX0291_22	flex DEX0134_12	DEX0291_179

-117-

	DEX0291_23	DEX0134_13	DEX0291_180
	DEX0291_24	DEX0134_14	DEX0291_181
	DEX0291_25	DEX0134_15	DEX0291_182
	DEX0291_26	flex DEX0134_15	DEX0291_183
5	DEX0291_27	DEX0134_16	DEX0291_184
	DEX0291_28	flex DEX0134_16	DEX0291_185
	DEX0291_29	DEX0134_17	DEX0291_186
	DEX0291_30	flex DEX0134_17	DEX0291_187
	DEX0291_31	DEX0134_18	DEX0291_188
10	DEX0291_32	DEX0134_19	DEX0291_189
	DEX0291_33	DEX0134_20	DEX0291_190
	DEX0291_34	flex DEX0134_20	DEX0291_191
	DEX0291_35	DEX0134_21	DEX0291_192
	DEX0291_36	flex DEX0134_21	
15	DEX0291_37	DEX0134_22	DEX0291_193
	DEX0291_38	flex DEX0134_22	DEX0291_194
	DEX0291_39	DEX0134_23	
	DEX0291_40	DEX0134_24	DEX0291_195
	DEX0291_41	DEX0134_25	
20	DEX0291_42	DEX0134_27	DEX0291_196
	DEX0291_43	flex DEX0134_27	
	DEX0291_44	DEX0134_28	
	DEX0291_45	DEX0134_29	DEX0291_197
	DEX0291_46	flex DEX0134_29	DEX0291_198
25	DEX0291_47	DEX0134_30	DEX0291_199
	DEX0291_48	flex DEX0134_30	DEX0291_200
	DEX0291_49	DEX0134_31	DEX0291_201
	DEX0291_50	flex DEX0134_31	
	DEX0291_51	DEX0134_32	DEX0291_202

-118-

	DEX0291_52	DEX0134_33	
	DEX0291_53	DEX0134_34	DEX0291_203
	DEX0291_54	flex DEX0134_34	DEX0291_204
	DEX0291_55	DEX0134_35	DEX0291_205
5	DEX0291_56	flex DEX0134_35	DEX0291_206
	DEX0291_57	DEX0134_36	DEX0291_207
	DEX0291_58	flex DEX0134_36	DEX0291_208
	DEX0291_59	DEX0134_37	DEX0291_209
	DEX0291_60	flex DEX0134_37	DEX0291_210
10	DEX0291_61	DEX0134_38	DEX0291_211
	DEX0291_62	flex DEX0134_38	DEX0291_212
	DEX0291_63	DEX0134_39	DEX0291_213
	DEX0291_64	flex DEX0134_39	
	DEX0291_65	DEX0134_40	DEX0291_214
15	DEX0291_66	flex DEX0134_40	
	DEX0291_67	DEX0134_41	DEX0291_215
	DEX0291_68	flex DEX0134_41	
	DEX0291_69	DEX0134_42	DEX0291_216
	DEX0291_70	flex DEX0134_42	
20	DEX0291_71	DEX0134_43	
	DEX0291_72	DEX0134_44	DEX0291_217
	DEX0291_73	flex DEX0134_44	DEX0291_218
	DEX0291_74	DEX0134_46	
	DEX0291_75	flex DEX0134_46	
25	DEX0291_76	DEX0134_47	DEX0291_219
	DEX0291_77	flex DEX0134_47	DEX0291_220
	DEX0291_78	DEX0134_48	DEX0291_221
	DEX0291_79	flex DEX0134_48	DEX0291_222
	DEX0291_80	DEX0134_49	DEX0291_223

-119-

	DEX0291_81	flex DEX0134_49	DEX0291_224
	DEX0291_82	DEX0134_51	DEX0291_225
	DEX0291_83	flex DEX0134_51	
	DEX0291_84	DEX0134_52	DEX0291_226
5	DEX0291_85	flex DEX0134_52	
	DEX0291_86	DEX0134_53	DEX0291_227
	DEX0291_87	flex DEX0134_53	DEX0291_228
	DEX0291_88	DEX0134_54	DEX0291_229
	DEX0291_89	flex DEX0134_54	DEX0291_230
10	DEX0291_90	DEX0134_55	DEX0291_231
	DEX0291_91	flex DEX0134_55	
	DEX0291_92	DEX0134_56	DEX0291_232
	DEX0291_93	flex DEX0134_56	DEX0291_233
	DEX0291_94	DEX0134_57	DEX0291_234
15	DEX0291_95	DEX0134_58	DEX0291_235
	DEX0291_96	flex DEX0134_58	
	DEX0291_97	DEX0134_60	DEX0291_236
	DEX0291_98	flex DEX0134_60	
	DEX0291_99	DEX0134_61	DEX0291_237
20	DEX0291_100	flex DEX0134_61	
	DEX0291_101	DEX0134_62	DEX0291_238
	DEX0291_102	flex DEX0134_62	DEX0291_239
	DEX0291_103	DEX0134_63	DEX0291_240
	DEX0291_104	DEX0134_64	DEX0291_241
25	DEX0291_105	flex DEX0134_64	
	DEX0291_106	DEX0134_65	DEX0291_242
	DEX0291_107	flex DEX0134_65	DEX0291_243
	DEX0291_108	DEX0134_66	DEX0291_244
	DEX0291_109	flex DEX0134_66	

-120-

	DEX0291_110	DEX0134_67	
	DEX0291_111	flex DEX0134_67	DEX0291_245
	DEX0291_112	DEX0134_68	DEX0291_246
	DEX0291_113	flex DEX0134_68	DEX0291_247
5	DEX0291_114	DEX0134_69	DEX0291_248
	DEX0291_115	flex DEX0134_69	DEX0291_249
	DEX0291_116	DEX0134_70	DEX0291_250
	DEX0291_117	flex DEX0134_70	DEX0291_251
	DEX0291_118	DEX0134_71	DEX0291_252
10	DEX0291_119	DEX0134_72	DEX0291_253
	DEX0291_120	flex DEX0134_72	
	DEX0291_121	DEX0134_73	DEX0291_254
	DEX0291_122	flex DEX0134_73	DEX0291_255
	DEX0291_123	DEX0134_74	DEX0291_256
15	DEX0291_124	flex DEX0134_74	
	DEX0291_125	DEX0134_75	DEX0291_257
	DEX0291_126	flex DEX0134_75	
	DEX0291_127	DEX0134_76	DEX0291_258
	DEX0291_128	flex DEX0134_76	DEX0291_259
20	DEX0291_129	DEX0134_77	DEX0291_260
	DEX0291_130	flex DEX0134_77	
	DEX0291_131	DEX0134_78	DEX0291_261
	DEX0291_132	flex DEX0134_78	
	DEX0291_133	DEX0134_79	DEX0291_262
25	DEX0291_134	DEX0134_80	DEX0291_263
	DEX0291_135	flex DEX0134_80	DEX0291_264
	DEX0291_136	DEX0134_81	DEX0291_265
	DEX0291_137	DEX0134_82	DEX0291_266
	DEX0291_138	DEX0134_83	DEX0291_267

-121-

DEX0291\_139 flex DEX0134\_83  
 DEX0291\_140 DEX0134\_84 DEX0291\_268  
 DEX0291\_141 flex DEX0134\_84  
 DEX0291\_142 DEX0134\_85 DEX0291\_269  
 5 DEX0291\_143 DEX0134\_86 DEX0291\_270  
 DEX0291\_144 flex DEX0134\_86  
 DEX0291\_145 DEX0134\_87  
 DEX0291\_146 DEX0134\_88 DEX0291\_271  
 DEX0291\_147 DEX0134\_89 DEX0291\_272  
 10 DEX0291\_148 flex DEX0134\_89  
 DEX0291\_149 DEX0134\_90 DEX0291\_273  
 DEX0291\_150 flex DEX0134\_90 DEX0291\_274  
 DEX0291\_151 DEX0134\_91 DEX0291\_275  
 DEX0291\_152 flex DEX0134\_91  
 15 DEX0291\_153 DEX0134\_92 DEX0291\_276  
 DEX0291\_154 flex DEX0134\_92  
 DEX0291\_155 DEX0134\_93 DEX0291\_277  
 DEX0291\_156 flex DEX0134\_93  
 DEX0291\_157 DEX0134\_94  
 20 DEX0291\_158 DEX0134\_95 DEX0291\_278  
 DEX0291\_159 DEX0134\_96 DEX0291\_279  
 DEX0291\_160 DEX0134\_97 DEX0291\_280  
 DEX0291\_161 flex DEX0134\_97 DEX0291\_281  
 DEX0291\_162 DEX0134\_98 DEX0291\_282  
 25 DEX0291\_163 DEX0134\_99 DEX0291\_283  
 DEX0291\_164 flex DEX0134\_99 DEX0291\_284

The chromosomal locations were as follows:

30 DEX0291\_6 chromosome 14

-122-

	DEX0291_12	chromosome 2
	DEX0291_16	chromosome 19
	DEX0291_19	chromosome 17
	DEX0291_21	chromosome 1
5	DEX0291_23	chromosome 12
	DEX0291_24	chromosome 16
	DEX0291_26	chromosome 10
	DEX0291_28	chromosome 4
	DEX0291_31	chromosome 11
10	DEX0291_33	chromosome 11
	DEX0291_34	chromosome 11
	DEX0291_36	chromosome 5
	DEX0291_38	chromosome 11
	DEX0291_39	chromosome 16
15	DEX0291_40	chromosome 13
	DEX0291_41	chromosome 13
	DEX0291_42	chromosome 10
	DEX0291_43	chromosome 10
	DEX0291_44	chromosome 7
20	DEX0291_46	chromosome 12
	DEX0291_48	chromosome 10
	DEX0291_52	chromosome 7
	DEX0291_53	chromosome 7
	DEX0291_56	chromosome X
25	DEX0291_58	chromosome 15
	DEX0291_59	chromosome 7
	DEX0291_60	chromosome 7
	DEX0291_61	chromosome 5
	DEX0291_62	chromosome 5

-123-

	DEX0291_68	chromosome 5
	DEX0291_70	chromosome 8
	DEX0291_73	chromosome 2
	DEX0291_77	chromosome 8
5	DEX0291_78	chromosome 16
	DEX0291_79	chromosome 16
	DEX0291_85	chromosome 15
	DEX0291_89	chromosome 20
	DEX0291_91	chromosome 2
10	DEX0291_93	chromosome 1
	DEX0291_94	chromosome 15
	DEX0291_98	chromosome 15
	DEX0291_99	chromosome 2
	DEX0291_101	chromosome 8
15	DEX0291_102	chromosome 8
	DEX0291_107	chromosome 4
	DEX0291_111	chromosome 7
	DEX0291_118	chromosome 7
	DEX0291_123	chromosome 4
20	DEX0291_124	chromosome 4
	DEX0291_127	chromosome 6
	DEX0291_128	chromosome 16
	DEX0291_131	chromosome 3
	DEX0291_132	chromosome 3
25	DEX0291_135	chromosome 1
	DEX0291_138	chromosome 18
	DEX0291_139	chromosome 18
	DEX0291_141	chromosome 3
	DEX0291_142	chromosome 1



-124-

	DEX0291_146	chromosome 5
	DEX0291_150	chromosome 1
	DEX0291_151	chromosome 7
	DEX0291_152	chromosome 7
5	DEX0291_153	chromosome 5
	DEX0291_156	chromosome 12
	DEX0291_160	chromosome 8
	DEX0291_161	chromosome 8
	DEX0291_162	chromosome 17
10	DEX0291_163	chromosome 6
	DEX0291_164	chromosome 6

LSGs were also identified by a systematic analysis of gene expression data in the LIFESEQ® Gold database available from Incyte Genomics Inc (Palo Alto, CA) using the data mining software package CLASP™ (Candidate Lead Automatic Search

15 Program). CLASP™ is a set of algorithms that interrogate Incyte's database to identify genes that are both specific to particular tissue types as well as differentially expressed in tissues from patients with cancer. LifeSeq® Gold contains information about which genes are expressed in various tissues in the body and about the dynamics of expression in both normal and diseased states. CLASP™ first sorts the LifeSeq® Gold database into

20 defined tissue types, such as breast, ovary and prostate. CLASP™ categorizes each tissue sample by disease state. Disease states include "healthy," "cancer," "associated with cancer," "other disease" and "other." Categorizing the disease states improves our ability to identify tissue and cancer-specific molecular targets. CLASP™ then performs a simultaneous parallel search for genes that are expressed both (1) selectively in the

25 defined tissue type compared to other tissue types and (2) differentially in the "cancer" disease state compared to the other disease states affecting the same, or different, tissues. This sorting is accomplished by using mathematical and statistical filters that specify the minimum change in expression levels and the minimum frequency that the differential expression pattern must be observed across the tissue samples for the gene to be

considered statistically significant. The CLASP™ algorithm quantifies the relative abundance of a particular gene in each tissue type and in each disease state.

To find the LSGs of this invention, the following specific CLASP™ profiles were utilized: tissue-specific expression (CLASP 1), detectable expression only in cancer tissue (CLASP 2), highest differential expression for a given cancer (CLASP 4); differential expression in cancer tissue (CLASP 5), and. cDNA libraries were divided into 60 unique tissue types (early versions of LifeSeq® had 48 tissue types). Genes or ESTs were grouped into “gene bins,” where each bin is a cluster of sequences grouped together where they share a common contig. The expression level for each gene bin was calculated for each tissue type. Differential expression significance was calculated with rigorous statistical significant testing taking into account variations in sample size and relative gene abundance in different libraries and within each library (for the equations used to determine statistically significant expression see Audic and Claverie “The significance of digital gene expression profiles,” *Genome Res* 7(10): 986-995 (1997), including Equation 1 on page 987 and Equation 2 on page 988, the contents of which are incorporated by reference). Differentially expressed tissue-specific genes were selected based on the percentage abundance level in the targeted tissue versus all the other tissues (tissue-specificity). The expression levels for each gene in libraries of normal tissues or non-tumor tissues from cancer patients were compared with the expression levels in tissue libraries associated with tumor or disease (cancer-specificity). The results were analyzed for statistical significance.

The selection of the target genes meeting the rigorous CLASP™ profile criteria were as follows:

- (a) CLASP 1: tissue-specific expression: To qualify as a CLASP 1 candidate, a gene must exhibit statistically significant expression in the tissue of interest compared to all other tissues. Only if the gene exhibits such differential expression with a 90% of confidence level is it selected as a CLASP 1 candidate.
- (b) CLASP 2: detectable expression only in cancer tissue: To qualify as a CLASP 2 candidate, a gene must exhibit detectable expression in tumor tissues and undetectable expression in libraries from normal individuals and libraries

-126-

from normal tissue obtained from diseased patients. In addition, such a gene must also exhibit further specificity for the tumor tissues of interest.

(c) CLASP 4: highest differential expression for a given cancer: To qualify as a CLASP 4 candidate, a gene must be differentially expressed in tumor libraries in the tissue of interest compared to normal libraries for all tissues. In addition, it must be one of the 50 genes with the highest differential expression.

(d) CLASP 5: differential expression in cancer tissue: To qualify as a CLASP 5 candidate, a gene must be differentially expressed in tumor libraries in the tissue of interest compared to normal libraries for all tissues. Only if the gene exhibits such differential expression with a 90% of confidence level is it selected as a CLASP 5 candidate.

DEX0291\_86 Lung 5 H

DEX0291\_87 Lung 5 H

15

The individual tissue expression levels from the Incyte LifeSeq database were as follows:

	DEX0291_1	SEQ ID NO: 1	UTR .0044	PAN .0059	BMR .0064	TON .0299
	DEX0291_10	SEQ ID NO: 10	OVR .0021	PRO .0034	UNC .004	THR .0045
	DEX0291_100	SEQ ID NO: 100	LMN .0028	NOS .0073		
20	DEX0291_101	SEQ ID NO: 101	INS .0067	GLB .0139	UTR .0182	NOS .022
	DEX0291_104	SEQ ID NO: 104	UTR .0044	PAN .0059	BMR .0064	TON .0299
	DEX0291_105	SEQ ID NO: 105	UTR .0044	PAN .0059	BMR .0064	TON .0299
	DEX0291_108	SEQ ID NO: 108	LMN .0028	UNC .004		
	DEX0291_11	SEQ ID NO: 11	FTS .0006	SPL .0021	LNG .0034	INS .0038
25	DEX0291_110	SEQ ID NO: 110	LIV .0038	THY .004	CRD .0068	
	DEX0291_112	SEQ ID NO: 112	BLD .0225			
	DEX0291_113	SEQ ID NO: 113	BLD .0225			
	DEX0291_114	SEQ ID NO: 114	PNS .0047	CRD .0068	BON .0169	
	DEX0291_115	SEQ ID NO: 115	PNS .0047	CRD .0068	BON .0169	
30	DEX0291_116	SEQ ID NO: 116	LNG .0006	OVR .001	PRO .0017	BLD .0048
	DEX0291_117	SEQ ID NO: 117	LNG .0006	OVR .001	PRO .0017	BLD .0048
	DEX0291_118	SEQ ID NO: 118	LNG .0006	LMN .0028		
	DEX0291_119	SEQ ID NO: 119	PAN .0047	NOS .0073	GLB .0139	
	DEX0291_12	SEQ ID NO: 12	FTS .0006	SPL .0021	LNG .0034	INS .0038
35	DEX0291_120	SEQ ID NO: 120	PAN .0047	NOS .0073	GLB .0139	
	DEX0291_123	SEQ ID NO: 123	UNC .004	NOS .0073	LIV .0076	ADR .0089
	DEX0291_124	SEQ ID NO: 124	UNC .004	NOS .0073	LIV .0076	ADR .0089
	DEX0291_127	SEQ ID NO: 127	INS .001	BLD .0016	LNG .0017	MAM .0019
	DEX0291_128	SEQ ID NO: 128	PNS .007			
40	DEX0291_13	SEQ ID NO: 13	OVR .0154	LNG .0296		
	DEX0291_131	SEQ ID NO: 131	UTR .0006	LMN .0028	FAL .0063	
	DEX0291_132	SEQ ID NO: 132	UTR .0006	LMN .0028	FAL .0063	
	DEX0291_137	SEQ ID NO: 137	LMN .0056	PNS .0094	MAM .0194	FAL .0251
	DEX0291_138	SEQ ID NO: 138	INS .001	MAM .0028	UNC .004	FAL .0126
45	DEX0291_139	SEQ ID NO: 139	INS .001	MAM .0028	UNC .004	FAL .0126

-127-

	DEX0291_14	SEQ ID NO: 14	OVR .0154	LNG .0296		
	DEX0291_142	SEQ ID NO: 142	THR .0023			
	DEX0291_146	SEQ ID NO: 146	PRO .0003	INL .0004	CON .0007	PAN .0008
	DEX0291_147	SEQ ID NO: 147	UTR .0075	PLE .0449		
5	DEX0291_148	SEQ ID NO: 148	UTR .0075	PLE .0449		
	DEX0291_15	SEQ ID NO: 15	INS .0789			
	DEX0291_151	SEQ ID NO: 151	UTR .0006	PAN .0012		
	DEX0291_152	SEQ ID NO: 152	UTR .0006	PAN .0012		
	DEX0291_155	SEQ ID NO: 155	BLV .0016	PRO .0017	MAM .0019	PNS .0023
10	DEX0291_158	SEQ ID NO: 158	OVR .0021	KID .0039	GLB .0046	FAL .0063
	DEX0291_160	SEQ ID NO: 160	THY .002			
	DEX0291_161	SEQ ID NO: 161	THY .002			
	DEX0291_18	SEQ ID NO: 18	BRN .0006	FAL .0063		
	DEX0291_19	SEQ ID NO: 19	UTR .0063	LMN .0167	BON .0225	
15	DEX0291_2	SEQ ID NO: 2	UTR .0044	PAN .0059	BMR .0064	TON .0299
	DEX0291_20	SEQ ID NO: 20	UTR .0063	LMN .0167	BON .0225	
	DEX0291_21	SEQ ID NO: 21	PAN .0353	LMN .0416	OVR .0503	INT .1052
	DEX0291_22	SEQ ID NO: 22	PAN .0353	LMN .0416	OVR .0503	INT .1052
	DEX0291_23	SEQ ID NO: 23	CRD .0114	KID .0128	ADR .0209	PLE .0449
20	DEX0291_25	SEQ ID NO: 25	LIV .0057			
	DEX0291_26	SEQ ID NO: 26	LIV .0057			
	DEX0291_27	SEQ ID NO: 27	PRO .0034	FAL .0063		
	DEX0291_29	SEQ ID NO: 29	UTR .0013	ADR .0015		
	DEX0291_33	SEQ ID NO: 33	MAM .0005	LNG .0006	ADR .0015	BLV .0016
25	DEX0291_34	SEQ ID NO: 34	MAM .0005	LNG .0006	ADR .0015	BLV .0016
	DEX0291_37	SEQ ID NO: 37	BRN .0031	THR .0045		
	DEX0291_38	SEQ ID NO: 38	BRN .0031	THR .0045		
	DEX0291_45	SEQ ID NO: 45	GLB .0093			
	DEX0291_47	SEQ ID NO: 47	PNS .0047	CRD .0068	BON .0169	
30	DEX0291_48	SEQ ID NO: 48	PNS .0047	CRD .0068	BON .0169	
	DEX0291_49	SEQ ID NO: 49	UTR .0263	NOS .066		
	DEX0291_5	SEQ ID NO: 5	THR .0091	BMR .0129	LMN .0139	
	DEX0291_51	SEQ ID NO: 51	LIV .0019	OVR .0031	URE .0112	
	DEX0291_53	SEQ ID NO: 53	PAN .0071	NOS .0073	LMN .0083	PRO .0119
35	DEX0291_54	SEQ ID NO: 54	PAN .0071	NOS .0073	LMN .0083	PRO .0119
	DEX0291_55	SEQ ID NO: 55	LNG .0006	OVR .001	PRO .0017	BLD .0048
	DEX0291_56	SEQ ID NO: 56	LNG .0006	OVR .001	PRO .0017	BLD .0048
	DEX0291_59	SEQ ID NO: 59	SPL .0042			
	DEX0291_65	SEQ ID NO: 65	FTS .0012	INS .0019	SPL .0021	KID .009
40	DEX0291_66	SEQ ID NO: 66	FTS .0012	INS .0019	SPL .0021	KID .009
	DEX0291_67	SEQ ID NO: 67	BRN .0023	LIV .0038	URE .0112	
	DEX0291_68	SEQ ID NO: 68	BRN .0023	LIV .0038	URE .0112	
	DEX0291_7	SEQ ID NO: 7	CON .0011			
	DEX0291_70	SEQ ID NO: 70	CRD .0023	BLD .0064		
45	DEX0291_71	SEQ ID NO: 71	PRO .0003	UTR .0004	BLO .0006	PRO .0006
	DEX0291_72	SEQ ID NO: 72	CON .0113	LIV .0189	ADR .0209	
	DEX0291_74	SEQ ID NO: 74	CON .0113	LIV .0189	ADR .0209	
	DEX0291_75	SEQ ID NO: 75	CON .0113	LIV .0189	ADR .0209	
	DEX0291_78	SEQ ID NO: 78	THY .006	KID .009	GLB .0093	LIV .0132
50	DEX0291_79	SEQ ID NO: 79	THY .006	KID .009	GLB .0093	LIV .0132
	DEX0291_8	SEQ ID NO: 8	CON .0011			
	DEX0291_80	SEQ ID NO: 80	NOS .0073	STO .0081	ESO .0102	
	DEX0291_86	SEQ ID NO: 86	BLO .0006	BLV .0006	INL .0012	LNG .0017
	DEX0291_87	SEQ ID NO: 87	BLO .0006	BLV .0006	INL .0012	LNG .0017
55	DEX0291_88	SEQ ID NO: 88	CRD .0023	PNS .0047	INT .015	URE .0225
	DEX0291_89	SEQ ID NO: 89	CRD .0023	PNS .0047	INT .015	URE .0225
	DEX0291_9	SEQ ID NO: 9	OVR .0021	PRO .0034	UNC .004	THR .0045
	DEX0291_90	SEQ ID NO: 90	LMN .0028	NOS .0073		

-128-

	DEX0291_91	SEQ ID NO: 91	LMN .0028	NOS .0073	
	DEX0291_92	SEQ ID NO: 92	INL .0045		
	DEX0291_93	SEQ ID NO: 93	INL .0045		
	DEX0291_95	SEQ ID NO: 95	CRD .0023	BLD .0064	
5	DEX0291_97	SEQ ID NO: 97	ADR .0104	KID .0141	PLE .015
	DEX0291_98	SEQ ID NO: 98	ADR .0104	KID .0141	PLE .015
	DEX0291_99	SEQ ID NO: 99	LMN .0028	NOS .0073	

Abbreviation for tissues:

BLO Blood; BRN Brain; CON Connective Tissue; CRD Heart; FTS Fetus; INL Intestine, Large  
 10 INS Intestine, Small; KID Kidney; LIV Liver; LNG Lung; MAM Breast; MSL Muscles; NRV  
 Nervous Tissue; OVR Ovary; PRO Prostate; STO Stomach; THR Thyroid Gland; TNS Tonsil  
 Adenoids; UTR Uterus

### Example 2: Relative Quantitation of Gene Expression

15 Real-Time quantitative PCR with fluorescent Taqman probes is a quantitation  
 detection system utilizing the 5'-3' nuclease activity of Taq DNA polymerase. The  
 method uses an internal fluorescent oligonucleotide probe (Taqman) labeled with a 5'  
 reporter dye and a downstream, 3' quencher dye. During PCR, the 5'-3' nuclease activity  
 of Taq DNA polymerase releases the reporter, whose fluorescence can then be detected  
 20 by the laser detector of the Model 7700 Sequence Detection System (PE Applied  
 Biosystems, Foster City, CA, USA). Amplification of an endogenous control is used to  
 standardize the amount of sample RNA added to the reaction and normalize for Reverse  
 Transcriptase (RT) efficiency. Either cyclophilin, glyceraldehyde-3-phosphate  
 dehydrogenase (GAPDH), ATPase, or 18S ribosomal RNA (rRNA) is used as this  
 25 endogenous control. To calculate relative quantitation between all the samples studied,  
 the target RNA levels for one sample were used as the basis for comparative results  
 (calibrator). Quantitation relative to the "calibrator" can be obtained using the standard  
 curve method or the comparative method (User Bulletin #2: ABI PRISM 7700 Sequence  
 Detection System).

30 The tissue distribution and the level of the target gene are evaluated for every  
 sample in normal and cancer tissues. Total RNA is extracted from normal tissues, cancer  
 tissues, and from cancers and the corresponding matched adjacent tissues. Subsequently,  
 first strand cDNA is prepared with reverse transcriptase and the polymerase chain  
 reaction is done using primers and Taqman probes specific to each target gene. The  
 35 results are analyzed using the ABI PRISM 7700 Sequence Detector. The absolute  
 numbers are relative levels of expression of the target gene in a particular tissue  
 compared to the calibrator tissue.

-129-

One of ordinary skill can design appropriate primers. The relative levels of expression of the LSNA versus normal tissues and other cancer tissues can then be determined. All the values are compared to normal tissue (calibrator). These RNA samples are commercially available pools, originated by pooling samples of a particular tissue from different individuals.

The relative levels of expression of the LSNA in pairs of matching samples and 1 cancer and 1 normal/normal adjacent of tissue may also be determined. All the values are compared to normal tissue (calibrator). A matching pair is formed by mRNA from the cancer sample for a particular tissue and mRNA from the normal adjacent sample for that same tissue from the same individual.

In the analysis of matching samples, the LSNAs show a high degree of tissue specificity for the tissue of interest. These results confirm the tissue specificity results obtained with normal pooled samples.

Further, the level of mRNA expression in cancer samples and the isogenic normal adjacent tissue from the same individual are compared. This comparison provides an indication of specificity for the cancer stage (*e.g.* higher levels of mRNA expression in the cancer sample compared to the normal adjacent).

Altogether, the high level of tissue specificity, plus the mRNA overexpression in matching samples tested are indicative of SEQ ID NO: 1 through 164 being diagnostic markers for cancer.

Sequences	Sequence ID	ddx QPCR code
DEX0134_10	DEX0291_18	Lng261
DEX0134_17	DEX0291_29	Lng262
	DEX0291_30	
25 DEX0134_2	DEX0291_3	Lng259
	DEX0291_4	
DEX0134_24	DEX0291_40	Lng260
DEX0134_77	DEX0291_129	Lng264
	DEX0291_130	
30 DEX0134_80	DEX0291_134	Lng256
	DEX0291_135	
DEX0134_96	DEX0291_159	Lng228

DEX0134\_10; DEX0291\_18 (SEQ ID NO:18); Lng261

35 Experiments are underway to test primers and probes for QPCR.

-130-

**DEX0134\_17; DEX0291\_29(SEQ ID NO: 29); DEX0291\_30(SEQ ID NO: 30);  
Lng262**

Experiments are underway to test primers and probes for QPCR.

**5 Primers Used for QPCR Expression Analysis in DEX291\_29**

Primer Probe Oligo	Start From	End To	queryLength	sbjctDescript
lng262For	33	50	18	DEX0134_17
lng262Rev	122	101	22	DEX0134_17
lng262Probe	54	74	21	DEX0134_17

**DEX0134\_2; DEX0291\_3(SEQ ID NO: 3); DEX0291\_4(SEQ ID NO:4) ; Lng259**

Experiments are underway to test primers and probes for QPCR.

10

**DEX0134\_24; DEX0291\_40(SEQ ID NO: 40) ; Lng260**

Experiments are underway to test primers and probes for QPCR.

**15 DEX0134\_77; DEX0291\_129(SEQ ID NO: 129); DEX0291\_130(SEQ ID NO: 130);  
Lng264**

Experiments are underway to test primers and probes for QPCR.

**20 DEX0134\_80; DEX0291\_134(SEQ ID NO: 134); DEX0291\_135(SEQ ID NO: 135);  
Lng256**

Experiments are underway to test primers and probes for QPCR.

**25 DEX0134\_96; DEX0291\_159(SEQ ID NO: 159); Lng228**

Experiments are underway to test primers and probes for QPCR.

**Primers Used for QPCR Expression Analysis**

Primer Probe Oligo	Start From	End To	queryLength	sbjctDescript
lng228For	814	837	24	DEX0134_96
lng228Rev	940	917	24	DEX0134_96
lng228Probe	906	877	30	DEX0134_96

30

**Example 3: Protein Expression**

The LSNA is amplified by polymerase chain reaction (PCR) and the amplified DNA fragment encoding the LSNA is subcloned in pET-21d for expression in *E. coli*. In addition to the LSNA coding sequence, codons for two amino acids, Met-Ala, flanking  
35 the NH<sub>2</sub>-terminus of the coding sequence of LSNA, and six histidines, flanking the

-131-

COOH-terminus of the coding sequence of LSNA, are incorporated to serve as initiating Met/restriction site and purification tag, respectively.

An over-expressed protein band of the appropriate molecular weight may be observed on a Coomassie blue stained polyacrylamide gel. This protein band is confirmed by Western blot analysis using monoclonal antibody against 6X Histidine tag.

Large-scale purification of LSP was achieved using cell paste generated from 6-liter bacterial cultures, and purified using immobilized metal affinity chromatography (IMAC). Soluble fractions that had been separated from total cell lysate were incubated with a nickle chelating resin. The column was packed and washed with five column volumes of wash buffer. LSP was eluted stepwise with various concentration imidazole buffers.

#### **Example 4: Protein Fusions**

Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector. For example, if pC4 (Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 2, is ligated into this BamHI site. Note that the polynucleotide is cloned without a stop codon, otherwise a fusion protein will not be produced. If the naturally occurring signal sequence is used to produce the secreted protein, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. *See, e. g.,* WO 96/34891.

#### **Example 5: Production of an Antibody from a Polypeptide**

In general, such procedures involve immunizing an animal (preferably a mouse) with polypeptide or, more preferably, with a secreted polypeptide-expressing cell. Such cells may be cultured in any suitable tissue culture medium; however, it is preferable to culture cells in Earle's modified Eagle's medium supplemented with 10% fetal bovine



-132-

serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100, µg/ml of streptomycin. The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention;  
 5 however, it is preferable to employ the parent myeloma cell line (SP20), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands *et al.*, *Gastroenterology* 80: 225-232 (1981).

The hybridoma cells obtained through such a selection are then assayed to  
 10 identify clones which secrete antibodies capable of binding the polypeptide. Alternatively, additional antibodies capable of binding to the polypeptide can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method,  
 15 protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the protein-specific antibody can be blocked by the polypeptide. Such antibodies comprise anti-idiotypic antibodies to the protein specific antibody and can be  
 20 used to immunize an animal to induce formation of further protein-specific antibodies. Using the Jameson-Wolf methods the following epitopes were predicted. (Jameson and Wolf, CABIOS, 4(1), 181-186, 1988, the contents of which are incorporated by reference).

25	DEX0291_166	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
	21-37	1.23	17	
30	DEX0291_168	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
	69-80	1.07	12	
35	DEX0291_169	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
	15-25	1.06	11	
35	DEX0291_170	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
	54-64	1.06	11	
35	DEX0291_175	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
	166-176	1.36	11	
	41-65	1.18	25	

-133-

		190-207	1.15	18
		71-84	1.03	14
	DEX0291_177	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
5		42-54	1.12	13
	DEX0291_182	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		35-50	1.20	16
	DEX0291_183	Antigenicity Index(Jameson-Wolf)		
10	positions	AI avg	length	
		48-66	1.16	19
		68-87	1.13	20
	DEX0291_184	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
15		52-93	1.05	42
	DEX0291_185	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		199-209	1.24	11
		4-26	1.22	23
20		322-353	1.09	32
		408-462	1.08	55
		467-482	1.01	16
		30-49	1.01	20
	DEX0291_187	Antigenicity Index(Jameson-Wolf)		
25	positions	AI avg	length	
		67-80	1.15	14
	DEX0291_193	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		5-34	1.13	30
30	DEX0291_194	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		58-71	1.33	14
		195-210	1.06	16
		37-52	1.04	16
35	DEX0291_196	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		70-87	1.15	18
	DEX0291_199	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
40		79-91	1.10	13
	DEX0291_200	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		262-289	1.09	28
		225-234	1.07	10
45		412-426	1.03	15
	DEX0291_203	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	
		66-77	1.26	12
	DEX0291_204	Antigenicity Index(Jameson-Wolf)		
50	positions	AI avg	length	
		109-141	1.04	33
		61-78	1.03	18
		46-58	1.00	13
	DEX0291_205	Antigenicity Index(Jameson-Wolf)		
55	positions	AI avg	length	
		12-37	1.03	26
	DEX0291_206	Antigenicity Index(Jameson-Wolf)		
	positions	AI avg	length	

-134-

	91-100	1.19	10
	DEX0291_208	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	33-45	1.18	13
5	105-122	1.10	18
	58-103	1.02	46
	DEX0291_212	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	373-393	1.24	21
10	70-81	1.20	12
	430-457	1.11	28
	485-533	1.07	49
	204-254	1.06	51
	289-314	1.04	26
15	141-165	1.03	25
	462-478	1.03	17
	126-135	1.02	10
	172-202	1.02	31
	318-363	1.02	46
20	10-34	1.01	25
	98-119	1.00	22
	DEX0291_216	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	10-21	1.35	12
25	DEX0291_218	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	662-694	1.20	33
	36-61	1.12	26
	98-118	1.10	21
30	283-334	1.02	52
	699-740	1.01	42
	DEX0291_221	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	20-32	1.17	13
35	DEX0291_225	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	61-72	1.16	12
	3-58	1.07	56
	DEX0291_226	Antigenicity Index(Jameson-Wolf)	
40	positions	AI avg	length
	7-20	1.02	14
	DEX0291_228	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	73-83	1.05	11
45	170-183	1.01	14
	DEX0291_238	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	13-41	1.11	29
	DEX0291_239	Antigenicity Index(Jameson-Wolf)	
50	positions	AI avg	length
	38-54	1.25	17
	DEX0291_241	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	35-56	1.07	22
55	DEX0291_243	Antigenicity Index(Jameson-Wolf)	
	positions	AI avg	length
	35-48	1.10	14
	DEX0291_245	Antigenicity Index(Jameson-Wolf)	

-135-

		positions	AI avg	length
		144-155	1.04	12
	DEX0291_247	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
5		44-57	1.14	14
		93-107	1.06	15
		69-84	1.02	16
	DEX0291_249	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
10		262-289	1.09	28
		225-234	1.07	10
		412-426	1.03	15
	DEX0291_251	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
15		91-100	1.19	10
	DEX0291_255	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		14-25	1.18	12
	DEX0291_256	Antigenicity Index(Jameson-Wolf)		
20		positions	AI avg	length
		12-21	1.11	10
	DEX0291_257	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		21-31	1.19	11
25	DEX0291_259	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		595-607	1.25	13
		446-457	1.15	12
		80-92	1.09	13
30		632-641	1.08	10
		246-257	1.06	12
		1054-1073	1.06	20
		336-383	1.05	48
		955-975	1.02	21
35		1477-1505	1.02	29
		425-439	1.01	15
	DEX0291_264	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		22-32	1.02	11
40	DEX0291_276	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		53-73	1.06	21
	DEX0291_280	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
45		32-48	1.04	17
	DEX0291_281	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		34-48	1.23	15
	DEX0291_282	Antigenicity Index(Jameson-Wolf)		
50		positions	AI avg	length
		58-113	1.10	56
	DEX0291_284	Antigenicity Index(Jameson-Wolf)		
		positions	AI avg	length
		111-131	1.05	21
55				

-136-

The predicted helicities were as follows:

	DEX0291_169	PredHel=2	Topology=o24-43i55-77o
	DEX0291_170	PredHel=3	Topology=i29-48o63-82i94-116o
5	DEX0291_175	PredHel=5	Topology=i144-166o209-231i312-334o349-371i373-395o
	DEX0291_183	PredHel=1	Topology=o20-42i
	DEX0291_190	PredHel=1	Topology=i57-79o
	DEX0291_193	PredHel=1	Topology=o33-52i
	DEX0291_195	PredHel=1	Topology=i21-38o
10	DEX0291_209	PredHel=1	Topology=o36-58i
	DEX0291_213	PredHel=1	Topology=o20-37i
	DEX0291_218	PredHel=1	Topology=o616-638i
	DEX0291_223	PredHel=2	Topology=o20-42i55-86o
	DEX0291_229	PredHel=2	Topology=i5-22o27-45i
15	DEX0291_239	PredHel=1	Topology=i58-80o
	DEX0291_247	PredHel=2	Topology=o20-42i205-227o
	DEX0291_254	PredHel=1	Topology=i7-29o
	DEX0291_259	PredHel=6	Topology=o761-780i828-850o865-883i896-918o983-1005i1035-1052o
20	DEX0291_260	PredHel=1	Topology=o55-77i
	DEX0291_262	PredHel=1	Topology=o50-67i
	DEX0291_270	PredHel=1	Topology=i20-39o
	DEX0291_272	PredHel=1	Topology=o10-32i
	DEX0291_279	PredHel=3	Topology=o42-64i99-121o126-148i
25	DEX0291_281	PredHel=1	Topology=i82-103o
	DEX0291_283	PredHel=2	Topology=i13-35o55-77i

Examples of post-translational modifications (PTMs) of the LSP of this invention are listed below. In addition, antibodies that specifically bind such post-translational modifications may be useful as a diagnostic or as therapeutic. Using the ProSite database (Bairoch et al., Nucleic Acids Res. 25(1):217-221 (1997), the contents of which are incorporated by reference), the following PTMs were predicted for the LSPs of the invention ([http://npsa-pbil.ibcp.fr/cgi-bin/npsa\\_automat.pl?page=npsa\\_prosite.html](http://npsa-pbil.ibcp.fr/cgi-bin/npsa_automat.pl?page=npsa_prosite.html) most recently accessed October 23, 2001).

	DEX0291_165	Pkc_Phospho_Site 8-10;
35	DEX0291_166	Asn_Glycosylation 29-32; Ck2_Phospho_Site 9-12; Pkc_Phospho_Site 25-27;31-33;
	DEX0291_167	Myristyl 4-9;30-35;32-37; Prokar_Lipoprotein 24-34;
	DEX0291_169	Ck2_Phospho_Site 20-23; Pkc_Phospho_Site 20-22;90-92;
	DEX0291_170	Ck2_Phospho_Site 59-62; Pkc_Phospho_Site 2-4;9-11;17-19;21-23;59-61;
	DEX0291_172	Ck2_Phospho_Site 29-32;34-37; Myristyl 10-15;
40	DEX0291_173	Pkc_Phospho_Site 33-35;
	DEX0291_175	Asn_Glycosylation 191-194;396-399; Ck2_Phospho_Site 164-167;308-311;344-347;405-408;414-417; Leucine_Zipper 291-312;298-319; Myristyl 97-102;174-179;176-181;258-263;375-380;431-436; Pkc_Phospho_Site 304-306;308-310; Tyr_Phospho_Site 62-70;
45	DEX0291_176	Camp_Phospho_Site 13-16; Ck2_Phospho_Site 5-8; Pkc_Phospho_Site 9-11;16-18;

-137-

- DEX0291\_177 Myristyl 20-25;52-57; Pkc\_Phospho\_Site 60-62;86-88;
- DEX0291\_178 Ck2\_Phospho\_Site 25-28;33-36;46-49; Pkc\_Phospho\_Site 15-17;50-52;
- DEX0291\_179 Ck2\_Phospho\_Site 58-61;80-83;84-87; Pkc\_Phospho\_Site 28-30;
- DEX0291\_181 Ck2\_Phospho\_Site 11-14;46-49; Pkc\_Phospho\_Site 2-4;46-48;
- 5 DEX0291\_182 Ck2\_Phospho\_Site 16-19;30-33; Myristyl 20-25; Pkc\_Phospho\_Site 47-49;
- DEX0291\_183 Asn\_Glycosylation 80-83; Ck2\_Phospho\_Site 82-85; Myristyl 26-31;30-35;63-68;  
Pkc\_Phospho\_Site 10-12;82-84;
- DEX0291\_184 Myristyl 16-21;40-45;44-49; Pkc\_Phospho\_Site 59-61;77-79;
- DEX0291\_185 Amidation 15-18;88-91; Asn\_Glycosylation 186-189;396-399; Camp\_Phospho\_Site  
10 476-479; Ck2\_Phospho\_Site 31-34;74-77;110-113;198-201;423-426;  
Fibrin\_Ag\_C\_Domain 430-442; Myristyl 27-32;40-45;43-48;169-174;194-199;362-  
367;447-452;458-463;470-475; Pkc\_Phospho\_Site 336-338;392-394;411-413;474-  
476;479-481; Tyr\_Phospho\_Site 202-208;288-295;
- DEX0291\_186 Pkc\_Phospho\_Site 29-31;
- 15 DEX0291\_187 Amidation 105-108; Bzip\_Basic 125-139;126-139; Ck2\_Phospho\_Site 51-54;115-118;  
Glycosaminoglycan 23-26; Myristyl 2-7;37-42;96-101;102-107; Pkc\_Phospho\_Site 7-  
9;144-146;
- DEX0291\_188 Pkc\_Phospho\_Site 10-12;
- DEX0291\_189 Ck2\_Phospho\_Site 19-22; Pkc\_Phospho\_Site 3-5;41-43; Tyr\_Phospho\_Site 5-13;
- 20 DEX0291\_190 Myristyl 49-54; Pkc\_Phospho\_Site 24-26; Prokar\_Lipoprotein 38-48;
- DEX0291\_191 Ck2\_Phospho\_Site 35-38;95-98; Myristyl 6-11;
- DEX0291\_192 Myristyl 22-27; Pkc\_Phospho\_Site 43-45;
- DEX0291\_193 Camp\_Phospho\_Site 15-18; Myristyl 24-29;27-32; Pkc\_Phospho\_Site 47-49;55-57;
- DEX0291\_194 Asn\_Glycosylation 30-33; Camp\_Phospho\_Site 62-65;120-123; Ck2\_Phospho\_Site 65-  
25 68;79-82;131-134;136-139;138-141;152-155; Myristyl 69-74;73-78;100-105;198-203;  
Pkc\_Phospho\_Site 79-81;133-135;193-195;
- DEX0291\_196 Asn\_Glycosylation 32-35; Ck2\_Phospho\_Site 56-59;
- DEX0291\_197 Asn\_Glycosylation 36-39; Myristyl 12-17; Pkc\_Phospho\_Site 20-22;
- DEX0291\_198 Ck2\_Phospho\_Site 73-76; Myristyl 12-17;17-22;66-71; Pkc\_Phospho\_Site 91-93;
- 30 DEX0291\_199 Asn\_Glycosylation 125-128; Camp\_Phospho\_Site 70-73; Ck2\_Phospho\_Site 118-121;  
Myristyl 61-66;131-136; Pkc\_Phospho\_Site 32-34;68-70;80-82;89-91;140-142;153-155;
- DEX0291\_200 Amidation 2-5; Asn\_Glycosylation 74-77;127-130; Ck2\_Phospho\_Site 76-79;230-  
233;242-245;262-265;423-426;566-569; Leucine\_Zipper 95-116; Myristyl 34-39;419-  
424;499-504;536-541; Pkc\_Phospho\_Site 276-278;380-382;387-389;442-444;591-593;
- 35 Tyr\_Phospho\_Site 561-568;562-568;
- DEX0291\_202 Myristyl 5-10;
- DEX0291\_203 Ck2\_Phospho\_Site 31-34;48-51; Myristyl 4-9; Pkc\_Phospho\_Site 84-86;  
Prokar\_Lipoprotein 39-49;

-138-

- DEX0291\_204 Asn\_Glycosylation 64-67; Ck2\_Phospho\_Site 33-36;166-169;188-191;234-237;236-239;  
Pkc\_Phospho\_Site 66-68;140-142;243-245;249-251; Tyr\_Phospho\_Site 124-132;
- DEX0291\_205 Camp\_Phospho\_Site 22-25; Myristyl 70-75; Pkc\_Phospho\_Site 13-15;
- DEX0291\_206 Ck2\_Phospho\_Site 66-69;96-99; Glycosaminoglycan 50-53; Myristyl 47-52;49-54;53-  
5 58;62-67; Pkc\_Phospho\_Site 12-14;132-134;141-143;192-194;210-212;  
Prokar\_Lipoprotein 159-169;
- DEX0291\_207 Asn\_Glycosylation 70-73; Ck2\_Phospho\_Site 15-18;81-84;
- DEX0291\_208 Asn\_Glycosylation 75-78; Camp\_Phospho\_Site 84-87; Ck2\_Phospho\_Site 36-39;78-81;  
Pkc\_Phospho\_Site 111-113;
- 10 DEX0291\_209 Asn\_Glycosylation 30-33; Myristyl 5-10; Pkc\_Phospho\_Site 26-28;
- DEX0291\_210 Asn\_Glycosylation 56-59;90-93;173-176; Ck2\_Phospho\_Site 24-27;58-61;92-95;138-  
141;148-151;270-273; Myristyl 45-50;49-54;306-311;312-317;354-359;397-402;426-  
431;433-438; Peroxidase\_2 252-263; Pkc\_Phospho\_Site 70-72;138-140;145-147;163-  
165;195-197;207-209;252-254;263-265;275-277;325-327;359-361;402-404;444-446;
- 15 Wd\_Repeats 267-281;351-365;
- DEX0291\_211 Myristyl 5-10;
- DEX0291\_212 Amidation 102-105;521-524; Asn\_Glycosylation 33-36;62-65;201-204;230-233;313-  
316;342-345;343-346;454-457;536-539; Ck2\_Phospho\_Site 194-197;204-207;388-  
391;511-514; Myristyl 183-188;220-225; Pkc\_Phospho\_Site 6-8;143-145;177-179;286-  
20 288;345-347;398-400;404-406;521-523; Zinc\_Finger\_C2h2 25-45;53-73;81-101;109-  
129;137-157;165-185;193-213;221-241;249-269;277-297;305-325;333-353;361-  
381;389-409;417-437;445-465;473-493;
- DEX0291\_213 Myristyl 24-29;
- DEX0291\_214 Pkc\_Phospho\_Site 9-11;
- 25 DEX0291\_215 Myristyl 5-10;8-13;11-16;
- DEX0291\_216 Camp\_Phospho\_Site 18-21; Pkc\_Phospho\_Site 17-19;60-62;
- DEX0291\_217 Pkc\_Phospho\_Site 30-32;
- DEX0291\_218 Asn\_Glycosylation 72-75;261-264;370-373;474-477;516-519; Camp\_Phospho\_Site 224-  
227;366-369; Ck2\_Phospho\_Site 36-39;180-183;253-256;333-336;380-383;457-  
30 460;778-781; Myristyl 177-182;217-222;266-271;319-324;368-373;381-386;384-  
389;393-398;482-487;575-580;585-590;649-654;731-736;732-737; Pkc\_Phospho\_Site  
50-52;151-153;315-317;475-477;507-509;513-515;637-639;653-655;694-696;  
Tyr\_Phospho\_Site 193-200;290-296;681-688;
- DEX0291\_219 Ck2\_Phospho\_Site 39-42; Myristyl 47-52;48-53; Pkc\_Phospho\_Site 39-41;
- 35 DEX0291\_220 Asn\_Glycosylation 20-23; Ck2\_Phospho\_Site 123-126; Glycosaminoglycan 72-75;  
Myristyl 30-35;75-80; Pkc\_Phospho\_Site 123-125; Prokar\_Lipoprotein 70-80;  
Tyr\_Phospho\_Site 107-114;
- DEX0291\_221 Amidation 29-32; Asn\_Glycosylation 23-26; Ck2\_Phospho\_Site 36-39;  
Pkc\_Phospho\_Site 24-26;36-38;

- DEX0291\_222 Ck2\_Phospho\_Site 78-81; Myristyl 34-39;36-41; Pkc\_Phospho\_Site 96-98;
- DEX0291\_223 Myristyl 27-32;31-36;33-38;60-65;64-69;66-71;67-72;70-75;77-82;84-89;93-98;95-100;98-103; Prokar\_Lipoprotein 27-37;58-68;
- 5 DEX0291\_224 Asn\_Glycosylation 30-33;181-184; Camp\_Phospho\_Site 37-40; Ck2\_Phospho\_Site 7-10; Pkc\_Phospho\_Site 83-85;
- DEX0291\_225 Asn\_Glycosylation 24-27; Ck2\_Phospho\_Site 3-6;72-75; Myristyl 20-25; Pkc\_Phospho\_Site 48-50;
- DEX0291\_226 Pkc\_Phospho\_Site 19-21;
- DEX0291\_227 Leucine\_Zipper 10-31; Pkc\_Phospho\_Site 3-5;
- 10 DEX0291\_228 Asn\_Glycosylation 182-185; Camp\_Phospho\_Site 27-30; Ck2\_Phospho\_Site 21-24;41-44;78-81;98-101;112-115; Myristyl 53-58;96-101;103-108; Pkc\_Phospho\_Site 9-11;58-60; Tyr\_Phospho\_Site 76-82;
- DEX0291\_229 Myristyl 13-18;
- DEX0291\_231 Pkc\_Phospho\_Site 16-18;
- 15 DEX0291\_233 Ck2\_Phospho\_Site 79-82; Myristyl 22-27;47-52; Pkc\_Phospho\_Site 15-17;97-99; Prokar\_Lipoprotein 42-52;
- DEX0291\_235 Asn\_Glycosylation 44-47; Myristyl 30-35;
- DEX0291\_236 Ck2\_Phospho\_Site 40-43; Pkc\_Phospho\_Site 40-42;
- DEX0291\_237 Ck2\_Phospho\_Site 13-16; Myristyl 19-24;23-28;54-59; Pkc\_Phospho\_Site 32-34;95-97;
- 20 DEX0291\_238 Amidation 14-17; Pkc\_Phospho\_Site 14-16;
- DEX0291\_239 Ck2\_Phospho\_Site 30-33; Myristyl 52-57;53-58;71-76; Pkc\_Phospho\_Site 49-51;
- DEX0291\_240 Amidation 119-122; Camp\_Phospho\_Site 121-124; Ck2\_Phospho\_Site 124-127;181-184; Glycosaminoglycan 115-118; Myristyl 5-10;13-18;14-19;16-21;18-23;19-24;20-25;21-26;22-27;23-28;33-38;36-41;37-42;55-60;90-95;103-108;105-110;106-111;108-113;116-121;136-141;170-175; Pkc\_Phospho\_Site 9-11;
- 25 DEX0291\_241 Asn\_Glycosylation 19-22;53-56; Ck2\_Phospho\_Site 4-7;80-83; Myristyl 52-57; Pkc\_Phospho\_Site 103-105;
- DEX0291\_242 Leucine\_Zipper 10-31;
- DEX0291\_243 Myristyl 10-15;57-62;
- 30 DEX0291\_244 Rgd 15-17;
- DEX0291\_245 Ck2\_Phospho\_Site 144-147; Myristyl 5-10;165-170;
- DEX0291\_247 Asn\_Glycosylation 73-76;101-104;167-170; Camp\_Phospho\_Site 230-233; Ck2\_Phospho\_Site 159-162;194-197; Glycosaminoglycan 33-36; Leucine\_Zipper 198-219; Myristyl 2-7;34-39;74-79;87-92;112-117;116-121;119-124;149-154;164-169;186-191;217-222; Pkc\_Phospho\_Site 43-45;77-79;129-131;134-136;171-173;
- 35 DEX0291\_248 Ck2\_Phospho\_Site 34-37; Myristyl 43-48; Pkc\_Phospho\_Site 58-60; Tyr\_Phospho\_Site 16-24;
- DEX0291\_249 Amidation 2-5; Asn\_Glycosylation 74-77;127-130; Ck2\_Phospho\_Site 76-79;230-233;242-245;262-265;423-426;566-569; Leucine\_Zipper 95-116; Myristyl 34-39;419-



-140-

- 424;499-504;536-541; Pkc\_Phospho\_Site 276-278;380-382;387-389;442-444;591-593;  
Tyr\_Phospho\_Site 561-568;562-568;
- DEX0291\_251 Ck2\_Phospho\_Site 66-69;96-99; Glycosaminoglycan 50-53; Myristyl 47-52;49-54;53-  
58;62-67; Pkc\_Phospho\_Site 12-14;132-134;141-143;192-194;210-212;
- 5 Prokar\_Lipoprotein 159-169;
- DEX0291\_252 Camp\_Phospho\_Site 27-30; Myristyl 15-20; Pkc\_Phospho\_Site 5-7;
- DEX0291\_253 Asn\_Glycosylation 55-58;
- DEX0291\_254 Pkc\_Phospho\_Site 9-11;
- DEX0291\_255 Camp\_Phospho\_Site 20-23; Myristyl 67-72;
- 10 DEX0291\_256 Camp\_Phospho\_Site 15-18; Ck2\_Phospho\_Site 23-26; Pkc\_Phospho\_Site 18-20;30-32;
- DEX0291\_257 Asn\_Glycosylation 2-5;27-30; Myristyl 15-20; Pkc\_Phospho\_Site 4-6;
- DEX0291\_258 Ck2\_Phospho\_Site 53-56;
- DEX0291\_259 Amidation 362-365;513-516;968-971; Asn\_Glycosylation 133-136;144-147;233-  
236;298-301;478-481;601-604;635-638;638-641;830-833; Ck2\_Phospho\_Site 9-12;235-  
238;300-303;343-346;459-462;587-590;698-701;706-709;788-791; Myristyl 35-40;53-  
58;68-73;69-74;102-107;211-216;229-234;296-301;473-478;728-733;747-752;
- 15 Pkc\_Phospho\_Site 86-88;212-214;235-237;343-345;353-355;480-482;617-619;706-  
708;729-731;818-820;925-927; Prokar\_Lipoprotein 978-988; Tyr\_Phospho\_Site 697-  
704;891-898;
- 20 DEX0291\_260 Ck2\_Phospho\_Site 17-20;49-52;77-80; Pkc\_Phospho\_Site 45-47;
- DEX0291\_261 Pkc\_Phospho\_Site 5-7;32-34;
- DEX0291\_262 Asn\_Glycosylation 76-79; Ck2\_Phospho\_Site 16-19;45-48; Myristyl 6-11;9-14;56-  
61;58-63; Pkc\_Phospho\_Site 25-27;84-86;
- DEX0291\_264 Asn\_Glycosylation 19-22; Camp\_Phospho\_Site 31-34; Ck2\_Phospho\_Site 40-43;74-77;
- 25 Myristyl 37-42;90-95;
- DEX0291\_267 Asn\_Glycosylation 56-59;98-101; Myristyl 66-71;
- DEX0291\_268 Pkc\_Phospho\_Site 33-35;
- DEX0291\_269 Ck2\_Phospho\_Site 8-11;
- DEX0291\_270 Asn\_Glycosylation 3-6; Ck2\_Phospho\_Site 6-9;
- 30 DEX0291\_271 Myristyl 10-15;
- DEX0291\_272 Myristyl 9-14; Pkc\_Phospho\_Site 3-5;
- DEX0291\_273 Ck2\_Phospho\_Site 29-32; Pkc\_Phospho\_Site 29-31;
- DEX0291\_274 Ck2\_Phospho\_Site 215-218; Pkc\_Phospho\_Site 184-186;
- DEX0291\_275 Myristyl 2-7; Pkc\_Phospho\_Site 15-17;
- 35 DEX0291\_276 Ck2\_Phospho\_Site 5-8; Pkc\_Phospho\_Site 21-23;33-35;44-46;65-67;
- DEX0291\_279 Myristyl 78-83;122-127; Pkc\_Phospho\_Site 25-27; Prokar\_Lipoprotein 49-59;
- DEX0291\_280 Asn\_Glycosylation 11-14; Camp\_Phospho\_Site 33-36;34-37; Pkc\_Phospho\_Site 32-  
34;37-39;51-53;
- DEX0291\_281 Ck2\_Phospho\_Site 35-38;44-47;

-141-

DEX0291\_282 Camp\_Phospho\_Site 109-112;123-126;161-164; Ck2\_Phospho\_Site 98-101;141-144;150-153;151-154; Myristyl 38-43; Pkc\_Phospho\_Site 23-25;71-73;78-80;98-100;133-135;141-143;150-152;155-157;156-158;

DEX0291\_283 Asn\_Glycosylation 2-5; Myristyl 19-24; Pkc\_Phospho\_Site 51-53;

5 DEX0291\_284 Ck2\_Phospho\_Site 5-8;14-17;25-28;102-105;137-140;148-151; Myristyl 60-65;91-96;

**Example 6: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide**

RNA is isolated from individual patients or from a family of individuals that have a phenotype of interest. cDNA is then generated from these RNA samples using  
 10 protocols known in the art. *See*, Sambrook (2001), *supra*. The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO: 1 through 164. Suggested PCR conditions consist of 35 cycles at 95°C for 30 seconds; 60-120 seconds at 52-58°C; and 60-120 seconds at 70°C, using buffer solutions described in Sidransky *et al.*, *Science* 252(5006): 706-9 (1991). *See also* Sidransky *et al.*,  
 15 *Science* 278(5340): 1054-9 (1997).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase. (Epicentre Technologies). The intron-exon borders of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations are then  
 20 cloned and sequenced to validate the results of the direct sequencing. PCR products is cloned into T-tailed vectors as described in Holton *et al.*, *Nucleic Acids Res.*, 19: 1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.

Genomic rearrangements may also be determined. Genomic clones are  
 25 nick-translated with digoxigenin deoxyuridine 5' triphosphate (Boehringer Mannheim), and FISH is performed as described in Johnson *et al.*, *Methods Cell Biol.* 35: 73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium  
 30 iodide, producing a combination of C-and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. *Id.* Image collection, analysis and

chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an associated disease.

**Example 7: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample**

Antibody-sandwich ELISAs are used to detect polypeptides in a sample, preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 µg/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described above. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced. The coated wells are then incubated for > 2 hours at RT with a sample containing the polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbound polypeptide. Next, 50 µl of specific antibody-alkaline phosphatase conjugate, at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again washed three times with deionized or distilled water to remove unbound conjugate. 75 µl of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate (NPP) substrate solution are added to each well and incubated 1 hour at room temperature.

The reaction is measured by a microtiter plate reader. A standard curve is prepared, using serial dilutions of a control sample, and polypeptide concentrations are plotted on the X-axis (log scale) and fluorescence or absorbance on the Y-axis (linear scale). The concentration of the polypeptide in the sample is calculated using the standard curve.

**Example 8: Formulating a Polypeptide**

The secreted polypeptide composition will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the secreted polypeptide alone), the site of delivery, the method of administration, the scheduling of

administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such considerations.

As a general proposition, the total pharmaceutically effective amount of secreted polypeptide administered parenterally per dose will be in the range of about 1 ,  $\mu\text{g/kg/day}$  to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the secreted polypeptide is typically administered at a dose rate of about 1  $\mu\text{g/kg/hour}$  to about 50 mg/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following treatment for responses to occur appears to vary depending on the desired effect.

Pharmaceutical compositions containing the secreted protein of the invention are administered orally, rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

The secreted polypeptide is also suitably administered by sustained-release systems. Suitable examples of sustained-release compositions include semipermeable polymer matrices in the form of shaped articles, e. g., films, or microcapsules. Sustained-release matrices include polylactides (U. S. Pat. No.3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman, U. et al., Biopolymers 22: 547-556 (1983)), poly (2-hydroxyethyl methacrylate) (R. Langer et al., J. Biomed. Mater. Res. 15: 167-277 (1981), and R. Langer, Chem. Tech. 12: 98-105 (1982)), ethylene vinyl acetate (R. Langer et al.) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988). Sustained-release compositions also include liposomally entrapped polypeptides. Liposomes containing the secreted polypeptide are prepared by methods known per se: DE Epstein et al., Proc. Natl. Acad. Sci. USA 82: 3688-3692 (1985); Hwang et al., Proc. Natl. Acad.

Sci. USA 77: 4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U. S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal secreted polypeptide therapy.

For parenteral administration, in one embodiment, the secreted polypeptide is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form (solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, I. e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation.

For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to polypeptides. Generally, the formulations are prepared by contacting the polypeptide uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate, succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e. g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including cellulose or its derivatives, glucose, manose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

The secreted polypeptide is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

5        Any polypeptide to be used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e. g., 0.2 micron membranes). Therapeutic polypeptide compositions generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

10       Polypeptides ordinarily will be stored in unit or multi-dose containers, for example, sealed ampules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1 % (w/v) aqueous polypeptide solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized  
15       polypeptide using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Associated with such container (s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of  
20       pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the polypeptides of the present invention may be employed in conjunction with other therapeutic compounds.

**Example 9: Method of Treating Decreased Levels of the Polypeptide**

It will be appreciated that conditions caused by a decrease in the standard or  
25       normal expression level of a secreted protein in an individual can be treated by administering the polypeptide of the present invention, preferably in the secreted form. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a pharmaceutical composition comprising an amount of the polypeptide to increase the  
30       activity level of the polypeptide in such an individual.

For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 µg/kg of the polypeptide for six consecutive days. Preferably, the

polypeptide is in the secreted form. The exact details of the dosing scheme, based on administration and formulation, are provided above.

**Example 10: Method of Treating Increased Levels of the Polypeptide**

Antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, preferably a secreted form, due to a variety of etiologies, such as cancer.

For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided above.

**Example 11: Method of Treatment Using Gene Therapy**

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e. g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37°C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks. pMV-7 (Kirschmeier, P. T. et al., DNA, 7: 219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

The cDNA encoding a polypeptide of the present invention can be amplified using PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1. Preferably, the 5' primer contains an EcoRI site and the 3' primer

-147-

includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to  
5 transform bacteria HB 101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

The amphotropic pA317 or GP+aml2 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then  
10 added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media,  
15 containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media.

If the titer of virus is high, then virtually all fibroblasts will be infected and no  
20 selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

#### 25 **Example 12: Method of Treatment Using Gene Therapy-*In Vivo***

Another aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide.

30 The polynucleotide of the present invention may be operatively linked to a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known



in the art, see, for example, WO 90/11092, WO 98/11779; U. S. Patent 5,693,622; 5,705,151; 5,580,859; Tabata H. et al. (1997) *Cardiovasc. Res.* 35 (3): 470-479, Chao J et al. (1997) *Pharmacol. Res.* 35 (6): 517-522, Wolff J. A. (1997) *Neuromuscul. Disord.* 7 (5): 314-318, Schwartz B. et al. (1996) *Gene Ther.* 3 (5): 405-411, Tsurumi Y. et al. 5 (1996) *Circulation* 94 (12): 3281-3290 (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

10 The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P. L. et al. (1995) *Ann. NY Acad. Sci.* 772: 126-139 and Abdallah B. et al. (1995) *Biol. Cell* 85 15 (1): 1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Any strong promoter known to those skilled in the 20 art can be used for driving the expression of DNA. Unlike other gene therapies techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

25 The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide 30 matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by

the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked polynucleotide injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 µg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle *in vivo* is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology. The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about

-150-

0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

After an appropriate incubation time (e. g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice.

The results of the above experimentation in mice can be use to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

#### **Example 13: Transgenic Animals**

The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, e. g., baboons, monkeys, and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i. e., polynucleotides of the invention) into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40: 691-698 (1994); Carver et al., Biotechnology (NY) 11: 1263-1270 (1993); Wright et al., Biotechnology (NY) 9: 830-834 (1991); and Hoppe et al., U. S. Patent 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82: 6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56: 313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3: 1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e. g., Ulmer et al., Science 259: 1745 (1993); introducing nucleic acid constructs into embryonic pluripotent stem cells and transferring the stem cells back into the blastocyst; and sperm mediated gene transfer (Lavitrano et al., Cell 57: 717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl.

-151-

Rev. Cytol. 115: 171-229 (1989), which is incorporated by reference herein in its entirety.

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated  
5 oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campell et al., Nature 380: 64-66 (1996); Wilmut et al., Nature 385: 810813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, I. e., mosaic animals or chimeric. The transgene may be integrated as a single transgene  
10 or as multiple copies such as in concatamers, e. g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89: 6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of  
15 interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal  
20 sequences, into and disrupting the function of the nucleotide sequence of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265: 103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell  
25 type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression  
30 of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, in situ hybridization analysis, and reverse transcriptase-PCR

-152-

(rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

#### **Example 14: Knock-Out Animals**

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (E. g., see Smithies et al., *Nature* 317: 230-234 (1985); Thomas & Capecchi, *Cell* 51: 503-512 (1987); Thompson et al., *Cell* 5: 313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such

-153-

approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (e. g., see Thomas & Capecchi 1987 and Thompson 1989, *supra*).

However this approach can be routinely adapted for use in humans provided the  
5 recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (e. g., knockouts) are administered to a  
10 patient *in vivo*. Such cells may be obtained from the patient (I. e., animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (e. g., lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or  
15 alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, e. g., by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc.

20 The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e. g., in the circulation, or intraperitoneally.

25 Alternatively, the cells can be incorporated into a matrix and implanted in the body, e. g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U. S. Patent 5,399,349; and Mulligan & Wilson, U. S. Patent 5,460,959 each of which is incorporated by reference herein in its  
30 entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the

development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

5 Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

10 All patents, patent publications, and other published references mentioned herein are hereby incorporated by reference in their entireties as if each had been individually and specifically incorporated by reference herein. While preferred illustrative embodiments of the present invention are described, one skilled in the art will appreciate that the present invention can be practiced by other than the described embodiments,  
15 which are presented for purposes of illustration only and not by way of limitation. The present invention is limited only by the claims that follow.

-155-

## CLAIMS

We claim:

1. An isolated nucleic acid molecule comprising
  - (a) a nucleic acid molecule comprising a nucleic acid sequence that encodes  
5 an amino acid sequence of SEQ ID NO: 165 through 284;
  - (b) a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID  
NO: 1 through 164;
  - (c) a nucleic acid molecule that selectively hybridizes to the nucleic acid  
molecule of (a) or (b); or
  - 10 (d) a nucleic acid molecule having at least 60% sequence identity to the nucleic  
acid molecule of (a) or (b).
2. The nucleic acid molecule according to claim 1, wherein the nucleic acid  
molecule is a cDNA.  
15
3. The nucleic acid molecule according to claim 1, wherein the nucleic acid  
molecule is genomic DNA.
4. The nucleic acid molecule according to claim 1, wherein the nucleic acid  
20 molecule is a mammalian nucleic acid molecule.
5. The nucleic acid molecule according to claim 4, wherein the nucleic acid  
molecule is a human nucleic acid molecule.
- 25 6. A method for determining the presence of a lung specific nucleic acid  
(LSNA) in a sample, comprising the steps of:
  - (a) contacting the sample with the nucleic acid molecule according to claim 1  
under conditions in which the nucleic acid molecule will selectively hybridize to a lung  
specific nucleic acid; and
  - 30 (b) detecting hybridization of the nucleic acid molecule to a LSNA in the  
sample, wherein the detection of the hybridization indicates the presence of a LSNA in  
the sample.



7. A vector comprising the nucleic acid molecule of claim 1.

8. A host cell comprising the vector according to claim 7.

5

9. A method for producing a polypeptide encoded by the nucleic acid molecule according to claim 1, comprising the steps of (a) providing a host cell comprising the nucleic acid molecule operably linked to one or more expression control sequences, and (b) incubating the host cell under conditions in which the polypeptide is produced.

10

10. A polypeptide encoded by the nucleic acid molecule according to claim 1.

11. An isolated polypeptide selected from the group consisting of:

(a) a polypeptide comprising an amino acid sequence with at least 60%  
15 sequence identity to of SEQ ID NO: 165 through 284 ; or

(b) a polypeptide comprising an amino acid sequence encoded by a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID NO: 1 through 164.

12. An antibody or fragment thereof that specifically binds to the polypeptide  
20 according to claim 11.

13. A method for determining the presence of a lung specific protein in a sample, comprising the steps of:

(a) contacting the sample with the antibody according to claim 12 under  
25 conditions in which the antibody will selectively bind to the lung specific protein; and  
(b) detecting binding of the antibody to a lung specific protein in the sample, wherein the detection of binding indicates the presence of a lung specific protein in the sample.

30 14. A method for diagnosing and monitoring the presence and metastases of lung cancer in a patient, comprising the steps of:

-157-

(a) determining an amount of the nucleic acid molecule of claim 1 or a polypeptide of claim 6 in a sample of a patient; and

(b) comparing the amount of the determined nucleic acid molecule or the polypeptide in the sample of the patient to the amount of the lung specific marker in a normal control; wherein a difference in the amount of the nucleic acid molecule or the polypeptide in the sample compared to the amount of the nucleic acid molecule or the polypeptide in the normal control is associated with the presence of lung cancer.

15. A kit for detecting a risk of cancer or presence of cancer in a patient, said kit comprising a means for determining the presence the nucleic acid molecule of claim 1 or a polypeptide of claim 6 in a sample of a patient.

16. A method of treating a patient with lung cancer, comprising the step of administering a composition according to claim 12 to a patient in need thereof, wherein said administration induces an immune response against the lung cancer cell expressing the nucleic acid molecule or polypeptide.

17. A vaccine comprising the polypeptide or the nucleic acid encoding the polypeptide of claim 11.

20

## SEQUENCE LISTING

<110> Macina, Roberto  
 Recipon, Herve  
 Chen, Sei-Yu  
 Sun, Yongming  
 Liu, Chenghua  
 diaDexus, Inc.

<120> Compositions and Methods Relating to Lung Specific Genes and Proteins

<130> DEX-0292

<150> 60/252,500

<151> 2000-11-22

<160> 284

<170> PatentIn version 3.1

<210> 1

<211> 338

<212> DNA

<213> Homo sapien

<400> 1

tggtatcgag cggacagccc gggcaggtac cgcatactag caaaggtaat ggtgatctag	60
caaacaaaat tggtttctag cagttagaag tgagcaggag cacttgtatt atagtattta	120
aataatcctg gttaatctct ttttaagccg agtaaccctt ccagattttg cctttttatt	180
attgaggctg gctttatttt cttctacttt ttttcccggt ttatagcagt taattatttt	240
tgtgattatt atgcaagaag cattgccctt gagttaaaact gttattgttt cataagcagc	300
tattaaaata actgagcatg ttttatgaac atacacta	338

<210> 2

<211> 2446

<212> DNA

<213> Homo sapien

<400> 2

aaggatcctt aattaaatta atcccccccc cccttttttt ttgtattctt gccagtacag	60
tatatggttt ttctacccca attacatact gggttttgta ccacatcact aaaggcccaa	120
atcattgaag atacaaaacc gtacatgcag gctggttgtc tggtagtca atggctgatt	180
tgcttcaact gtctagtatg tatgtgcagc ctgaaactgg ctcttataaa ggaaagccgg	240
gtcagtcac ttgaaaaaat gacatgtaa agtaaactga taattgtttt gagagacggt	300
acatgtttta aaggttggcc ttaagcttca gtaacattgt cttttgtga cttttgttg	360
tcacacctgt accctaacct gacaggaatt aactactgtt tttttgtggg gcagaaagca	420

aaacctggtg ttgtgacttt taccctaagt gttcttaggc aaggtagtg agaagaaaca 480  
caaaccaga tgcattgatt gtgcattatt ttgtagacaa gctacttttt cttctgtccc 540  
tttaacaaat ttgcagcaat taccctccct ttgggggtcta gaggtaaagc taatttgtgg 600  
gtagatgaga ttgcagaaga atggatgtcc atggctgtga aactgcaca ctgcacatcc 660  
atctccagtg ctccactgt gcagctacca ctccctggct gcgtgccatg ctgtcgggtt 720  
gcagatttgc acacataaat tcttcaggaa gaggttgcat gagcatcacc tcgcaatatt 780  
ctgtactgac caaacaaggg atttgaacgt ttttcagcac aaaaggataa cttccgagtg 840  
gtggtctgta cgcatactag caaaggtaat ggtgatctag caaacaaaat tggtttctgc 900  
agttagaagt gaggaggagc acttgtatta tagtatttaa ataactctgg ttaactctctt 960  
tttaagccga gtaaccctc cagattttgc ctttttatta ttgaggctgg ctttattttc 1020  
ttctactttt tttccgttt tatagcagtt aattattttt gtgattatta tgcaagaagc 1080  
attgcccttg agttaactg ttattgtttc ataagcagct attaaaataa ctgagcattg 1140  
ttttatgaac atacactaat ctgagatact gaaaagcttt gcaactaaaa agcaaaacaa 1200  
cctacattag tcatctagcc attgtttgga tgttttgagt tgatttttta tgggtgcctct 1260  
tttagcttgg aatattacgt ttactttaat ccaagtctag gccttttaaa gggtccttaa 1320  
aattaaagt cagaatgtga atcccttga catctattac aggtttatag gacctttttg 1380  
gttgtgatta ctgttttcaa tacgattgta taaatgaagt taactttgtc agaagttaaa 1440  
atggaggcca taggagttcc tggagaaatg gctctcctgt ttctttcatt accccactga 1500  
agttcacccc agtttctggc cacaagaata tgagaaagga accctgttgt tttccaaggg 1560  
aaatcattcc tctctgtccc cactgttgat taactaaagt cctggacacc ttccttcctc 1620  
cactggccaa gaccacctt gaccacctt gaacctctt tcagagccga gtggcatgaa 1680  
tatgtgtact gtttctgctt ctgttgatgg agtggctgtg ggagaattaa aggaaatgct 1740  
aatttgagct tcattcatag gggaacctac tatatattgc atccctgctg gttggaaatt 1800  
atcttcatct ctggactgca ttgtttagaa aaatgttaat ggcttacaat tctgagaact 1860  
ttattgtgtg gctctggggc taagaattct gtggtttgaa aaaaaataaa tattttgtat 1920  
tgattctcac gtcatttcaa tgttgtgact atgtactaaa tgcactaaga ctgggtattc 1980  
tcttagaaga gtgcgttttg ttaaacagat ggcagttcac tctcattagt tctatttgtc 2040  
aatattacag ccacacactt caggataact tactcaaagt tgaagtcag ggaagctatg 2100  
gctagtaaca ggaatgcttg tgaaaaattt ggagggcaag cagagcaga ggcttttggc 2160

3

actcactagc acagccagag caaggatgaa gcatgaagtc ttgttcctag tgggtgcttgt 2220  
 atgtcagaag ccatagttag ctcagcccgg gcgttctgca catcatctct ttaatcccag 2280  
 aaaaacaaat ggcggatgaa actcctattg acctgggata caagccctga ctttggctct 2340  
 tgatcttttg gtgggttctg aatcactcct tctgtattag ggcatatact ttcactctaa 2400  
 aacttgtggg aatgaaata aatcttgtac agatgtaaaa aaaaaa 2446

<210> 3  
 <211> 460  
 <212> DNA  
 <213> Homo sapien

<400> 3  
 acacacccaa atgtattcca agaccatact ctgtgacagc tgaaagatca aatTTTTTgc 60  
 ttgctatcca gagatgagcc ttctgctcca ctgggaactt ggctctacca gctcacagac 120  
 ccctttggga agctgcagaa ataaaacact cccctctatg cctcactaca caagattaat 180  
 acacttctag tgaaagaaga attttaaatgc acttgagatg aaagaagcca gatgctttcc 240  
 tatttatgtc ctttccaacc atttagagtgc cgggggatgg aagtgtagca aggcttgacc 300  
 tgcaactccc aggaccctgc tggcatgtc aatcccaagg gcagaaatat ctcttctaga 360  
 atccttccag ctcacctcca ctgtggctac aagtgaagc cataagtcaa acgggagctg 420  
 caggaagcca cacttactgc actgtccaag aataaatcaa 460

<210> 4  
 <211> 594  
 <212> DNA  
 <213> Homo sapien

<400> 4  
 acacacccaa atgtattcca agaccatact ctgtgacagc tgaaagatca aatTTTTTgc 60  
 ttgctatcca gagatgagcc ttctgctcca ctgggaactt ggctctacca gctcacagac 120  
 ccctttggga agctgcagaa ataaaacact cccctctatg cctcactaca caagattaat 180  
 acacttctag tgaaagaaga attttaaatgc acttgagatg aaagaagcca gatgctttcc 240  
 tatttatgtc ctttccaacc atttagagtgc cgggggatgg aagtgtagca aggcttgacc 300  
 tgcaactccc aggaccctgc tggcatgtc aatcccaagg gcagaaatat ctcttctaga 360  
 atccttccag ctcacctcca ctgtggctac aagtgaagc cataagtcaa acgggagctg 420  
 caggaagcca cacttactgc actgtccaag aataaatcaa aagcttttaa tagcaagaag 480  
 ttaaaaataa agcagcacgt ccttaaaaat aaaatttcct acaactgaca aaataaagga 540  
 cgaacacgca ctggttgttt cttaaccact agtggacaag caaagggaaa aagc 594

<210> 5  
 <211> 283  
 <212> DNA  
 <213> Homo sapien

<400> 5  
 actactaaag gcaaccggca tggactcata atatttgtgg ggacagcaaa aagactaaaa 60  
 gttctaagga agaaaatgcg aaccttgata gtttgaaata gttaaaaaga cagtgtagaa 120  
 actgcttagg cagttggatt atggactatt agatgatact tgggtctgat aatggtataa 180  
 ggagaataaa gtatttaggg atccaatatt acgcctgcag ctttttccaa atagttcatg 240  
 ggggaggggg atgtgtaagt ggtaactga agtctaacta gat 283

<210> 6  
 <211> 2237  
 <212> DNA  
 <213> Homo sapien

<400> 6  
 tttttttttt caagaaaaaa aaatcacttt aattgaggaa cactttcagt ttgtgacaaa 60  
 attatgctgt gaatcaggtg ttgcaaatta tggccactg cctgcttttg tgtaagtttt 120  
 attggaacac agctacattc agtccatggc tgctttttaga atacaacagt agactttaac 180  
 atttggaaac ggaacagaa accagagcca tacagctaata aaacttgaaa atattttacaa 240  
 gttgatgctt tacaaaatcc atctgctgac cctgctctg taccattggt ctcttctgat 300  
 ggtctgttta ctaaaaaata aaaacttcac aaacatgtaa aaaatagatt tgccatttaa 360  
 aatgtgcttt tcaagtttga ctttttagga tgcaattaat tcaactaaata cagaacttaa 420  
 ctaaggacaa aatttaaaga tcagcattct ttccttccc atcacgctca acttaacatg 480  
 aagaactgta aacatcctaa gcttacaaca aacctatcta gttagacttc agttaaccac 540  
 ttacacatcc cctccccca tgaactatct ggaaaaagct gcaggcgtaa tattggatcc 600  
 ctaataactt tattctcctt ataccattat cagacccaag tatcatctaa tagtccataa 660  
 tcaaactgcc taagcagttt ctacactgtc tttttaacta tttcaaacta tcaagggttcg 720  
 cattttcttc cttagaactt ttagtctttt tcttcccaa aatatttgag tccatgccag 780  
 ttgccttttag ttgtacccaa ataatggttt gtctatttcc taaaagtagt actcttaaat 840  
 ttaaatttag tgttattttt gttgtcattg ttccttcttc ctcatgtggg tgtgcaggca 900  
 gagcttgagc atccagattt caaaattaaa aaataaaaga taatctagtt taatatatag 960  
 tagttgaatc accttaagtc tagactgctg tatgagcacc cattatcttt cactatatctc 1020

5

```

catcatcccc caacatatcc acagtagatg aagggcagtt tgctcaaaca ttgttttgat 1080
cctgtcatgt ctgttcagaa atgcctgtct attcagaaac ccacgtctaa taacaaaatc 1140
ttggactggg tactatcaaa acccaacaac atacagactc ctcagctagg ccctagggat 1200
atctttctac cttgatttcc aaatgttcat tgaaagaatg ctttaattcta atttggaaaa 1260
aagtttttgg cttccactt ctgctttaca cgttcatctt tcttgaaatc aaatccaatc 1320
caatctatat tctaagaacc tgctcaaatc ttggttcttc aaagctttcc ctggtatttt 1380
gcatttttgc tttgaatagt tccacgaagg ataacttctt actccttctt tcatctttct 1440
gtatcttgca tatagtaaat attaatgact tgtttgcat ttgttatcct aacttggcta 1500
taaagaaaat cagatgtctt caccagtcgt tcaaacttca ggtctgccta cagattcata 1560
gatggctgtg gatTTTTATA attttgtcac aaagtttagtg gtaactacag gttatctcag 1620
aatatctttt ttggcgtata aatTTTTTTC ttttctttt ttagacagtc tctctctctg 1680
tcgccaggc tagagtgcag tggcgtgatc ccggctcact acaacctctg cctcctgggt 1740
tcaagagatt cttagcctca gcctcccgag tagctagggg tacaggcgcg caccacctcc 1800
atgccagct cttttgtatt ttttaagtaga gacaggggtt caccatgttg gtcaggctgg 1860
tctcgaactt ctgacttcag gcaaccttag ccgcctcggc ctcccaaagt gctgggatta 1920
caggcacaag ccaactgcacc cagccttatt accataaatc atcttgatgc tggtagctga 1980
taagattcta tttgcttttc tttattcata gagaccacaa acagatcgca gatccaggtt 2040
tctcaaaactg gagcatctgc ttaattttcc cataaaatca gtcttattct ttctgacagc 2100
tctgagactc ctccggccac gactaggtgc tgtcctggag gaaacgggtg aggacggccg 2160
cacaaaaacc aatctacctg atgaaaactc cgttcccttc tcgccagaaa cataaaatgc 2220
gatggatacg ctcggtgc 2237

```

&lt;210&gt; 7

&lt;211&gt; 777

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 7

```

tggggtcgcg gcgaggtacc tttctgtttt aaaatgttca aataatgtat tttttaaaaa 60
tgtgtaatca ttcaaggaaa cgggaaaaca agtctaaata aaaccgggtc ctaaagttaa 120
ctctaggagt cattattctt cctttgcagt ctcaattcta tttactccgt aacaagtaaa 180
ctgttttatc ccttcggctg ggaaggataa tttttaccct accaagatga tgacaatgcc 240
actgcagtgc tcaccagca agaaacacat aaatatgaag cagcgtcaaa gtctttctat 300

```

6

```

gaagtgtatg caagaattga ttgcaatgc attaattcag gaattcagtg gagaggctcc 360
tactatacct agcagatcta aacttgagct catgataaca ctgcacaaag ctatggtaga 420
taaaagtgat aggtaatgcc aatagaacaa ttccactgac aacacaaact cctccaagaa 480
ttcttccagg cactgtgata ggatacatat ctccatagcc aactgtagtc atagagataa 540
tcacccacca gcaggcagca ggaatgctgg taaagtcctt gttggatgtt tccagggtcca 600
gcccattgtt aagaagctga gaaagtgcac taaagattgc catggcaaca caaatgaaga 660
cagtaacata accatctctc ggtagcacgt ttgagagtca accgagtgtc gaagaccatt 720
aagtgacggc agctggcgta atcatgtcta gctgttctgt gtgaatgttc gtcaacc 777

```

```

<210> 8
<211> 911
<212> DNA
<213> Homo sapien

```

```

<400> 8
ggttgacgaa cattcacaca gaacagctag acatgattac gccagctgcc gtcacttaat 60
ggctcttcagc actcggttga ctctcaaacg tgctaccgag agatggttat gttactgtct 120
tcatttgtgt tgccatggca atcttttagtg cactttctca gcttcttgaa catgggctgg 180
acctggaac atccaacaag gactttacca gcattcctgc tgctgctgt gggtgattat 240
ctctatgact acagttggct atggagatat gtatcctatc acagtgcctg gaagaattct 300
tggaggagtt tgtgtgtgca gtggaattgt tctattggca ttacctatca cttttatcta 360
ccatagcttt gtgcagtgtt atcatgagct caagtttaga tctgctaggt atagtaggag 420
cctctccact gaattoctga attaatgcat tgcaaataaa ttcttgcata cacttcatag 480
aaagactttg atgctgcttc atatttatgt gtttcttgct gggtagcac tgcagtggca 540
ttgtcatcat cttggtaggg taaaaattat ccttccagc cgaaggata aaacagttta 600
cttgttatgg agtaaataga attgagactg caaaggaaga ataatgactc ctagagtaaa 660
ctttaggacc cggttttatt tagacttggt ttcccggttc cttgaatgat tacacatttt 720
taaaaaatac attatttgaa cattttaaaa cagaaaggta ctattttcca atgtttttcc 780
atcttatgaa ttcagaagaa gcttggaact tatagtgttt tttgtttgag agtaacattt 840
tcatttctaa atgttttata atttctcata tcaatgtcag aagtatcctg gaaacatatg 900
tcacatgcga g 911

```

```

<210> 9
<211> 445
<212> DNA

```



&lt;213&gt; Homo sapien

&lt;400&gt; 9

```

gccgcccgagg cagggtacatg tgcacttaaa tgtaaatagca ccaacattca ttatatattatg      60
aaggggatac tttataagaa ttataaatta tttttacatg attaaataat tttggcagag      120
taagtccgca ggacttaaat aaccagtcag ccttagtatc tacatctgga ccaggaagcc      180
ttgtgttaca gacacagatt ccctgtgaag ttctccaggg tgtaaagaag gccccaggga      240
ggtgccgacg ggatgtgagg gctgcctttc agctcaggcg agcctgcaag caacaggggca      300
gttgggaagg gtcacaggca caggaaggga gcagtgggca accattgatt acatcaaacc      360
aggatggttt cttcttttta aagaaacttt tgtgagtgtt taccacccc catccacaca      420
aatatgctct ctaggaaatg tgaaa                                445

```

&lt;210&gt; 10

&lt;211&gt; 1254

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 10

```

gtccgccttaa tttaagatct tttttttttt ttttttttta ttgttaagca tatttgtata      60
ttttttacta gttatttcat acttgccctg aaagaatata cattcaaaaa gcttgaaatt      120
aggcaatgtc agtctcatca aacaaaacca gcattggaag cgaatattaa caaatatcag      180
aatgaaatta caaaatatac atctccagcc tcataaaaca tgaattttat aagcactttc      240
ataaacataa gaaaaatagc tttgacaata actatttgaa aacattatta ttaataatct      300
tgtatactgt acatgtgcac tttaatgtaa tagcaccaac attcattata ttatgaaggg      360
gatactttat aagaattata aattattttt acatgattaa ataatttttg cagagtaagt      420
ccgcaggact taaataacca gtcagcctta gtatctacat ctggaccagg aagcctttgt      480
gttacagaca cagattccct gtgaagttct ccagggtgta aagaaggccc cagggaggtg      540
ccgacgggat gtgagggtg cttttcagct caggcgagcc tgcaagcaac agggcagttt      600
gggaagggtc acaggcacag gaaggagca gtgggcaacc attgattaca tcaaaccagg      660
atgggtttctt ctttttaag aaacttttgt tgagtgttta cccaccccca tccacacaaa      720
tatgctctct aggaaatgtg aaagtataag cttcagaaaa atgtttttct catcctttta      780
tttctggttt tatgatcaaa tgttccgaag aactgcttc tttttgctca aaatagttga      840
cattgtcatt gcttctagtt tttcagctcc tactatgctt actatgtcca tgggtgccat      900
tgacgtcttt ggctatttat catctctaga aaagaaaaaa aaaacattaa aatttttagga      960
tgtaggattc acaataaatc tcttaccaaa tctccttaa atccctaacc tctctacctg      1020

```

gctctgactc caggatcacc ctttcagttc tttccatggt tttcttcgga aaatgtagtt 1080  
 tcctaaccctt tctaccacc cttctcgtct actcttaggt ctgcagccac agtgatagtt 1140  
 ctaagttgca aacctgatca tgtccttcca gtacttagtc gttgaaaaat ctctctactt 1200  
 cccgcagatt gaagcctgaa ctctttaata ggcattctaag gacttggacc cgga 1254

<210> 11  
 <211> 838  
 <212> DNA  
 <213> Homo sapien

<400> 11  
 gcccgggcag gtacttaact aattgggctg aggatgaata tatcagccac agcacattaa 60  
 agaatgagcc aaggattgtc atgggttggtc acttttttaa gtattgatta ctgcaactgg 120  
 agaatggaaa gtgtatattg gtgacgcaa cctcagtttc tgagcactcc tgctctgtgg 180  
 tgagaatcag acaaaaattc atcggggtga aaaaggcatt acctgattca cacccttgctc 240  
 ttgctagccc tcttcattc atttctcaca cagcacttgc tctgttaa at cctctctctg 300  
 tctcagacca tgcttgcccc ttcaaagggt atgggttcagg ctcttttcaa gacattggag 360  
 tttctctctg gggaaagaga gcccctact gggttggtt cagtctaggt ccaccatccc 420  
 tctcgatctg gcatcttgga gattaattta aaaggcaagc tcaccacaat gtaagcctat 480  
 ggtctggcca accttgcttt gggaactgtg acaccaaagc cccaggact atctgcctct 540  
 ccaggagcca gatagaatga catgcctttt tctaattgt ccacattcca ccccaagcc 600  
 actgccactg tgggccaagc catccatctt gcaatcttca tctaaaacag ctctcatttc 660  
 atgccagttt tgtcaaacct gcaccgtcac aagatattca gaagatgaaa acgttagaag 720  
 acaccctga attaaaagca cttactagca gggggtggat tatccaaaag tgccgtgatc 780  
 ggttgtagctt gggtttctca ccaatggaat cagctcctgg tgaacaagca tgtgggtg 838

<210> 12  
 <211> 1033  
 <212> DNA  
 <213> Homo sapien

<400> 12  
 atttaaggct gtacttaact aatttgggct gaggatgaat atatcagcca cagcacatta 60  
 aagaatgago caaggatttg tcatgggttg tcaactttta aagtatttga ttactgcaac 120  
 tggagaatga aaagtgtata ttggtgacgc caacctcagt ttctgagcac tctgtctctg 180  
 tggtgagaat cagacaaaaa ttcacggtgg tgaaaaaaa aaggcattac ctgattcaca 240

```

cccttgtctt gctagccctc ttccattcat ttctcacaca gcactttgct ctgttaaadc 300
ctctctctgt ctgagaccat tgcttgcccc ttcaaagggt atggttcagg ctcccttcaa 360
gacatttga gtttctctct ggggaaagag agccccctac tggtttggtc tcagtctagg 420
tccaccatcc ctctcgatct ggcatcttgg agattaatth aaaaggcaag ctccaccaca 480
tgtaagccta tggcttggtc aaccttgctt ttgggaactg tgacaccaa gccccagga 540
ctatctgct ctccaggagc cagatagaat gacatgcctt tttcctaatt gtccacattc 600
caccaccaac ccactgccac tgtgggcca gccatccatc ttgcaatctt catctaaaac 660
agctctcatt tcatgccagt tttgctcaa cctgcaccgt cacaagatat tcagaagatg 720
aaaacgtaga agacaccct gaattaaaa cacttacata gcagtggctg gaattactcc 780
aaaacgtgcc cagtgatcgc actgtaacat gggattttct caccacaata ggcaactcat 840
gcttctgag tgtaatcaa gccatgtgtg ttttggggcc atatgcacca ggtttctatt 900
ttagaaacct tcagctgtct tgettatgta ccgtatgtaa atttattctt tttaaaaac 960
acttttattt gattttgact tattaaatgc tttaaaagcc aaaaaaaaa aaaaaaaaa 1020
aaaaattggt cgg 1033

```

```

<210> 13
<211> 824
<212> DNA
<213> Homo sapien

```

```

<400> 13
acatatgaaa gtgacctcca aggggatttg tgaatagtca taaggatctt caggctgaac 60
agactatgtc tggggaaaga acggattatg cccattaaa taacaagttg tgttcaagag 120
tcagagcagt gagctcagag gcccttctca ctgagacagc aacattttaa ccaaccaga 180
ggaagtattt gtggaactca ctgcctcagt ttgggtaaag gatgagcaga caagtcaact 240
aaagaaaaa gaaaagcaag gaggagggt gagcaatcta gagcatggag ttgttaagt 300
ctctctggat ttgagttgaa gagcatccat ttgagttgaa ggccgcagg cacaatgagc 360
tctccctct accaccagaa agtccctggt caggctctcag gtagtgcggt gtggctcagc 420
tggtttttta attagcgcat tctctatcca acatttaatt gtttgaaagc ctccatatag 480
ttagattgtg ctttgtaatt ttgttggtgt tgctctatct tattgtatat gcattgagta 540
ttaacctgaa tgttttgta cttaaatatt aaaaaaact gttatcctac aaagaaaaa 600
aaacaaaaca aaaaaaaca aggggtgggg taatccgtcg ggcataagct gtcccctgtg 660
tgactggggt tctccgtccc catccccatc tccgtgacac acaaaaaagg ccagacggcg 720

```

10

cacatgcact caccgaccag tacaaccaca caaggaaacg acgtaggcac accaacaacc 780  
 gacagcagaa agcaatacag aaaacaacaa caaccacacc tcac 824

<210> 14  
 <211> 1093  
 <212> DNA  
 <213> Homo sapien

<400> 14  
 acctagagt gttggaccat cagatgtttg ggcaaaactg aaagctcttt gcaaccacac 60  
 accttcacctg agcttacatc actgcccttt tgagcagaaa gtctaaattc cttccaagac 120  
 agtagaattc catcccagta ccaaagccag ataggccccc taggaaactg aggtaagagc 180  
 agtctctaaa aactaccac agcagcattg gtgcagggga acttggccat taggttatta 240  
 tttgagagga aagtcctcac atcaatagta catatgaaag tgacctcaa ggggattggt 300  
 gaatactcat aaggatcttc aggctgaaca gactatgtct ggggaaagaa cggattatgc 360  
 cccattaaat aacaagtgtt gttcaagagt cagagcagtg agctcagagg cccttctcac 420  
 tgagacagca acatttaaac caaaccagag gaagtatttg tggaactcac tgcctcagtt 480  
 tgggtaaagg atgagcagac aagtcaacta aagaaaaaag aaaagcaagg aggaggggtg 540  
 agcaatctag agcatggagt ttgttaagtg ctctctggat ttgagttgaa gagcatccat 600  
 ttgagttgaa ggccacaggg cacaatgagc tctcccttct accaccagaa agtccctggt 660  
 cagggtctcag gtagtgcggt gtggctcagc tgggttttta attagcgcat tctctatcca 720  
 acatttaatt gtttgaaagc ctccatatag ttagattgtg ctttgtaatt ttgttgttgt 780  
 tgctctatct tattgtatat gcattgagta ttaacctgaa tgttttgtta cttaaattatt 840  
 aaaaacactg ttatcctaca aaaaaaaaaa aaaaaaaaaa aaaaaaaca ggggtgggggt 900  
 aatccgtcgg gcataagctg tcccctgtgt gactgggggt ctccgtcccc atccccatct 960  
 ccgtgacaca caaaaaaggc cagacggcgc acatgcactc accgaccagt acaaccacac 1020  
 aaggaaacga cgtaggcaca ccaacaaccg acagcagaaa gcaatacaga aaacaacaac 1080  
 aaccacacct cac 1093

<210> 15  
 <211> 428  
 <212> DNA  
 <213> Homo sapien

<400> 15  
 atgtagcgat ggcatggtca ctaatctgct cacggcgagc tgtggatgga tggtcgcggc 60  
 gaggtgtttt tgctgtctta atttactaaa ttgcctaatt tttagttgat ttctctacag 120

```

agcttacctt gtgtagctat ttctctttta ctgttgcttt ggtgtgttct tgaagtttga 180
ttgattatct ttggtcattg agttcttagt gtagtttgct agatgcatta ttaagattct 240
tttgtgtctg acacttgtgg tgagttgctt ttgaaatctg ttgagatttc catgtgaaga 300
actgataatc aggcctcttga tctgcttccc taaattactt ttttagagcc caaaccacag 360
gtttagggtg aggggtttgta atacaaagaa acacttccat cacttctgcc cttaaccctt 420
gcctctat 428

```

```

<210> 16
<211> 6823
<212> DNA
<213> Homo sapien

```

```

<400> 16
aaacttgagg agacgcagga caggatcccc gcggcagaag gacggagaga aaggggaccc 60
cgggacggga aaggcgcaga gcaggcgcgg gcggcggcgg cggcggggca gggcagggcg 120
ggcgtccccg cagagggcgc gcggtcgccc tgtcgcccctc cgccccgccg gggtcacagt 180
gccccctccc tcgcgcctta gccgccttgc cgggctatct ttacgcgcgg acaccggaca 240
ccggacaccg ggctggggcg gcggcggcgg cggccgaggg gcccgaggcg gggccgcacc 300
ggggccgggg gtcggggcca cacgtcgggt cgcgggtcgc cggggctgcg cgcgccatgg 360
agccgcgggtg cccgcgcggc tgcgggtgct gcgagcggct ggtgctcaac gtggccggggc 420
tgcgcttcga gacgcggggc cgcacgttgg gccgcttccc ggacactctg ctaggggacc 480
cagcgcgcgg cggccgcttc tacgacgacg cgcgcgcga gtatttcttc gaccggcacc 540
ggcccagctt cgacgccgtg ctctactact accagtccgg tggggggctg cggcgggccg 600
cgcacgtgcc gctcgacgtc ttcttgaag aggtggcctt ctacgggctg ggcgcggcgg 660
ccctggcacg cctgcgcgag gacgagggct gcccggtgcc gcccgagcgc ccctgcccc 720
gccgcgcctt cgcgcgcag ctgtggctgc ttttcgagtt tcccgagagc tctcaggccg 780
cgcgcgtgct gcgcgtagtc tccgtgctgg tcctcctcgt ctccatcgtc gtcttctgcc 840
tcgagacgct gcctgacttc cgcgacgacc gcgacggcac ggggcttgct gctgcagccg 900
cagccggccc gttccccgct ccgctgaatg gctccagcca aatgcctgga aatccacccc 960
gcctgccctt caatgacccg ttcttcgtgg tggagacgct gtgtatttgt tggttctcct 1020
ttgagctgct ggtacgcctc ctggtctgtc caagcaaggc tatcttcttc aagaacgtga 1080
tgaacctcat cgattttctg gctatccttc cctactttgt ggcactgggc accgagctgg 1140
cccggcagcg aggggtgggc cagcaggcca tgctactggc catcctgaga gtcacccgat 1200

```

tggtgcgtgt cttccgcctc ttcaagctgt cccggcactc aaagggcctg caaatcttgg 1260  
gccagacgct tcgggcctcc atgcgtgagc tgggcctcct catctttttc ctcttcatcg 1320  
gtgtggctct cttttccagc gccgtctact ttgccgaagt tgaccgggtg gactcccatt 1380  
tcactagcat ccctgagtcc ttctgggtgg cggtagtac catgactaca gttggctatg 1440  
gagacatggc acccgtcact gtgggtggca agatagtggg ctctctgtgt gccattgcgg 1500  
gcgtgctgac tatttccctg ccagtgtccc tcattgtctc caatttcagc tacttttatc 1560  
accgggagac agagggcgaa gaggtggga tgttcagcca tgtggacatg cagccttgtg 1620  
gccactgga gggcaaggcc aatggggggc tggtagcgg ggaggtacct gagctaccac 1680  
ctcactctg ggcaccccca gggaaacacc tggtcaccga agtgtgagga acagttgagg 1740  
tctgcaggac ctcacacctc cctagagga gggagggagg gcagggtgga gggcaaggct 1800  
ggggggaggg gattgggttt aggaagagct aggttaagtc gtaacgagtg gggaaacact 1860  
gagtcttgtt gggcttggg ttgtgtggtt tggtagctcc tgtgggtacc tcctgaagca 1920  
gcagcgaatg gcaatgggtt gtgttgtgtt aatgaagact caattgggtc atattactct 1980  
gagttgtgca aagctcatgg agccttttgg ggtagtgtt agatagggtt ggtcgtatca 2040  
ttttgtgagt ttcttaggtc agtgttgggt ttggttgggt tgtgagtctg ggatagtgtg 2100  
gtccagctgc attgtgtagg attctgtggt ttggtgggtc ccctagggcc atgttgggtc 2160  
aagttagatg gtcccccatt gcattgttga gatcgaatgt gtgtgggtgt aagtttcgtt 2220  
gagacatggt ggaaattgtg tagctctgtg attcttccag gggcatgtta ttttaggttc 2280  
tgtgaacttg cgagtcattg agaaatgtga agagtccagt ggtagaattt gagctttcta 2340  
ggtcacattg ggttaagttt gtatgaccaa atgaatcttg taggggtctg ttgggcttaa 2400  
ctgtgtagag gtgtgtggct ggacattttt cgtggccaca gcgagttgag ttgtgttgaa 2460  
ttgtacaacc atatgagcct tgtaaggcca gttaggttg gtcattgccac tgtttgagtc 2520  
tcattagggcc atgctgaatt gagttccatt gagttgtgtc actatgtgag tcctacagga 2580  
agttgggttg agttggactg tgccaacgag ttccataggg ccacatcggg ctgttttgca 2640  
tttagtggtg gcaccaggac ccaaaggaaa tagcagtggg gaagcatcat gtatctggga 2700  
gcattgcagtg gcgagggctc tgggaggtgt gccgagctgg ctcccagct cgctgtaggg 2760  
ggcgggactg gattctgtat ccatgggatt ggggtgttcat ccagaggcga ctgggtaaat 2820  
taggaagagg tggatgctcc tcctgtttac ccacatcca cttcattgtg ctgttactc 2880  
ccattctccc ctacagtttt atgctcagac atggaggtca gagccacaag ggaaagggga 2940

gagggggaga	aaactgtact	ctgtccagac	atgatagagg	gacagagcca	aaaggataga	3000
gaaagagacc	cagaaaaagg	aagaggtgga	aaccagaga	gacagagacc	caaagggaga	3060
gaaacagaga	ctcagggaga	gggagacaat	gacctggagg	gtggggatatg	gcagagacgc	3120
agaagagagg	aacagaaatc	cagagtgggg	agacagagac	caagagcagg	ggatagaagc	3180
cgggcgaagt	ggcccatgcc	tgtaatctca	gcactctggg	agaccgagga	agggggattg	3240
attgaggcca	ggagttcaag	accagcctgg	gcaacatggg	gagaccccat	ctctacaaaa	3300
aatacaaaaa	ttagctgagt	gtggtggcac	atgcctgtga	tcccagctac	tcaggaagct	3360
gaggcagaaa	gatcccttga	ccctgagagg	tagaggctgc	attgagccat	gattgcacca	3420
ctgcactcca	gcctgggcaa	cagagggagc	ccccgtctca	acaaacaaac	aaaaagagcc	3480
agtgggggag	ggaggggacag	agaccagag	ggcagcgtca	gacaccagga	gttggagaca	3540
gaacaacaga	gtctcagggg	aagagaacca	caatagaaaa	aggcagaaaa	ggccggggcgc	3600
ggtggctcac	gcctgtaatc	ccagcacttt	gggaggccga	ggtgggcaaa	ttacgaggtc	3660
aggagatcca	gaccatcctg	gctaacacgg	tgaaaccctg	tgccctactaa	aaattcaaaa	3720
aattagccgg	gtgtactggc	atgtgcctgt	aatcctagct	acttgggagg	ctgaggcagg	3780
agaatcactt	gaacctggga	ggcggagctt	gcagtgaacc	aagatcacgc	cactgcactc	3840
cagcctgggc	gacagagcga	gactctgtct	caaaaataaa	tgactagata	aaaaaaaaaa	3900
ttgttgaggt	acattttccc	tgcattttag	agattaggac	agtggtcact	ttctagttgc	3960
cgtcttcaca	gacaaacttg	aaaggtatta	aggaaaaaat	tccacatagc	tctgggcctt	4020
ttttgtattc	tgattgccac	gttaatctgt	aatcgttaag	tacccatgaa	agaatgtgtt	4080
tcagtatcag	tgcttttttg	gtactttaac	aagtattgta	ggcacgggtg	atttttttga	4140
aatacccatg	gtccaatag	caagttaagg	aacctagcgc	atcaaatttt	gttttcttca	4200
ttcatttgga	accttatttt	cgcaaaaaac	ctagctggaa	taataatgcc	atattgtatt	4260
ttgcacactg	ctttattttc	tagaggctct	gggagcaaat	tacattcatc	acattacctc	4320
tgctctctca	agattaaagt	ctttcagcaa	cattctttat	tgatcatcata	aggaaaaact	4380
tttatcgcaa	tgatagtcag	ttcacattag	tttagcacta	tagatagtat	tcagaaattg	4440
ctttctcttt	ggtaaagaag	ataaataggt	gaattttatt	gcctgtgttt	tcaggcttca	4500
gagggtacctg	gcaccttact	caagcaaaaa	caaaaaacag	ctttacttca	aaagcatgtg	4560
cctctggtaa	attatccatc	acttttgttt	taaagtgggc	cctccaagaa	taatgtggca	4620
tacacagtgg	gtttggttgt	aaggcagatg	taatagatga	cttcaaaagc	ctgctcctta	4680
ctgcactctg	gacaaggccc	tggctctgat	agtttggctt	cctctgttaa	gtcattctac	4740

aaggtgactt gccatttgaa ctttcgtaag agacctcagc agttagactg agaaaagtta 4800  
gagtgtgtga gttatgaagt catacatttt tgataaaata cctgtggaaa accagggatc 4860  
ctctcctgtt tctctctctt gcctccccct tccctccat tctctgtcg cctccccctc 4920  
tcctccactt tctttaagaa tcagggggta cagaataacc tacaaacaac ctcttcaaag 4980  
tacccttgga aattgaagtt caatcttaag ttttttgctg tctttaattt actagaattg 5040  
cctaattttt agttgatttc tctacagagc ttagcttggt tagttatttc tcttttactg 5100  
ttgctttggt gtgtcttgaa gtttgattga ttatttttgg tcattgagtt cttagtgtag 5160  
tttgctagat gattattaag attcttttgt gtctgacact tgtggtgagt tgcttttgaa 5220  
atctgttgag atttccatgt gagaactgat aatcaggctc ttgatctgct tccttaaatt 5280  
acttttttag agcccaaacc ccaggttttag ggtgaggggt tgtaatacaa agaaacactt 5340  
ccatcacttc tgccttaac ccttgctctt attacctaag cttagtaagt agttttctta 5400  
atattgtcca atgtttggtg ttatctgcat tgttttttgt ttttttaatt gtggtgttc 5460  
tgacgtgtga aatttaagga aagagccatt ttttaaaat gccgagcagg gcaatgcaag 5520  
tacagccaaa tattagactt gatgtgcaat cttcggtcct ttttaatctg gggattata 5580  
ggcagtactt taaattgcaa agtcttcgg gcctattttc ctctacattt ttgtaattaa 5640  
ctctgggggc ttacttgttt tggcagtact gaaatcaaag gagctgggtc ttcttttctc 5700  
ccaattattt tcatatgaaa gcacctacaa ttagcctgtt agtcctattc agatacatca 5760  
aatatcagtg aatgctttac tattcgaca ttaagcatc ttgtttttac ataaaattag 5820  
agtatgaaaa ccagtgttca attttttatc ttgttgagct tgtaaaatgc cagcaattta 5880  
aaactaggac ttttcccccc ataagccaag gaggtagaat tactaataca agggttaaag 5940  
aaggtagatt ttgttttcaa tatttgggtg atattagaaa gattcttccc acaggggaaga 6000  
actagcaagt gtcccaattt tttccaaacg ttggggaggg gaaaattcac tgtatcatga 6060  
aacctaagg gttgttgca cttctgctt ttaggcctg gataacagta tcaccatcct 6120  
tatttacaga agggtaaaac tgactcttaa tgagaaaagc tttataagtt caagggtgt 6180  
aaaatatgaa ctacttaggg tcgtttgctt tccatgggaa cttggctaga cttagaaaaa 6240  
gctgtttgtt gtgctaattg aaaagtgtca tacaatttag aagatttttg aagatggtaa 6300  
acttagaaga attctatgtt ctgaaatgca cactttttaga atgtttttct ttgaaacag 6360  
gctaatagtt cttctttttt ttgacaaagt ttcagctcct ctttaaagtt attgtgtcat 6420  
ttttctggtt taaatttccc ttatatttcc acctgtaatg tcagtggcaa caacatcata 6480



15

```

cttcacttac ttgttaattt acttttttacc cttattctaa gagcaagttg agttgaactg 6540
aatcttcctt gtcttagtaa caatgtataa atagtggctt ttctgtacaa aagggtgtaa 6600
tgccctcctga tggatataat tttgtgattg tattttaaag ttgaataaat cacaccagct 6660
tcctgaaaat gttcataatg catcttttgg aaaacaaata catgcctact ttgtgcata 6720
ttgcattaac atggcaaaga ttgtatgaaa tacctgtttt tcagaaaata aagggttcagt 6780
ctcaaaagat aaaaaaaaaa aaaaaaaaaa aaaaaaggcg gtc 6823

```

```

<210> 17
<211> 984
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (211)..(456)
<223> a, c, g or t

```

```

<400> 17
tgggccctttg agatttccta tctcaccgtt acttcagttt acccttgagc gggggccaggg 60
agtcagaagt ataccgtgtt cctccagggt ttaagccggc catgccttcc cgagagcata 120
accaacttga caggggtgcc cagttacccc acaaactgaa ggaaggagat ccttcccccg 180
tccccaggag tgctctcaac cagcctcaga nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 240
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 300
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 360
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnccct aaccggccta ccacgacccc 480
actgaacagc gcatgacgcc acgagaccgg aacgacaagg cggaccaaga cagaaatcag 540
actcaaacac aacagaccaa gataaaccgg caaatccacc acagaaatcc agggcagaaa 600
aaccgacagc aacagaccaa actcgtgaga ccaaaagagc gacacaaaag ggacaaaggg 660
aaacacgaac agaaaagcca gcctatgacc agcacgacac aaccccaaac gccaccagag 720
caccagacc gagccataga caacaacacc gacagccata acgtacggac tgctgccgac 780
aaccacaacc agcacaataa aagacgcacg gaaccccaca tgcagagcct cactgaatg 840
gcgccacccg cacggacacg acagcaaccg ccgcaatcag accaagcact cccaacaga 900
ccacggagag acccgcaaca agcggcagca caagacacag atcggacaac accaagaaga 960
taggagagag cccaggttaa caac 984

```

<210> 18  
<211> 186  
<212> DNA  
<213> Homo sapien

<400> 18  
ggtcgcggcg aggtacaaac gtgctgtaat tataagtctg tgggtgcagtt ccattttatg 60  
ctacacatta aggcttttaa ttttgtgtaa aaggaatttt tggaatagtc ttcattgaga 120  
ctcttttttaa tcttatactt tctaatttag aattataaga cattcaattt gaattataga 180  
aaaatt 186

<210> 19  
<211> 418  
<212> DNA  
<213> Homo sapien

<400> 19  
gatttgacta tatagccatg gtccttaatc atgctgagcg gcgcagtgatg atggatcgcc 60  
cgggcagggtc acattggaat ttgaatgcag tggccaggac agcagcttga taaaccacct 120  
tataggtagg taagcaagcc acgggattcc ctcggtctggg ctgggtgatgg ggagggggcgc 180  
agtggacagg aagcggggcag ggccctgagga ccctgtactt taatggggcca caacagggct 240  
cagctcctct cagaacttct gctacaatca gagttaagac cagatacatg ctacctaaagg 300  
ccatgaactt gacaatatct gctccagaga agccctgagc cctcgcccta ggteccctatg 360  
attataaacc caatggtaag cccaagtctc acctttctaa atattctgtt tatcagtt 418

<210> 20  
<211> 1811  
<212> DNA  
<213> Homo sapien

<400> 20  
atcccgttaa tctgggggcc caatctcccc ccaggggctc ttccaagaca ccgaggcttt 60  
cgctcgtccc tgtttaacag cctgcggtgt cttttatata tacgctccct gggggcccgt 120  
gtcaccacaa cgtgtggttag tgaaatagtg gcgcctctgg aggaaattcc ttgatggcgc 180  
cggcctcttg tatgtgttag aagacgctct ttactatggt gtggtctagt actaattgct 240  
gattcatcga tgcggccttt tttttttttt tgacgggttc tatataacgt ttatttctgg 300  
aagttaaagt agatacagca atataccaaa aaaaaaaaaa aaaaaaaaaa agacaaaaaa 360  
cctcacaata atataaattt ttacactatg aagtacacat tggaatttga atgcagtggc 420  
caggacagca gcttataaac caccttatag gtaggtaagc aaccacggg attccctcgg 480

17

```

ctgggctggg gatggggagg gggcagtgga caggaagcgg gcagggcctg aggaccctgt 540
tctttaatgg gccacaacag ggctcagctc ctctcagaac ttttgctaca atcagagtta 600
agaccagata catgctacct aaggccatga acttgacaat atctgctcca gagaagccct 660
gaaccctcgc cctaggtccc tatgatttaa acccaatggg aagcccaagt ctcacctttc 720
taaatatctt gtttatcagt taagcttatt atgtactgaa gagtgttgct ggagaagtaa 780
gagctctgca tgacacatca actgtctcca ggcaggagga ctggggcgaa ccctgttcac 840
cctagagaag gtcgtctccc ccttaattca gagaccagct aatttgattt aacaaacaga 900
attccacaga aactctgatc agctgaggca aggtggtttt gagtgcgcaa atccggccat 960
gcctctgagt cagaggcagc ccatccagca cgtgctaggt gttcccatc gcacaggaga 1020
ggcgagctag ccagccaagg cgggcaggcg gggaggccct ctagctgttc tgcctcacct 1080
gtggggcccc agcagggagg agtcaccagc ctcagaggga ggccaggat acaccctcat 1140
acgagggcag actcaagttt atcagtaagc ctttgccctg catgaactga atgaagacgc 1200
cattacaagt gccactggat atcaccaaga aactggctaa gaaccatatt cctgagctca 1260
accagacacg tcgctggggc cccatagtgt gcatcatgtc caacctgtaa ctctctcccc 1320
ctcttcttcc atgaggtcct gagaccagga ttctataaac aaacaggatg agggaccttt 1380
agacacgcaa ggagacatgc ctctagcagg atcaggggga ctggggtcgg gaggggtggg 1440
caggaaggaa gccagaatca gaagtatccc agccctgata aggcacccac agaaacaacc 1500
tagcctctga aacagcagat caagtccagg gagaaaggga gtcaagggtg taagcacctt 1560
ctgcccagcc ttactcacta aaaggccaat acattacaaa ggaaaataag tctatttata 1620
aaaaaaagtc taaaatgctt agattctcct taaaccttcc tatttcaaca ccaaaggcca 1680
ggttgcagct tcagatgtct taagggtttg acctgaagcc cgtttcaggg attatataaa 1740
ttaccagcct gaaggaagct gaatgcttaa agcaccaagg aggtgtttaa ctgaagtttc 1800
tttttttttt t 1811

```

```

<210> 21
<211> 602
<212> DNA
<213> Homo sapien

```

```

<400> 21
cggccgccgg caggtacagg tttttttggg aatgcgattt aaaattttta aaaacatggg 60
cttcatgaaa acaccattgt tactaacttg ggcttagatg ggaatcta atgtgaatagtt 120
caagttatgg gacttgtcta aatgtgtcta tactctaaac ctgggggaag gtgggtgtgga 180

```

18

```

acattgactt gactacagtc gaatacatgt tgggaatcat tcccaatcat aagacatcgt 240
cgtttctgta ggatgactgc atatgttcag agtagctttt tgaatttggt tcccttagct 300
ttagggatgt gatgttatag tccaaaatgt ttacaagaaa acctaagtct tcaaaagcac 360
aacttttggt gcttaggact ttgcatcaac tgttggtcca gacctcactt caacttcttg 420
gtctctgaac tggtttttagc tagcatgcat gagagacagt tttcatgtat gctagctaaa 480
accagttcag agacagtttt catgtataat gtttctgctc tgcaactgga aagtggttta 540
ctttgcacaa atgctgatga aaacttcatg actatgagac ttttcttctg tgtatcaaga 600
aa 602

```

```

<210> 22
<211> 4114
<212> DNA
<213> Homo sapien

```

```

<400> 22
tttttttttt aattaggata atgcctttat taacgaaaat gaaacgttca ttctccttc 60
cactcctttt cgttgggtttt ttggacacag ctcacctgat cctgctaaaa acgttgctcag 120
tctgcttggg gcttccctcc ttgattgact cacgctgggg gatgtcttga aaagtattta 180
tccacttcat gggaatgagc cctccaatat cagccaacat caatcattct tacctaaaga 240
ataataagaa aaagttaata taaaagacaa gggataaaaa taaagggttg aaaatgctag 300
tcaacttcaa aatttaaaga gtaaaaatcc agagataaag attgggggta agttacagca 360
taaaaaaata ggaagaaact tcatgggtggg ggggaaatct aaaattattc ttacataaaa 420
taagtagaca cctgaattag aatgaaaact gtattttctt taaaatgtaa aagcctgact 480
ctcagtttca ccagtctgag cacaagtttg actgcaaccc aaaatatact atcccttatg 540
tgaaggatg tgacaacgtt gacctcacca aatgagtttt aacatcagct cttttttcat 600
atgaaagcac ataccctgct cccattcaa gtatgtcttc cattgtcagg caggctgacc 660
accttcagca ggagtctctc aagagtgcc aactcccctt cccacagtac acaacgctgt 720
agttgttgtc ctgcaatcct ttgtatttac ctcatctttt cccatctaag tcctcactga 780
gttttaaagt tagggctgga aaagctatgc cttactggga cagcaaggaa ccaatttttt 840
tctgagggag aagacattca cttcactat atgcctggca gggccacagt gcacaaaaca 900
aagatcagcc ttcattcaag ttccaggttt ttcttctctc ctgaatgatt actgcaaagg 960
gtatatgaag taagagttcc ctgttgaca tgtaccatcc ataagggata ctatatcggt 1020
ttgcattctt cccccattc tccacattgt cctatcttaa gtccaagccc ttttctctct 1080

```

caaaaaaaaa	aaaaaaatat	ttttttcagc	actggtgttc	aaaagcaacg	tttttatggt	1140
taatggttta	ccagcaactg	ttgagatttc	cagttgagtc	ttaaaaattg	ccaatcatta	1200
tctagcagca	atgacagatg	attaggagca	gtcaaatcct	ctgaattctt	tcacctaatag	1260
gcagccattt	gagaactgca	ctagctgaca	tcactaaaac	attatcagct	aaagccaaaa	1320
ccaaataaaag	gccagacca	acatcctggc	tctctaaaac	ctgtccaaaa	tcattaagtg	1380
aaaggcagta	aatgcaggac	tgtggatcat	gtcactgcag	ctgacaatga	ttaacaatag	1440
gagacatgca	acccccatta	aggttaaaag	tccaaaacta	gtcacacgca	tctctttatt	1500
ggggaaaagt	gagactatta	tgcattcttg	gtaggtttgc	aaccttgcat	gaagagcacc	1560
cattgcattt	ctttcatctt	tcagaaagca	ccggtatctg	ttccaagggc	ctaacagtac	1620
gaaaatacat	tctggcatca	cacctctgaa	cccaagactg	ttctcattaa	aaataatttt	1680
ggtttgtaac	aaaattatga	aatacaatgc	aagcacctcg	gtatagcatt	attactgaaa	1740
ccacttaatt	cccagctttt	tgagtttttt	aaaaaacccc	actgcactaa	gattcacaat	1800
tcattgctac	atacaaatta	aagctagtaa	gaacacacta	acgtcacaag	tttctcattc	1860
taaagtgcaa	aagcctaata	atctgaaagt	gaacagggtg	aggcaaaatt	aacccccac	1920
cccaataaaag	ttcctgaagt	ccatatatta	tataccaagt	acattctcta	aaaattgtta	1980
ctgactggta	agaaatagac	ctgagttttt	atttctaaca	cccaatcact	aaaccacggc	2040
agcaagcact	ggccaccgat	ttaatggatt	acgacacagg	aaaccccatc	agggttctat	2100
gtaatttagt	gatactcatg	tcactaatat	tgagcattat	acttgatctg	cattatattg	2160
ttgatatgca	gaggctaaac	tagtcatcat	ttgctctttc	atctatcagt	agagtccaaa	2220
gttgtttgct	tgaatggact	acatgttaaa	gtacaagtct	gtccccacct	tgtgaattgc	2280
ttgccaacga	gcaagctttt	tcttgataca	cagaagaaaa	gtctcatagt	catgaagttt	2340
tcatcagcat	ttatgcaaag	taaaccactt	tccagttaca	gagcagaaac	attatacatg	2400
aaaactgtct	ctcatgcatg	ctagctaaaa	ccagttcaga	gaccaagaag	ttgaagtgag	2460
gtctggaaca	acagttgatg	caaagtccta	agcaacaaaa	gttggtgctt	tgaagactta	2520
ggttttcttg	taaacatttt	ggactataac	atcacatccc	taaagctaag	ggaaccaa	2580
tcaaaaagct	actctgaaca	tatgcagtca	tcctacagaa	acgacgatgt	cttatgattg	2640
ggaatgattc	ccaacatgta	ttcgactgta	gtcaagtcaa	tgttccacac	caccttcccc	2700
caggtttaga	gtatagacac	atttagacaa	gtcccataac	ttgaactatt	cacattagat	2760
tcccatctaa	gcccaagtta	gtaacaatgg	tgttttcatg	aagcccatgt	ttttaaaaat	2820
tttaaactgc	attacaaaaa	aacctgtact	tttagttcaa	ctcaacttgt	agaattacca	2880

```

agattgcata atgaaattac tgatattgcc gatctatggg caggtcagtt tgctacaata 2940
gagactaatt atcacatgct atacgggtcca tgtcaagggtg ctaaaagcac cctagttccc 3000
aagtatagtt tagttccctc tccccacac cactgatgtg ttccatgtta tcttcagtta 3060
caatgcaact aaaggaaacc acaactgagt cagatatacc aaagaatcaa gttgcacttt 3120
ttatctgaga actgcaacag cactgaattc tgccctgacaa attacagctc taaccccaca 3180
cccacacagt tttgatgtaa gctagcttta ccatacaagt gttagggtgct gcaactgtaat 3240
ttcatgtcag aaatgtgatg ccagaatgcc cacggaataa aagtacatac aagtcaccaa 3300
gttagattat atgcttgtaa cctacctgta tgcagtcggc aatgagaatc ttggagcaag 3360
caggaatact acatccgggt cctaattgtc attgccattt gcggtactac gttcctcaca 3420
gttacgcact gcagaaatgc tggctaaatg cagttatgta gcaggccact actttaatag 3480
tgcataattg cagtccaaga acaccagaaa acattccgcc acaacttagt ggcttgccca 3540
agaaaagcca agtatctaaa ttttaatctg ccataatatg ccacttaaaa attgcacagg 3600
cgtaacatta caatttcccc attttttagc tgtttatatt agtggtacaa tacatctata 3660
aagagtgggtg gggttagggtc tgtaatttgt caggcagaat tcagtgtgtg tgcagttctc 3720
agataaaaag tgcaaaacttg attctttggt atatctgact cagttgtgtg gtgtccttta 3780
gttgcatgtg aactgaagat aacatggaac acatcagtggt tgtgggggta ggtctgtaat 3840
ttgtcaggca gagtgaggtt tggtgtggag ctggcagatc caaagttgga ggtgaaatgg 3900
tataaaaatg gtcaagaaat tcgaccaggt accaaataca tctttgaaca caaaggatgc 3960
cagagaatcc tgtttatcaa taactgtcag atgacagatg attcagagta ttatgtgaca 4020
gccggtgatg cgaaatgttc cactgagctc ttcgtaagag agcctccatt tatggtgccg 4080
agcagctgga tagaaacccc cgctgattgt tggt 4114

```

&lt;210&gt; 23

&lt;211&gt; 234

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 23

```

agtgtttgca acagcaccat ttgtcaaatt caaagatgct caaaagggtg tccctacttt 60
gcatgagagg gagagctttg taacaggaaa ttgtataagg caaactctct attcattcct 120
aaggcctctg ttcattccta atgtttacat gggtctctac tctgaagggc accaacatgg 180
acctcacctt cttaacatgg aaaatcaaaa tctaaatgaa tacaattaaa agga 234

```

21

<210> 24  
 <211> 600  
 <212> DNA  
 <213> Homo sapien

<400> 24  
 actgcattgg tggcttctcc atagggaggg ggtcctatct catagactcc aaacttcatg 60  
 atggcagggga ggatatctgg atttgctcac ccctgtattt tcagagcctc acacagtgcc 120  
 cggaacatgg taaacattta atactatctg tcaaaaacaa atgactgaaa gagcagatgg 180  
 aaagagccaa tcctgcattg aagagatata catggtggcc ctaaaactac tcaaaccaga 240  
 tgtctcttca gcttcccact ggaaaatgga cgggtgggca aaccaccatc tcacatctca 300  
 gcgagagggg caatgtgcaa aagtatttaa atagcgacga ggtcccacac cccatcccag 360  
 gacagccccc agcatcctgc tccaacataa gcagaaaaag acaatgaggt gcaaagagct 420  
 tatctcctgg gatggttccc ggggtggtctg cattgccaca cagcacatca tgctttgatc 480  
 ctgaaggaca aggccccaat aagccctatt tctcagcaca gtcttaaaat cacctggaaa 540  
 tcattccacc taggaccctt cgtgaatcag cactgatccc aagcgacacg ggaaccccta 600

<210> 25  
 <211> 496  
 <212> DNA  
 <213> Homo sapien

<400> 25  
 ggcaggtaca ttgtaataat aaccacaaaa taattgtata aggagaaaaa taataactga 60  
 cattcatggc cctctgcaag gcacagtatc tgctttctca tttggtcctt cgttggttcc 120  
 atcctttgaa ggtctgagag cagcaggccc attccatgaa caccaaagcc cttcctacca 180  
 cgccagccca gactgccatt tcccctccag aaggccagtg ttcacatcag atagggctag 240  
 agaccatccc ggagtcccca tgtttcagga ctcccgaatc ttcaaatagt ccatctttaa 300  
 gaagggatct cctggcagct aagaggggtga agctaatact tctacaaagt agtgcctaac 360  
 tggtgataag atggcagtgt gtaggaagct gtgtgttggg tcggattccc cttttcatga 420  
 gccattttct gtggtaggtt ccacggacat ggacaccatg gcctcatgga agcatgaaca 480  
 gctccaacac aggggtg 496

<210> 26  
 <211> 1690  
 <212> DNA  
 <213> Homo sapien

<400> 26  
 atgcctagca cggatgctgg tgccctcgag ggtttacgaa tgatctgtcc cgtctccagt 60

```

gacgccctct caggaccac taccgaagtc attaggactc ctttgtttgc agatgacagt 120
taccgagctc agataagagg tggcaaagag tgccagtccc ccatcaaggg tggacccaac 180
aggtggacag ctacagagagg cctggatgcc ggggatgggc tctcagcaga tgtaggagga 240
gctcaagtgc tggcaacagg caagaccctt ggggctgaaa ttgatttcaa gtacgccctc 300
atcgggactg ctgtgggtgt cgccatatct gctggcttcc tggccctgaa gatctgcatg 360
atcaggaggc acttatttga cgacgactct tccgacctga aaagcacacc tgggggcctc 420
agtacacca tcccgctaaa gaagagagcc ccaaggcgaa accacaattt ctccaaaaga 480
gatgcacagg tgattgagct gtaggtgagc agtgacgtga agaggggttc tagccccgtg 540
gaaaacagcc catggttaac atctcaggat gttctgcatt caaacacca aggctggtaa 600
tgaactttca catggactga atattggagg caaataatag aaggaataga atatacagt 660
cctctgtcct gaaggaaaat atcatgcctc ttctggaaga aacggactgc acagaggaag 720
gattgagcaa tttagcctgc agtgaagaa ggtggacacc aaaagcttca ccctgtgttg 780
gagctgttca tgcttccatg aggccatggt gtccatgtcc gtggaacctc ccacagaaaa 840
tggctcatga aaaggggaat ccgaccacac acacagcttc ctacacactg ccatcttctc 900
aacagttagg cactactttg tagaacgatt agcttcaccc tcttagctgc caggagatcc 960
cttcttaaag atggactatg tgaagattcg ggagtcctga aacatgggga ctccgggatg 1020
gtctctagcc ctatcgatga tgaacactgg ccttctggag gggaaatggc agtctgggct 1080
ggcgtggtag gaagggcttt ggtgttcatg gaatgggcct gctgctctca gaccttcaaa 1140
ggatggaacc aacgaaggac caaatgagaa agcagatgct gtgccttgca gagggccatg 1200
aatgtcagtt attatttttc tctttataca attattttgt ggttattatt acaatgtaca 1260
tggctgttgc atagaagaca tgactggtgg aggctgagga aagccatgac attctacaat 1320
tgccatcagg ctaaggcccc gtgagcattt ctctcccttg taatattaac cctgtatttc 1380
tgggatcaca tcacggaata ttctttgcct ttccacttcc caggaaatct ctcgactgg 1440
gctaccctcc ttgtgtgtga tgaaagatga gctatatttc agaacaaagt gctgtgttgt 1500
catgatttgc ctggactccc agggcgtctc ttacccaact tgataacgat gctgttcatt 1560
agcagccttt gttaactgat aaccaagagc ggtaatgtga tactcataag caattttctg 1620
tgtgtaggat aaaataaacc atcttgtatg ggaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaggcggtc 1690

```



<211> 461  
 <212> DNA  
 <213> Homo sapien

<400> 27  
 ggggtgataat catataggcg aatggtctct agatgctgct cgagcggcgc agtgtgatgg 60  
 atgcgccccg gcaggtacca agctcccagg cccttcctct atcatggatg ctgggtgact 120  
 tcgggaagtc accacctctt cccaagcctg tttcccatat cacagatgtg gggccatggc 180  
 ctcatgatg gtctccacag gtctttccac ctctgtgagt ccaagtcagg tcaatcagca 240  
 aggacccatc tctgccctgg gtcagctcct cagaaccaac cccagcatc cctaaagcaa 300  
 aagcctcacc tcaagggctg ctcagaagag agcaccttca gcatgagttg ttgctggaag 360  
 atctaataag ctgtgtttcc tgggaagtgg tgctttactt agccctgtgg acaacttctc 420  
 tatgcatctg tgtgagcaga tgatcattgt attacctttt a 461

<210> 28  
 <211> 4043  
 <212> DNA  
 <213> Homo sapien

<400> 28  
 ccgcttaatt aaagatcttt tttttttttt tttttttctc ataaacagga actttattaa 60  
 actacatggt acataaaaga acatataaat ggaccattaa atacattcag tttattttaa 120  
 acaaatttac atagatactt atttacattt ctccattgta ttcttaaatt atttttccaa 180  
 gcttactacc gataaaagggt aatacaatga tcatctgctc acacagatgc atagagaagt 240  
 tgtccacagg gctaagtaaa gcaccacttc ccaggaaaca cagcttatta gatcttccag 300  
 caacaactca tgctgaagggt gctctcttct gagcagccct tgagggtgagg cttttgcttt 360  
 agagatgctg ggggttggtt ctgaggagct gaccagggc agagatgggt ccttgctgat 420  
 tgacctgact tggactcaca gaggtggaaa gacctgtgga gaccatcatc gaggccatgg 480  
 ccccatct gtgatatggg aaacaggctt gggaagagggt ggtgacttcc caaagtcacc 540  
 cagcatccat gatagaggaa gggcctggga gcttggtacc cagggttcct ccaagaggtc 600  
 ccgatccctc tgctatccac aaatccacaa acttagaatc acttgcatcc attttccacc 660  
 accatggacc ttatgctttg aactgttttg tdtacctgat taaatatata acttcttagg 720  
 cttcttgaga tggtgaaaag cagctcagga ttcccataag caactttgtg gagccctgga 780  
 aatacctact cagggctggt tttacaagag gttttgtggt cagggtgctt actacttcag 840  
 ccataacgtt tacctttaaa actcagctga cttatggaag ctcagcattt ccaattcgct 900  
 tagatgacag gcaacagtct gcagaaggga ggttctaacg tcaaccacgt ggattcccca 960

caaacgcatac	atatttgcct	aatccatct	atctaccaat	gtcagatcta	aatgaggtt	1020
tcactaataa	gtgacctaaa	attaaaaaaaa	acacaaaaaaaa	gtttctttaa	aaaaaaattc	1080
caagaatttc	ccggtttccc	aattagtctc	agaggagtcg	tgaaatgggc	attgggtaga	1140
aaaagtccat	gttttcaact	gtttcttttg	aataaagcct	gattccccca	ctctgcccc	1200
aaacttttcc	cgatgatata	cattcttctg	aaagcaattt	catgctttta	gtctgcttta	1260
aaaaacctga	cttggttctt	ctcaggattt	aaaaaccact	gtaccaagga	agagatgtcc	1320
acgttaaaaa	ctattattaa	gagacagaga	caaggagaga	gagactctct	ccaggccatg	1380
ttagaaaaga	aggaagtgt	gggagcacac	aaagagagaa	gaaaggctgg	gagacagaat	1440
ggtttgcacc	tccctgtaac	cagagtgaac	acaggtcata	gcagccttca	ctcagtttta	1500
taacagacac	acgaatggag	gaacatggga	ttggaaagac	gcacactgtc	aaacagccct	1560
gatgcctttc	cactaaaata	tggcacttct	agattccaga	gaaatccagc	attctaccag	1620
gggctgccac	ccatctgcag	ggaagcctgc	cctgcaacca	tgaggccctc	aaggctcata	1680
ctccactgct	cacaatgcgc	gccctgaata	catggaagca	tctgatttct	gtctgagtcc	1740
aactttccct	cctgttecta	gacagactca	caccagagt	catgcacgga	gaagtgggca	1800
agccagacaa	tcttcaggga	gacacagccc	atcacaggat	acccaaggct	tatggggaag	1860
tccagttgcc	agcaacggac	cctgtgtggg	caggtgaaac	tctgaagcca	gagaacacag	1920
gaagataaaa	atatcttcat	actgaggata	tactgcacaa	gtgtgggtgg	tcacacctgt	1980
aatcccagca	ccttgggagg	ccaaagtggg	ctgatagctt	gagcctagga	gtttgaaact	2040
agcctgggca	acataatgag	accctaactc	tacaaaaaaaa	aaaaaaatac	caaaaaaaaa	2100
aaaaaaatca	gctgtgttgg	tagtatgtgc	ctgtagtccc	agctatccag	gaggctgaga	2160
tgggagatca	cctgagccca	caacctggag	tcttgatcat	gctactgaac	tgtagcctgg	2220
gcaacagagg	atagttagat	cctgtctcaa	aaaaaaaaaat	taattaaaaa	gccaggaaac	2280
aagacttagc	tctaacatct	aacatagctg	acaaaggagt	aatttgatgt	ggaattcaac	2340
ctgatattta	aaagttataa	aatatctata	attcacaatt	tggggtaaga	taaagcactt	2400
gcagtttcca	aagattttac	aagtttacct	ctcatattta	tttccttatt	gtgtctattt	2460
tagagcacca	aatatatact	aaatggaatg	gacaggggat	tcagatatta	ttttcaaagt	2520
gacattattt	gctgttggtt	aatatatgct	ctttttgttt	ctgtcaacca	aaggatggac	2580
agtgattcag	aaccgtcaag	acggtagtgt	tgactttggc	aggaaatggg	atccatataa	2640
acagggattt	ggaaatgttg	caaccaacac	agatgggaag	aattactgtg	gcctaccagg	2700

25

```

taacgaacag gcatgcaaaa taaatcatt ctatttgaaa tgggattttt ttttaattaaa 2760
aaacattcat tgttggaagc ctgttttagg cagttaagag gagtttcctg acaaaaatgt 2820
ggaagctaaa gataaggga gaaaggcagt ttttagtttc ccaaaatttt atttttggtg 2880
agagatttta ttttgttttt ctttttaggtg aatattggct tggaaatgat aaaattagcc 2940
agcttaccag gatgggaccc acagaacttt tgatagaaat ggaggactgg aaaggagaca 3000
aagtaaaggc tcactatgga ggattcactg tacagaatga agccaacaaa taccagatct 3060
cagtgaacaa atacagagga acagccggtg atgccctcat ggatggagca tctcagctga 3120
tgggagaaaa caggaccatg accattcaca acggcatggt cttcagcacg tatgacagag 3180
acaatgacgg ctggtatgtg tggcactctt tgctcctgct ttaaaaatca cactaatatc 3240
attactcaga atcattaaca atatttttaa tagctaccac ttcttgggca cttactgtca 3300
gccactgtcc taagctcttt atgcatcact cgaaagcatt tcaactataa ggtagacatt 3360
cttattctca ttttacagat gagatttaga gagattacgt gatttgtcca atgtcacaca 3420
actaccaga gataaaacta gaatttgagc acagttactt tctgaataat gagcatttag 3480
ataaatacct atatctctat attctaaagt gtgtgtgaaa actttcattt tcatttccag 3540
ggttctctga tactaagggt tgtaaaagct attattccag tataaagtaa caaacacagt 3600
ccctagatgg attgccacaa aggcccagtt atctctcttt cttgctatag ggcacaggag 3660
gtctttggtg tattagtgtg actctatgta tagcaccaa aggaaagact actgtgcaca 3720
cgagtgtagc agtcttttat gggtaatctg caaaacgtaa cttgaccacc gtagttctgt 3780
ttctaataac gccaaacaca ttttctttca ggttaacatc agatcccaga aaacagtgtt 3840
ctaaagaaga cggtggtgga tggtggtata atagatgtca tgcagccaat ccaaaggga 3900
gatactactg gggtgagacag tacacctggg acatggcaaa gcatggcaca gatgatggtg 3960
tagtatggat gaattggaag gggtcatggt actcaatgag gaagatgagt atgaagatca 4020
ggcccttctt cccacagcaa tag 4043

```

&lt;210&gt; 29

&lt;211&gt; 176

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 29

```

ttataataac aaaaaaagtg tgaggggatg ttttcccaag ccccttctc cggtgggcgg 60
ctctcgtgtg aggacccatg gtgacagagt ctctctcatc tctcactct gaaagcattc 120
cactggggag agtcaaccct ggctcggggc ttcctccaca cagcacacgg cccttc 176

```

<210> 30  
<211> 1332  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (623)..(642)  
<223>

<220>  
<221> misc\_feature  
<222> (623)..(642)  
<223> a, c, g or t

<400> 30  
atccccgggaa cttgacacct cgtccccgggg cagcagcggc tctcctgcgc acgccgagtc 60  
ctactccagc ggcggcgggc gccagcagaa attccgggta gatatgcctg gctcaggcag 120  
tgcattcatc cccaccatca acgccatcac gaccagccag gacctgcagt ggatgggtgca 180  
gccacagtg atcacctcca tgtccaaccc atacctctgc tgcacccct acagccccct 240  
gccggggcctg gcctctgtcg ctggacacat ggccctccca agacctggcg tgatcaagac 300  
cattggcacc accgtggggc gcaggaggag agatgagcag ctgtctcctg aagaggagga 360  
gaagcgtcgc atccggcggg agaggaacaa gctggctgca gccaaagtgc ggaaccgacg 420  
ccgggagctg acagagaagc tgcaggcggg gaggaactct gcgtaggggt ggagcacctc 480  
tgggtgggct ggagtgagag ccccgggggg cctgatectc tctcccacag ctgtctcctt 540  
accacaaaat gcctacaga tgagtcagtg gagatagagc tttccttcct ttggacacat 600  
gggtcagcat tgtgttgatt gannnnnnnn nnnnnnnnn nngtggcggt tagcaccagc 660  
cagggcccag aggggaagaaa tgaacaacct tctgtggggg tgctagccac gggttttacg 720  
cagcacctga gtgttctctg ctcacagaac tgtgggggct cctgggtgag ggatgatgga 780  
gggtgggagc cagggcaggt ccagacctgc cccatccagg gctgcttccc gaggttccag 840  
ccaactcccat gcctgccgcc atcaggagtg gccagcctg gcctaagcac tctgggttgg 900  
gccagagaga agtcttgatg gagataggtc acgtggcagc agggttgtat tttcttgggg 960  
ttttctcatt tcctttatgg gcaggcgggt tccccacctc tatcatgaac tcagagctgt 1020  
ggccatggta ccgctgctg ctcttgtgag tcaactctcc gtgccgccta attgccaga 1080  
cctggggacc cgcagccctg cccttcctc tgtaagctt gacctacca acgtcacgta 1140  
actcccttca gagcctggcc ctgcaggaag ggccgtgtgc tgtgtggagg aagccccgag 1200

27

ccaggggttga ctctccccag tggaatgctt tcagagtga gagatgagag agactctgtc 1260  
 agtggtcctc acagtgaactg ccaggatgg ggcttgggaa aacatcccct cacacttttt 1320  
 ttgttattat aa 1332

<210> 31  
 <211> 571  
 <212> DNA  
 <213> Homo sapien

<400> 31  
 gccgccggg caggtacctg tagtcccagc tactgaggag gctgaagcag gaggatccct 60  
 cgagcacaaa agtttcaggc tgtggttaagc tatgactgtg ccactgcaca ccagcctgag 120  
 ttacagaggg agatcccaac tcttaaaaac taaaacaaca ataatatat acaagaatca 180  
 taacataaag ggattcatgc ttagaaaaaa tccataaact cccttctaaa tattgagaca 240  
 ctccaggctt ctttcagaca aataacttct aattattcca tatttttcaa gttattaacc 300  
 aagataaaga atctctcagt tagtggggaa aatgaaaatt attaagaata gaattgtctt 360  
 ctgactttta aaacaattta gactttaaaa catgaactgt ttactcaggc tggtgatact 420  
 ctagtgtgtt agtataccat acttgaagat atcatcaaga tcactatagt tgtatatatt 480  
 ctctattttt atatgtaatg ttaacttagt tcaagtattt ttgcttgta tcgttaactg 540  
 atcatcaa ataatcctaa agatatatca g 571

<210> 32  
 <211> 240  
 <212> DNA  
 <213> Homo sapien

<400> 32  
 ccgggcagg acatattcta cagaaaaaa tcaaatatgt atacaaataa gtatgcacag 60  
 gatttagaat cttacataaa aatgtattta acttggtctg agtgtgtgtg tgtgtttccc 120  
 aggttaagta aaattagaaa gccagaatca caagccacaa aaaagaaaaa ctgataaatt 180  
 agataccatc aaaattaaaa tctctaactg ctacaaataa taccatcaag aatgggaatt 240

<210> 33  
 <211> 1026  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (883)..(883)  
 <223> a, c, g or t

<400> 33  
 aatagctcga ccgcgcgttt tgatggatga gcgacgaggt caggaggacc tgtatcacia 60  
 aaaaaaagaa aagggaaaaa agaagagaaa gcagcagcat gatacctgac atgacagatg 120  
 tgggagaccc acagcctgca gacactgtgt ggctggaagg tggcgacggg agtgggtccg 180  
 gtggagtgtg gagctgtctg aaagtgcgc agcagacagt agaagcatag gtgggcgaag 240  
 cccaggtgac cctcaaaacg ttgcacaaga acatcagga aaaagaacta gaatccttta 300  
 aggaaaatgt tcttcatgta tgagagacta aagtgatttt tctaagaaag ttcagccctt 360  
 ctctgactta cctggacatt tctagatact tccaaaggac cctctgggaa tccatagctt 420  
 cctaactctgg agatgggagg tcataaggga gacgctgtgg ggttccttga agtttcttgg 480  
 gttcacagag gagccccctc acttgggtgt ctcccgtag ccagcctcca cctgccaaag 540  
 acactctggt cctcgtatag tgagtaatgg ggctcagggc ctctccaaca acagagagga 600  
 gctgatgctg tagggctgac cccgtgactt cctggagtcc tcaccctgtc cagtgccttg 660  
 agattcttcc cacctcccca tctcaccag ccggatcggg cgctgtgcag tgtggtcagc 720  
 atgggtaaga aagtcatttc cttgggtggac agtattcctc tttatctctc attacactgg 780  
 aaatgttatt tctgctgtat catccgtgct ccaacgttcc tagtctgtca ggctcacctt 840  
 ctctctggaa agaattgctt aacttgacat tccatgtgcc gcntataaaa tatatcttga 900  
 aagaacaaaa aaaacaaaa aaaaaaaaaac ggtgggggta acctggggcca aaacgcgtcc 960  
 ccgggggtgaa ttgttctccg cccactcaa cccaccaac aaaaaataa acagacaaaa 1020  
 aacaaa 1026

<210> 34  
 <211> 1545  
 <212> DNA  
 <213> Homo sapien

<400> 34  
 gccgacaatg acatcggagc cgtctcaacc acagggcatg gggaaagcat cctgaagggtg 60  
 aacctggcta gactcaccct gtccacata gaacaaggaa agacggtaga agaggctgag 120  
 gacctatcgt tgggttatat gaagtcaagg gttaaagggt taggtggcct catcgtgggt 180  
 agcaaaacag gagactgggt ggcaaagtgg acctccacct ccatgccctg ggcagccgcc 240  
 aaggacggca agctgcactt cggaattgat cctgacgata ctactatcac cgaccttccc 300  
 taagccgctg gaagattgta ttccagatgc tagcttagag gtcaagtaca gtctcctcat 360  
 gagacatagc ctaatcaatt agatctagaa ttggaaaaat tgtcccgtct gtcacttgtt 420

29

```

ttgttgccctt aataagcatc tgaatgtttg gttgtggggc gggttctgaa gcgatgagag 480
aaatgcccggt attaggagga ttacttgagc cctggagggtc aaagctgagg tgagccatga 540
ttactccact gcactccagc ctgggcaaca gagccaggcc ctgtatcaaa aaaaaagaa 600
aagggaaaaa agaaagaaag cagcagcatg atcctgacat gacagatgtg ggagaccac 660
agcctgcaga cactgtgggc tggaagggtg gaaggagggt gccggtggag gtggagctgt 720
ttgaaagtga cacagcagca gtagaagcag tgggtgggca agcccagggtg accctcagaa 780
cgttgcacaa gaacatcagg gaaaagaacc agaatccttt aaggaaaatg ttcttcatgt 840
atgagagact aaagtgattt ttctaagaaa gttcagccct tctctgactt acctggacat 900
ttctagatac ttccaaagga ccctctggga atccatagct tcctaactctg gagatgggag 960
gtcataagggt agacgctgtg gggttccttg aagtttcttg gggtcacaga ggagccccct 1020
cacttggtgt tctcccgta gccagcctcc acctgccaaa gacactctgg tcctcgtata 1080
gtgagtaatg gggctcagggt cctctccaac aacagagagg agctgatgct gtagggctga 1140
ccccgtgact tcctgagtcc tcaccctgtc cagtgtcttg agattcttcc cacctcccca 1200
tcctcaccag ccggatcggg cgctgtgcag tgtggtcagc atggtgaaga aagtcatttc 1260
ctcgggtgggc agtattcttc tttatctctc attacactgg aaatgttatt tctgctgtat 1320
catccgtgct caacgtttta gtctgtcagg ctcaccttct ctctggaaag aatttgctta 1380
acttgacatt ccattgtgcc ctaataaaat atattttgaa agaaaaaaaa aaaaaaaaaa 1440
aaaaaaaaacg gtgggggtaa cctgggcca aacgcgtccc cgggggtaat tgttctccgc 1500
cccactcaac cccaccaaca aaaaaataaa cagacaaaaa acaaa 1545

```

```

<210> 35
<211> 338
<212> DNA
<213> Homo sapien

```

```

<400> 35
tgatcactca ctataggcct ggtgctctag atcatgctcg agcggcgcag tgtgatggat 60
ggccgccccg gcaggtactc agaattgagg ggctggaagt ggggccagtg gtcctggtag 120
tcagcctccc cttctgacac aagaattatc gtggaacagc ttgtgtgacc gatcaactgg 180
tctctccatc ttaagccat tgtcttggtg actctgttac tgcagagttt ggggagggtc 240
catggcttct cgggatacta tttcctgagc ttccctgaag ccaacttctg gccactggta 300
tgtgatgcga gcacagtgcc tcctcctgct cctccagg 338

```

```

<210> 36

```

&lt;211&gt; 1851

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 36

```

gccgcatatt tttttttttt tttttttttt tttttcaagg ttggaaaatc ccactttact      60
tcaagtgaag tcaactgggt gtcccatga aatatctcca caatgggtgt gctagacctt      120
tactctctgt ggcaccacca agacccctc accctgccag agccctctga agtgtactca      180
gaatggaggg gctggaagtg gggccagtgg tcctggtagt cagcctcccc ttctgacaca      240
agaattatcg tggaacagct tgtgtgaccg atcaactggg ctctccatct ttaagccatt      300
gtcttggtga ctctgttact gcagagtttg gggaggctct atggcttctc gcctcctatt      360
tcctgagctt ccctgaagcc aacttctggc cactggtagt tgatgcgagc acagtgcctc      420
ctcctgctcc tccaggaagc ttctgctgat tgaacgcagg ccagatggcg agatccggag      480
caaccttctt agatcaaggg aagaaagggg cacaagaggg gagtaggtaa caagataaaa      540
ggagctccct ccctgatgac tacagagcca tcgtggcagc cctgggcctc catttcagac      600
gttcatcttg cctaagccac caccatcagg gtctcagtca gtcattctc tcatttactc      660
gggtggctgg gtgagggcgg aatactacct tccagctgtc tgagattaag cctaagccac      720
caccatcagg gtctcagtca gtcattctc tcatttactc ggggtggctgg gcgagggcgg      780
aatactacct tccagctgtc tgagattaag cagaacagca gctaaagcag taacagcagg      840
tctccttcag cagcttgcca caggaagag ggtcccgct gaaccgaact caactccac      900
ctgcgcagag gtagctacca ttgctgtaga ggtagctggg tctttaaggt tagaggaag      960
gcgcagggag ggagagacgg cgggtggggg ttgaacaaag tggagattca caaaagcaga     1020
ctagggcggg cgacgtgatc agatgacctg tgcgggcggc agcctcctgc ctcctcccc     1080
ttcgtgcgcc ggctggagcg aagagttctt ttgacagccg tgagcttccc cgccaggaac     1140
ttactggggc tgcattcccc tagaaacgtg gctttgggct gtgaaacgc tgcctctgtg     1200
gaagtctctc ctgcggggg tggacgggtc gctgcgcgcc cagcgttctt ctgcggttct     1260
cacagcccgc cgccgccgcc gcctcgggga cctttgcggg gaggcctcag gtcagcgccg     1320
cccttgcatg ggcgggagag cagagcgccc ccagggcctc tgagctccgg ccccggcacg     1380
tcccgccctc tcctccgctt gcgggagccg gggcgccctg gagggaaacc ttccggacac     1440
aggccgggag aagaggggcc gtggcgccat cgcgcagctt cctggtttcg gccatgtttt     1500
tttttttttg agacggagtt tcgctctttt tgcccaggct ggagggcaat ggcgcgtctt     1560
cggctccctg cagccgccgc ctcccgggtt gaagggactc tccggcctca ggccgcgggtg     1620

```



31

ttcttgtaaa ttagaaccgg cctatgcgcc aagcgcggtg ctgcgggctg cggagagagg 1680  
 cccagcaggg ggcggggacc ccgggaggcg gggcctggcc gagctgcgca caccggggtg 1740  
 gttctggcta cgggtaccgg gacctgcca acgaccgttc tccattcccg acctccgcac 1800  
 cctaccgggt ccgcagggca ccttcctcct ctctctcagg cagtcctcg a 1851

<210> 37  
 <211> 409  
 <212> DNA  
 <213> Homo sapien

<400> 37  
 gagagcaagt tcaagcaggg ccaggaacag gacagccggc aggagagcag gctcaacgag 60  
 gactttcttg gaatgctggt ccacaccagg tccctgctga aggagacact ggacatctct 120  
 gtgggactca ggaacaaata cgagctgctg gccctacca ttaggagcca tgggaccgca 180  
 ctaggtcggc tgaaaaatga ttatcttaaa gtataggtgg aaggatacaa atgctagaaa 240  
 gagggaaatca aatcagcccc gttttggagg gtgggggaca gaagatgggg ctacatttcc 300  
 cccataccta ctatcttttt atatcccgat ttgcactttg agaatacatc taaggtcatc 360  
 tttcaaaaga gaaaaattgg acacttgagt gacttgtttt tagtttgtt 409

<210> 38  
 <211> 2112  
 <212> DNA  
 <213> Homo sapien

<400> 38  
 ttgagagcag agagatcctc aggatatctt tagccaaagg aaaagctccg cattcccacc 60  
 cagtccagaa attgaaatac tatcaggggg caagagcctt tctctccagc tacacactcc 120  
 atctcccggg agcaagggga aactccgaga ggaggggcaac agagccagca tcttgccagg 180  
 gccccggagg aggggttccc cgctacgcct gtgccggagg agttccagtc accgagcgag 240  
 gggcgcaagg gtgggtgcat cctgcgctgc ggcggggcgc ctaccagac gctggtgtgc 300  
 agagccacat gaagcctgct ggggactggg ggccaggag cagcaagcca gctgggactg 360  
 aggcggacgc tgtctcaggg agacgctgac tcgcaaagac actcccttcc ttgtgcctgg 420  
 gtaaaaagtc tctcctggg gtccctggcc atcctgaata tccagaatgg tgtttctgaa 480  
 gttcttctgc atgagtttct tctgccacct gtgtcaaggc tacttcgatg gccccctcta 540  
 cccagagatg tccaatggga ctctgcacca ctacttcgtg cccgatgggg actatgagga 600  
 gaacgatgac cccgagaagt gccagctgct cttcagggtg agtgaccaca ggcgctgctc 660  
 ccaggggggag gggagccagg ttggcagcct gctgagcctc accctgcggg aggagttcac 720

```

cgtgctgggc cgccaggtgg aggatgctgg gcgcgtgctg gagggcatca gcaaaagcat    780
ctcctacgac ctagacgggg aagagagcta tggcaagtac ctgcggcggg agtcccacca    840
gatcggggat gcctactcca actcggacaa atccctcact gagctggaga gcaagttcaa    900
gcagggccag gaacaggaca gccggcagga gagcaggctc aacgaggact ttctgggaat    960
gctggtccac accaggtccc tgctgaagga gacactggac atctctgtgg ggctcaggga   1020
caaatacgag ctgctggccc tcaccattag gagccatggg acccgactag gtcggctgaa   1080
aaatgattat cttaaagtat aggtggaagg atacaaatgc tagaaagagg gaatcaaatc   1140
agccccgttt tggaggggtg gggacagaag atggggctac atttcccca tacctactat   1200
ttttttatat cccgatttgc actttgagaa tacatctaag gtcattcttc aaaagagaaa   1260
aattggacac ttgagtgact ttgtttttag tttgttttt gtacattatt tatgtgattg   1320
ttatggaatt gtcacctgga aagaacaatt ttaagcaatg tcatttctag atgggtttct   1380
aattctgcag agacaccgtt ttcagccaca tctaaaagag cacagtttat gtggtgcgga   1440
attaaacttc cccatcctgc agattatgtg gaaataccca aagataatag tgcatagtct   1500
ctttcagcct ctagccttca ctctgggct ccaaaagcta tcccagttgc ctgtttttca   1560
aatgaggttc aaggtgctgc tttgcatgcc tgccaacca tggaagttgt ttcttacttc   1620
ttttctctct tatttattaa ccatggctctg agagttgttt ttgttctatg taacagtatt   1680
gccacaaaac tataggcaaa tcgtgtttgc agggagattt ctgatgcctc tgtgggtgtg   1740
tgtaagttaa agtggccaca tttagaagg ccaagctttg tagtggttgc acagtcacac   1800
tgatatgctg atttgctctt tctcattgta tgtctatgct ttgtcatcag tgctatagta   1860
aattacaaag aaataggtag attgtatgaa cataccaca aatgcctatg atttaggtta   1920
ccaatgtatt ctttctcatt tggggttttg cttctgtctg tctgtttatt ggaaacttgt   1980
acttcaagta gggggaatcc taattctaata aactccttag ctaagtttta ttattcaggc   2040
aataaacatg ttttcatgta aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   2100
aaaaagatcg gc                                                    2112

```

```

<210> 39
<211> 713
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (260)..(539)
<223> a, c, g or t

```

<400> 39  
ccgcccgggc aggtacctac ctgatgaagc tgttcattgct tccagcatca aactggacgt 60  
ttactgtctg cccaaaagcc agtttccaaa aggtttgctt ccctctgttc agtggattct 120  
tgactacata taggtcatat atttcaaaaa ataatgccta gctattttcta ctttgaaatc 180  
atgactaaag ccaaaccaca accacagcaa agataaccta aggatttggt taccagaaat 240  
acctacaaaa aagtttgcnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 300  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 360  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540  
caccctgcc aagttttgc catgggtccg caggcaaagt tgcaaccgga gccgttcctg 600  
ggtgaaaagc ttggcggtaa tccttgcctt atccttgttc ccttgtgtgg acatttgttt 660  
tccccgctcc ccaatctccc ccataccctc ccacaaaaaa aaaccaggac aac 713

<210> 40  
<211> 338  
<212> DNA  
<213> Homo sapien

<400> 40  
ctgattttaa gtcatagaat ttactgaaat acctacacag ctctgaatcc aacatttttg 60  
tcatgggtat tagaagaaac caaaacaact gactgaaaat gaaatgttca gtcagacagt 120  
gtttgtccac atcttttttt ttttgaagtt ttgaatcatc cattcacaga aaacacttgt 180  
ttatgggtat aatgcaaaac ttttgaaaca aaaaaaccta ctaaaaatgc tttcgctaaa 240  
gtgattggct ttctattcat gctttgaaat aaaattatct agaaagggtg gagaagggtt 300  
tgccgaacag ccattcttct gatgtgcctt agattaga 338

<210> 41  
<211> 805  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (241)..(520)  
<223> a, c, g or t

<400> 41

34

```

aatgctgctc gagcgcgcg agttatgatg gatgtggtcg cggccgaggt ctcagtttcc      60
ctatttgtaa aatggaaata atggtagctg cctcaaacct cattacgaat tcaatgagtt      120
aaacttgaaa agacttatta cagtagctgg cacataaaga cttgatagta gtttatatgg      180
atgctatctc atattagcat atatggaatt aatagtgtat cactatactt ttttttcttt      240
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn      300
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn      360
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn      420
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn      480
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn ttactatgct atcaattcca      540
tatatggaac ggtgtcttcc ctttcagagc tctttaaagc tctgcagaag atttacatgt      600
gtttatagag ctaagagaaa tcgggccatg gaaatgtggg tgtgtaacta acaaatttaa      660
cctcttcatt ttatattaat catgcataat tctatcttca tcctctgaaa gtggcctaga      720
gcaaccatca cagtaggaag cttgggtatc atggccatag ctggctctgg tgtgaattgt      780
ttcgtcaatc caaaaaaaaa aaaag                                           805

```

```

<210> 42
<211> 300
<212> DNA
<213> Homo sapien

```

```

<400> 42
gaatgtatga tcactatagg gccatgggtt atctagatgc tgctcgagcg cgcgcagtgt      60
gatggatcgt ggtcgcgggc aggtaccctt tgagcctggg caagggtgcat gacacacact      120
tggtcactgg aggaaatgat gagtagagag tgacaagcag aggaggggag ctttgggcct      180
gagtcctctg gggcacaaga gtggttgagg cttggcactt gccacctaga tttcagacaa      240
tgtgtcagga atcctggatg cccagaaaga aacctgctca gggctctggag cccaacata      300

```

```

<210> 43
<211> 561
<212> DNA
<213> Homo sapien

```

```

<400> 43
ggactgagaa ttcctgtggt ctcctgagat cagtttcttt ccaccagatt gtaacaagc      60
tgtggaaagt tttagttctt agcgactcca cgaccacac tagtcaggca gaagccccc      120
tgtacaaggt accccttgag ccttggaag gtgcatgaca cacacttggc cactggagga      180
aatgatgagt agagagtgac aagcagagga ggggagcttt gggcctgagt cctctggggc      240

```

acaagagtgg ttgaggcttg gcacttgcca cctagatttc agacaatgtg tcaggaatcc 300  
tggaatgcccc gaaagaaacc tgctcagggg ctggagcccc aacataaagc ttttatttag 360  
gcaatgttga gcactaatat gtggttggag ctctgcaggg ggtctccatg ggtgcactgt 420  
gtagcaaagc tgtgggagaa aggccttacc cctcaaaatt ccagaattat aaatctatca 480  
gccgcttgca acttcagcct ggaaaagcca tgggcattaa actccaaact gtgagagcag 540  
ccatgtggct gcaccctcaa g 561

<210> 44  
<211> 530  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (102)..(182)  
<223> a, c, g or t

<400> 44  
gttttaaaaa gaggagctcc cctgcatgag atctcacttt ttgcctgcta ccatttatgt 60  
aagatgtgac ttgtctcttc ttgccttcca tcatgactgt gnnnnnnnnnn nnnnnnnnnnn 120  
nnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn 180  
nngcccgccg cgggcggtctc caccgcctc tccgcgcgcg ccccaacccc gccgccccgc 240  
gcgccacgag cagatcggag cagcaggccg cgaggagcag gcgagcggcc gccagtaggc 300  
gcgacgcgtg ccgcgggagac gacgcccggg gcgtgcacgc cgctgaggcc gaggacagcg 360  
atgcgccgcg cgaggcgcgg agcgaggagg agcggcgtgg accgccccag cggccgagga 420  
cgggcgagcg gcgcggggag gccgaaggc gaggaggagg tgcgggacgg ggggacgaga 480  
agaggagaag agaggggaaa gggagggggg ggagcggaga agagggaggc 530

<210> 45  
<211> 709  
<212> DNA  
<213> Homo sapien

<400> 45  
acaaaatagt aatgatagcc atggaagttt taccttattc tgtgagaagt gttcttaaac 60  
ttattaagtg tctaaactaa ggtttagtgc ttttttaaag gaaagttgtc ccaggattca 120  
tcctaaagaa agcaaaagtt aattcaactg atccaccaat ggaattagat gggtagagtt 180  
gggttcttga gttttaccac cacttagttc ccgctgaatt ttgtaacttc ctgtgtttgc 240

36

```

atcctctgtt cctattctgc ccttgctctg tgtcatctca gtcatttgac ttagaaagtg 300
cccttcaaaa ggaccctgtt cactgctgca cttttcaatg aattaaaatt tatttctgtt 360
ctagctggga acacaaacaa caactcaact acaaaatcac gctctgtggg cagtatccct 420
tgcgccctta gcctttcccc cgggtgtcac tttgtcttcg cccccccatt ccccccaact 480
ctccacact ctccctcctc ccatcacttc cctccctctc tcccgctctc gctgccggcc 540
cgtcagcgcg cgtcgcgctc ggcgcgtcg gctcgcctcg ccgtctctcc ctctctccg 600
ccgcgtcccc gccgcgcgc gtctgcccgt ccctcgtcct ccgctcccct cctccgcccg 660
ccgcctcccc ccgcccgtct gccactcgtt ccctagtgcg cgcgcgccc 709

```

```

<210> 46
<211> 1808
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (153)..(153)
<223> a, c, g or t

```

```

<400> 46
tcataagagt gaaatagtc gctgctgacg gcacctcagc cagccacty ttactcagtt 60
cagtgggtgt gcttgctggt taggatgtgg tgcagccctc tctacgctct tctatttttg 120
gtatatttyc tatttaacct tcaaatacgt tcnaattctt tttttcttgg actggcttca 180
ttctgaattt gtgctaaaat aatctttcat aaagagacct cagtttatag cgtaacagac 240
tacacaatgc actgatgttt tcataatggt taagggaccc actgcaagaa gggtgctgcc 300
tccttttaat tgtattcatt tagattttga tttccatgt taagaagggt aggtccatgt 360
tggtgccctt cagagtagag aaccatgtaa acattaggaa tgaacagagg ccttaggaat 420
gaatagagag tttgccttat acaatttcct gttacaaagc tctccctctc atgcaaagta 480
gggaacacct tttgagcatc tttgaatttg acaaatgggt ctgttgcaaa cacttttttt 540
ttgagatgaa gtctcgcggt tgtcacccgg gctggagtgc agtggcgtga tctcggctca 600
ctgcaacttc cacctcctgg gttccagcag ttctcctgcc tcagcctccc aagtagctga 660
gattacaggg gcctgccacc ccacctgggt gatTTTTTgta atttttagtag agacgggggtt 720
tcaccatggt ggccaggctg attaatcct gacctcaggt gatccacctt tctcggcctc 780
ccaaagtgct gggattacgg gtgtgagcca ccgtgcccgg cctgcaaaca cattttaatt 840
gacaacacta gggctgttgt acaaaatagt aatgatagcc atggaagttt taccttattc 900

```

37

```

tgtgagaagt gttcttaaac ttattaagtg tctaaactaa ggtttagtgc ttttttaaag    960
gaaagttgtc ccaggattca tcctaaagaa agcaaaagtt aattcaactg atccaccaat   1020
ggaattagat gggtagagtt gggttcttga gttttaccac cacttagttc ccactgaatt   1080
ttgtaacttc ctgtgtttgc atcctctgtt cctattctgc ccttgctctg tgtcatctca   1140
gtcatttgac ttagaaagtg cccttcaaaa ggaccctgtt cactgctgca cttttcaatg   1200
aattaaaatt tatttctgtt ctagtgggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   1260
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   1320
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa actgagaaga gggggtgccg   1380
tgcttgtcct tctccccacg ggcgggcgca gcgcgtgcac cacccccgtg gtgttaagtt   1440
aaaagggggc agcggggccc ctgaggcggg tgtatataag agagagagag aggggcggct   1500
tacacacaaa atagatctgg cggcagaagg aggcgaataa aaaagttgct ttcagaagtc   1560
ctcatgatac ttgggctgaa gaagacaaga acatcctttt cagaatgcgg atgtagagat   1620
aatatcaatc gaaggagcca caccacccta agtagaaaat tagtcagggt cctcagtcca   1680
tattgagcag taaaaatatt caatgattca gaagtcgtta cggatctaca acagcaagca   1740
tgatgttact tctgcccgcg gaagactgag actttgctgc tcgagtatct ataagacaaa   1800
taatatcg                                     1808

```

```

<210> 47
<211> 760
<212> DNA
<213> Homo sapien

```

```

<400> 47
aatgctgctc gagccgcgcg ttatgtgatg gatgccgcgc ggaggtact ggggtcccag    60
cgtggtgggt atttgccaca ctgggtggcc agctcagcag cccccacct ctctttattc   120
tctccaaagc tggctcttct gactatcatt gtggtagggg gaggacagat gctaaagggt   180
gaagctgacc tggagaaaga gacacacggg gtgactgtgg caaaggacag ctggaaaaga   240
aactctatca cttcttcatt ggcaaccaca aggcacccga ggccatggca ctcccagagg   300
ctgtgcgcag tagccaagcc tctcaacctc ttctggccct gcgtcctgca gcgaagtctc   360
tgctgtaaga cagtagactc cttcgatgag gtgctcaaaa atgctacccg ggggtggtggt   420
gtctggcttg cagtctggcc cagttcagag aaagttgcag agatcagggg ccaaggatgt   480
catagcccca ggttgtcctc aggggtcccaa tcctagggca ggggtgtgcat ggaagcaaga   540
actatggaaa cctagctcca gtctgcaggc tctgagcccc tagttcctca ctccagcggg   600

```

38

gctccctcac tgcacagaac ccaccccttc tgtgtgggca ctgctgacca cacagatgac 660  
 ccagacccaa agagcctggc agaagctctg tgcgttggag ctgggctccg tcctccggtc 720  
 tggttcaggg ggatcaggaa ggctcttttc acctgtggct 760

&lt;210&gt; 48

&lt;211&gt; 4940

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 48

tgaagtccag tagagccggc cgctgcaggc cagaagggtg gagccagcgg gggcatcgcc 60  
 gcccgcgccc ctctaagtgc cgggccgcaa gctccaccgc agccgcctgc aagcagcggc 120  
 gcctcggccc tcgacctgcg cgcaaagcct gtgctggagc cgtcctcccg cggcggggac 180  
 cgggaccggg gacccaagcc aatcgaaagc tccaaccatg gccatggggc tcttccgcgt 240  
 gtgtctggtg gtggtgacgg ccatcatcaa ccacccgctg ctgttcccgc gggagaacgc 300  
 cacagtcccc gagaacgagg aggagatcat ccgcaagatg caggcgcacc aggagaagct 360  
 gcagctggag cagttgcgcc tggaggagga ggtggctcgg ctggcggccg aaaaggaggc 420  
 actggagcag gtggcggagg agggcaggca gcagaacgag acacgcgtgg cctgggacct 480  
 ctggagcacc ctctgcatga tcctcttcct gatgatcgag gtgtggcggc aggaccacca 540  
 ggagggggccc tcacctgagt gcctgggcgg tgaggaggat gagctgcctg ggctgggggg 600  
 cgcccccttg cagggcctca ccctgcccaa caaggccacg cttggccact tttatgagcg 660  
 ctgcatccgg ggggccacgg ccgatgcagc ccgtaccgg gagttcctgg aaggcttcgt 720  
 ggatgacttg ctggaagccc tgaggagcct ctgcaaccgg gacaaccgaca tggagggtgga 780  
 ggacttcatt ggcgtggaca gcatgtacga gaactggcag gtggacaggc cactgctgtg 840  
 ccaccttttc gtgcccttca cccccccga gccctaccgc ttccaccag agctctggtg 900  
 ctccggccgc tcagtgcctc tggatcgcca gggctacggc cagattaagg tggtcgcgc 960  
 cgatggggac acattgagct gcatctgcgg caagaccaag ctcggggaag acatgctgtg 1020  
 tctcctgcac ggcaggaaca gcatggcgcc tccctgcggc gacatggaga acctgctgtg 1080  
 tgccacagat tccctgtacc tggacacgat gcaggatcat aagtggttcc agacggccct 1140  
 caccagagcc tggaagggca tcgcccacaa gtacgagttc gacctggcct ttggccagct 1200  
 ggacagcccc gggtcctga agatcaagtt ccgttcaggg aagtccatgc ccttcaacct 1260  
 gattcctgtg atccagtgtg atgactcgga cctgtacttt gtctcccacc tcccaggga 1320  
 gccctctgag ggcacccag cctccagcac agactggctc ctgtcctttg ctgtctatga 1380



gcgacacttc ctcaggacga cactaaaggc actgcccagag ggcgcctgcc acctcagctg	1440
cctgcagata gcatccttcc tgctctccaa gcagagccgc ctgaccggtc ccagcgggct	1500
cagcagctac cacctgaaga cggccctact gcacctccta ctctccggc aggccgccga	1560
ctggaaggcg gggcagctgg acgctcgtct gcacgagttg ctgtgcttcc tggagaagag	1620
cttgcctcag aagaagctcc accacttctt catcggcaac cgcaagggtgc ctgaggccat	1680
gggactccct gaggccgtgc tcagggccga gccctcaac ctctccggc cttctgtcct	1740
gcagcgaagc ctttaccgta agacactgga ctcttctat gagatgctca agaatacccc	1800
agcgctcatt agcgagtatt ccctacatgt cccctcagac cagcctaccc caaaaagctg	1860
acgtctttta cagaatgtgg gatcctcgag ctaagatgag ggcacccctc acgttcacac	1920
ccctgggtgc atctgccagc cctgttctgg ggacaaggcg ggctttcgtg ggagccatgc	1980
tcagcctgcc aggaagccaa gccctacagt gcagaggaaa cagaatttca acgggaagct	2040
ggtttgcttc ataccattgg gatctgctgg taaagctgtt atttggtttt agggactgat	2100
cccttgagct ttacttctgg atcaccatga atggccaaga tgggtggcaga acacgctgtg	2160
gaccctgagt tagagacaat gcaaatgtg gattgggtgt aattcttttt gaatcccaga	2220
tccagtctgt acttgaatat gagcagagga tctacaagaa tgctgacagg gaaccgtgtt	2280
aagaccagc acccctattc ccaggagctt ctggcctgac catctgcagc caaagcacta	2340
acagggacag atatgggaat gtccacctt gatccgcac ctgcacaata gtgggtccac	2400
catggctgcc acttttttat actatttga gaaaagacct tgtataaatt cgaggcccgga	2460
gtgactaacg tctctgtcac acggaaatgg gtacttggtg gcatagagaa acacaattag	2520
ccacttttcc agctacactt ctactcagc tgcacctac acttctcact cagggtgcacc	2580
cccttctgct gtcctttccc caacgtactg ggtcccagc gtgggtggta tttgccacac	2640
tgggtgccag ctcagcagcc cccacctct ctttattctc tccaaagctg gtctttctga	2700
ctatcattgt ggtaggggga ggacagatgc taaagggtga agctgacctg gagaaagaga	2760
cacacggggt gactgtggca aaggacagct ggaaaagaaa ctctatcact tcttcattgg	2820
caaccacaag gcacctgagg ccatggcact ccagaggct gtgcgcagag ccaagcctct	2880
caacctcttc tggccctgcg tcttcagcg aagtctctgc tgtaagacag tagactcctt	2940
cgatgaggtg ctcaaaaatg ctaccggggg tgggtggtgc tggcttgag tctggcccag	3000
ttcagagaaa gttgcagaga tcaggggcca aggatgtcat agcccaggt tgtcctcagg	3060
gtcccaatcc tagggcaggg tgtgcatgga agcaagaact atggaaacct agctccagtc	3120
tgcaggctct gagcccctag ttctcactc cagcggggct ccctcactgc acagaaccca	3180

ccccttctgt	gtgggcactg	ctgaccacac	agatgaccca	gacccaaaga	gcctggcaga	3240
agctctgtgg	ttggagctgg	gctccgtctc	caggtctggg	tcagggggat	caggaaggct	3300
cttttccacc	tgtggcttca	ctggcccttt	gagatttcct	atctcacctg	tacttcagtt	3360
acccttgcag	ggggccaggg	agtcaagaat	ataccgtgtt	cctccagggt	ttaagccggc	3420
catgccttcc	cgagagcata	accaacttga	caggggtgcc	cagttacccc	acaaactgaa	3480
ggaaggagat	ccttccccca	tccccaggag	tgctctcaac	cagcctcaga	aagcttgaga	3540
agatggaccc	tttggccacc	aggggttaatt	cctgggtggg	cagctcggct	gtgatcaggg	3600
caaccaaacc	tataggaagc	cttccagtgt	gagctggaat	tagactgaac	atgtgcttgg	3660
gcctgcctct	ccctagacgc	agttgcgggg	cactccaggg	aatgaaccag	ctcaagtgtg	3720
tccctaacag	cagcctggag	ctacccccaa	tccctcacag	cctgaccctc	ctcattccat	3780
cagatgcatt	tgtagaatcg	gggcaaattt	ccttatttat	ttatggccca	tgcccttccc	3840
cctcttcatc	ctgatocctg	tttgctttga	agagacccca	gtaacaaaaa	aacagcctcc	3900
agaagccaaa	accatgcctg	gatctcccat	agcttctcct	ttgcttcag	gagaaagtcc	3960
actgaaaaaa	aaatatcttc	tggcttcttg	tgtgtacaga	gacaacagaa	ctcgggtggg	4020
aaacgggaat	cttttctgca	ccaaagctgc	ttctaaagca	gaaagcagtg	gggctcttgg	4080
tgtttcatgc	tgccctattt	atattaaagg	aagaattaaa	tcttgcaagg	agtaaaaatg	4140
gtcactgttt	ggtttttaaa	cttcaggaaa	tctgtgaggg	tcccagggca	gagttgggga	4200
caggggggtg	gatttcctat	tgacaaagca	gaagctttca	ctcccttttt	attcttacac	4260
tttcaggaga	ctttaaaaaa	taacaaaaca	gaacatttct	accctgtcct	tgaggcaact	4320
tgtgtgctgc	ccgcagggtc	ccagaaaggg	cctttgaaag	ctggctgtag	gggtggattcc	4380
agcctaagac	cttatttcac	agagctaatt	tcagcgagaa	atataggagc	tggaactaac	4440
aggaagcttt	tgggttttaa	agaaagagat	tgtattttta	atagaggatt	ttgagtcctc	4500
tagggcactt	tggcctttcc	actaaggaca	accctgccct	ctttccccag	agtctctttc	4560
ccaaggatgc	ttgactttcc	ccagcaactg	ctcacttgct	ttgcaaaata	acaagggtga	4620
aatgaataga	gttggtccct	aggccaagag	gctgggttat	ttggggaagg	gccttatatc	4680
ctcaaaagct	ctagcccttc	tgcatgcctg	gctgaagcac	agccccgcgt	tgagaacctg	4740
ggggtggagc	tctggttcat	catcaagggt	gtcatccgaa	tcaccagac	aacctggtcc	4800
attgccccga	ccccgccttg	aacctacatg	gtgctcagaa	tccagtctgg	agtggtcagg	4860
ctaggctcga	tttttaaaaga	tttcccccaa	gtgtctgatg	tacccttagc	tgaggaagag	4920

41

ctcagcttta tggtagcgac

4940

&lt;210&gt; 49

&lt;211&gt; 782

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 49

accattctga acgatgttaa agcaagtgtg gtttatttat ggcatgaacc atgtaacttg 60  
 aaatatgaac ttacaaggag gggcactcat taggtaacaa gttcttacac caaacttcct 120  
 tgatgaaata agccaaaata atcctaaaat tcattaaaaa gaacttgata aaagactcaa 180  
 ataatgtta gaaagagccc ataatttttag gactcctata aaattcttcc tgtttgttaa 240  
 tgctattaaa actcagattc aagggaata ccagcttcca cttgagtcac tttgaaatag 300  
 ttaattcaac agcaccatgt tagaaatata ttggcagcca agactctgaa ctctgcagaa 360  
 acatttgttt caccagact tcaaactcta gccctgacta tgatgcccct gtgtgcattt 420  
 acaataaaga ctccaacgga gggagcctgt tgggtgttaa ttgtttacat ttctttatac 480  
 aaataatgtg ctttcagtgc cttagttaca gctcccttct tgtttcttgt tccaaaggga 540  
 ttctgtagta tgtaggtgtg ttttcttagg taaagtctct tattgctact gaaagggaaa 600  
 tggctcttaa aactgtgtca ctgtagcagg taaacactac tctaactgtg gagaaatgag 660  
 cctccatgct gaggtagggg gtgccctaaa gcctgttatt tatgctgtga aaacgaaatg 720  
 ggtttgctac ctgataagct gggggatcca tggcctagct gttcctgggt gaatgtttcg 780  
 ca 782

&lt;210&gt; 50

&lt;211&gt; 2675

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 50

ggtttatcct aaattactca accccttgta gccttgacaa attttacctt aaaacaaaa 60  
 tgaaacacaa aaattaatcc ttaataatga tagcaagtga tctttctttt tagtttttagc 120  
 cttccttttt caatagtaat atttaaacc actcttgacc aattgtttgc ccaaatattc 180  
 ttgtcatttg gagtcagtgg aaaatccagc acaccaagca ccagtcttct tctgaggcaa 240  
 aagaaaagtg ttgtcatttt cactctgttg gagctgcaca ctttttttct ttttcttttt 300  
 ttttttttgt cgtgtaagaa ggatgctggt cagagctgca gaaaatatga ggcaattaaa 360  
 agtcttttagc tgtagcaaaa cctgttagtt ttacttctgc attgaaccag cctcagaagc 420  
 tacttactgc tttatgtact ctttgggcat taatgccttc tctgtaatta tatctcgttt 480

ttgcttgaca	gtgacctagc	cagtaattgc	atcgtgcatt	gccatgaaag	gtaaacacat	540
tgtgaactga	acttaccaag	cagattctgt	aagaaagcgc	tggttgaggc	tgaacactgt	600
tgacacatca	tttttattgg	aagagtatta	actggtgcct	cttctgaaac	acaccaaccc	660
atattcctct	gctcccccaa	agctgtttct	gatcctgctg	ggagcaacta	actagttatt	720
atgcacatct	gctccagacc	cagctcttta	acttcacggc	tttacagctt	gttttttctt	780
tttcttttct	tttctttttt	ttttttaaaa	aagcaccttt	ttttgttggt	ttcccttaat	840
aaaagagggt	tctaatttat	gtttctctaa	gatttccttt	ggttgtattt	agaaacacaa	900
atagttttat	aatcaggatt	gcatttgtgc	tgggtaaaag	aggagagctg	tgctttctac	960
cccaaagttg	ttggtaatgg	agccggctctg	cccttcctac	aaactcaaga	ggctcattgt	1020
tcaagggtga	acaacattta	attgcatgtc	ctctaacgct	ttgaaacctt	tagagggaag	1080
atcctcattt	tttacaattt	tgttcctttt	catcatagaa	aacatgttta	agataaaaata	1140
caaactttac	ctaccccaaa	ttcataaagt	acatttagtg	ctgtatagca	ctaaaactta	1200
gagatacaga	cactgtactt	actttttaag	aattagagac	agtaactcca	aaaataattg	1260
tccttttttc	tttctttttt	tttttttaca	ataaggctct	tgaaaattgt	cattacttgt	1320
gttttcttat	acattcatct	gtgtgaaagc	ctttttcttc	tttgatttaa	aaaaattata	1380
cagttaatgg	tttagaactt	agaactactt	agaattaatg	ctaaagtgtc	aggaagaaat	1440
taatttagct	tcaataattg	tgactggcct	caggaattct	cccttcacac	cctgcccacc	1500
tcacctcacc	tcacctcacc	gcaccgcacc	gcaccgcacc	gcaccgcacc	agagccagag	1560
cagctgcttg	tctgcagcag	gacacggttc	ctacatacgt	ttcagttctt	tcatggtaag	1620
ctcaatggac	tttgaattgt	ttacagtgtc	gtatgtccaa	ttgttaaattg	taccattctg	1680
aacgatgtta	aagcaagtgt	ggtttattta	tggcatgaac	catgttaactt	gaaatatgaa	1740
cttacaagga	ggggcactca	ttaggtaaca	agttcttaca	ccaaacttcc	ttgatgaaat	1800
aagccaaaat	aatcctaaaa	ttcattagaa	gaacttgata	aaagactcaa	ataaatgtta	1860
gaaagagccc	gtaatttttag	gactcctata	aaattcttcc	ttgtttgtta	atgctattaa	1920
aactcagatt	caagggaat	accagcttcc	acttgagtca	ctttgaaata	gttaattcaa	1980
cagcaccatg	ttagaaatat	attggcagcc	aagactctga	actctgcaga	aacatttggt	2040
tcaccagac	ttcaaactct	agccctgact	atgatgcccc	tgtgtgcatt	tacaataaag	2100
actccaacgg	agggagcctg	ttgggtgtta	attgtttaca	tttctttata	caaataatgt	2160
gctttcagtg	ccttagttac	agctcccttt	ctgtttcttg	ttocaaggat	tctgtagtat	2220

43

gtagtgtgtt tcttaggtaa agtctctttt tgctactgaa agggaaatgg tctctaaaca 2280  
ctggctcactg tagcaggtaa acactactct aacgtggaga aatgagcttc atgctgaggt 2340  
agtggttgcc ttagagctgt tatttatgct gtagaaaacg aaaatgggtt tgctacctga 2400  
taagcttcag attagatata gccctaaagt taccctgtac ctgcattaaa ttttcatttt 2460  
agaagagaat cttggttttg gtaattcatt tttttttaag atcattatgt gcaaaacacc 2520  
aagtttttaa aataactcac agaatggcct tagttttcaa tgtctgatgg tatatttgtg 2580  
agttgtgtta tctgtaatat acatcccaga ataaaggagt gaattaaata gtttaaaaaa 2640  
aaaaaaaaa aaaaaagatc ttttaattaag cggtc 2675

<210> 51  
<211> 168  
<212> DNA  
<213> Homo sapien

<400> 51  
acaacacaac ctgttaggta gcaggctggg tattacctga gtaaaaagtc cctattcttt 60  
ccatttctcc atgctattta aaagcatgtg gtgaccttc aataaattaa agatataaca 120  
aattatttga tgccattagg cggcctggat caccaattct aagtcttt 168

<210> 52  
<211> 1139  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (291)..(576)  
<223> a, c, g or t

<400> 52  
caaaattgga ttcttcaaaa cgccagggtg gcctttcttg actccaaaag aggtgactct 60  
tgtagcattc ttacaggcct aacatagcac ttactttatg ttgcaatgct gtgtgcaatg 120  
ctgtgttttt ttactcacta gctctgagca aaacattatt tattcttggt aattgtaaca 180  
cttggtagtg aagacatatt ttttggccat ataatggatt atactttgta tttgaatcca 240  
tgtgaatcag tagcatattg gtcttcattg tttttcctcc ttctccgacg nnnnnnnnnn 300  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 360  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540

```

nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnntaac catatTTTTT ccaattatta    600
aaaaatcttt ttcccccta aggaatgtgt ttctaaggct accatgtttt tagtgcttca    660
gtttgacttg tctacatcta aagttaactc tttaaggctt acatttatga ttataattct    720
ttccatcgag ggatttagtc tccattattg tcatgtttct tgatTTTTT cattatactt    780
agttcttctt ttgtctaggt ttatatata ccttaattaa ttctttcttg gctgttttat    840
atctatgttg ctgtcagcat gggaatctct attattagaa agctattaac ttttaaaata    900
tgtatctttg gtgatttctt tgtcctaaca gtttagatgg cctgttgctc ttctaaatct    960
taaatcatag gtattctatt ttgggtgttg tgtttcatta cactgtcata gtttttgata   1020
ttttcattac tattgaggta ctgtggttta ccaatgttct gttggtacga atactttcca   1080
tctgttgggg agctcaaact gggaaccagc acgttcgtga tgttcgacc cccacccc    1139

```

```

<210> 53
<211> 681
<212> DNA
<213> Homo sapien

```

```

<400> 53
ggtacgggga gaacatatca aaaaggggaa ggatggattc ccttgatgcc caggattaca    60
gtggcaccta aagcacattt ttttttttct gagccaacca gctaaaggat cactgcagct   120
aaatacagat agagaagcaa caaagccagg caaatacca tcagagacag tgacaagagc   180
agctgggggc acgggggagg cggaaggaag agaaagaagg ggaggagcct ccagagtccc   240
agccccaacc ccctctgcca tgggctaccc ttgctcccca aaaatcccgt tgggggtgaa   300
gtgaggagga ctgcaggctg gggtgaaaaat acacaaggac agcccaacaa aatacaacaa   360
ggactagcat cagtctcccc cttactccga ccccaagaa aaataccctt attggtgact   420
agtatttatg aaaatctgta aggagactat tctatgtagt gggctctaata cccatataca   480
cagcagctgc ctgtgtgggg aaccttttca aatcagtgat tgcgggaaca aacagtattt   540
tcagcttctt acggtgcccc tgcaggcttt taccaagacc ttggttaagt ccagtcaca   600
tttactttct gtcttcatct agaaaagggt gaggaagag ggagggacaa ggtgctccag   660
gtgctagtaa gctgggtatc c                                     681

```

```

<210> 54
<211> 3191
<212> DNA
<213> Homo sapien

```

```

<400> 54

```

45

gtgctgccga gtagtcccg aagcgaagca gcgatggcgg agagtccgac tgaggaggcg	60
gcaacggcgg gcgccggggc ggccggcccc ggggcgagca gcgttgctgg tgttggtggc	120
gttagcggca gcggcggcgg gttcggggcg cctttcctgc cggatgtgtg ggccggcggc	180
gcggcagcgg gctcccgccc tcagccgctg cccacggggc cgcgctgctt agccactggg	240
acccacgct cagctccgac tgggacggcg agcgcaccgc gccgcagtgt ctactccgga	300
tcaagcggga tatcatgtcc atttataagg agcctcctcc aggaatgttc gttgtacctg	360
atactgttga catgactaag attcatgcat tgatcacagg cccatttgac actccttatg	420
aagggggttt cttcctgttc gtgtttcggg gtccgcccga ctatcccatc caccacctc	480
gggtcaaact gatgacaacg ggcaataaca cagtgagggt taacccaac ttctaccgca	540
atgggaaagt ctgcttgagt attctaggta catggactgg acctgcctgg agcccagccc	600
agagcatctc ctcaagtgtc atctctatcc agtccctgat gactgagaac ccctatcaca	660
atgagcccg ctttgaacag gagagacatc caggagacag caaaaactat aatgaatgta	720
tccggcacga gaccatcaga gttgcagtct gtgacatgat ggaaggaaag tgtccctgtc	780
ctgaaccctc acgaggggtg atggagaagt cctttctgga gtattacgac ttctacgagg	840
tggcctgcaa agatcgctg caccttcaag gccaaactat gcaggacctt tttggagaga	900
agcggggcca ctttgactac cagtccctct tgatgcgcct gggactgata cgtcagaaag	960
tgctggagag gctccataat gagaatgcag aaatggactc tgatagcagt tcatctggga	1020
cagagacaga ccttcatggg agcctgaggg tttagacctt gctcccatct ccccttcccc	1080
cactcaagag tcccagcaga atcccttccc cccaccccag ggatggagag gcactgtgta	1140
tctccctcca gactcgaagt catcctgcaa gatggcaaga accaagcaag ctccgatccc	1200
aggggtgtggg agtgggggccc tgttcccgtt ctgacctcct tggcactgga gcatctgggg	1260
cttcgttcat ccattcatcc cgtatcaggg ggccaaggta cctttacagg agcacctaga	1320
gcgagggcct ttggcaaaaa caaaacaacc aacacacctc tccacagggc cagctcctta	1380
gggataagtg gaagatggaa attgcaattc caagaggag tgtagccaaa tgatttatgg	1440
ggatacctgg aaggagcctt ggggtggggg ctgtctgtga cacttaagca gtctgggtgg	1500
ttgtctattt gtctgtcttc agtcttgaag cagggtctcc caatgcctt ttctccctg	1560
ccttccttcc ccattattt cccacaggcc agcataattt tgttttctc aatttatagt	1620
cactgttcta gacagaccaa agagaaggaa cagtgggtgga gtctaggctg ctgatcagta	1680
agctttacct agcacctgag cacctttctc ccctccctc ttctctcacc cttttctaga	1740
tgtaagacag aaagtaaag tgactgggac ttaaccaagg tcttggtaaa gcctgcattg	1800

```

caccgtaaga agctgaaaat actgtttgtt cccgcaatca ctgatttgaa aagtcccaa 1860
cacaggcagc tgctgtgtat atgggattag agccactaca tagaatagtc tcttacagat 1920
tttcataaat actagtcaca ataagggtat ttttcttggg ggtggagtaa gggggagact 1980
gatgctagtc cttgttgtat tttgttgggc tgtccttgtg tattttcacc ccagcctgta 2040
gtcctcctca cttcaacccc agggatttgt ggggagcaag ggtagccaat ggcagagggg 2100
gttggggctg ggactctgga ggctcctccc cttctttctc ttcttctgc ctccccctg 2160
ccccagctg ctcttgctac tgtctctgat gggatattgc ctggcttctg tgccttctta 2220
tctgtattta gctgcagtga tccttttagct ggttggctca gaaaaaaaa aatgtgcttt 2280
agggtgccctg taatcctggg catcaaggga atccatcctt cccctttttg atatgttctc 2340
cccgacttcc cagatttatt gttatggctc ccagtgggta ttggcgattc ttgtgatgca 2400
gggcctcagt cagtgtccag ccatgcataa gggagaggat agtgtgtacc tgccctgccc 2460
tctgctatga aggtctctgc cttgtggatc atgggactcc ccttggagga tctgtgcaaa 2520
ggggggctgg gcacaaagga gaatgtccta tttgggaggg caggaagcaa aggaactgga 2580
cagggattgg tgggcttggg gaacggaagt ttatcttggg tacccttgaa gaggctgggt 2640
ctcttcacat gaagatcgaa aagggacct gcttccaatt tccctcttcc attcctcgag 2700
ctactccagg gctcagaaga atgctcttgg tctgtgggtc cagtgttgtc tgtcatccat 2760
ttaagtgttc ccactttcaa gtgacaatcc tctccttggc cctgccatag ggcagagcat 2820
gtctggcata gcagcctgac ttttatgccc taatcttgag ttgaggaaat atatgcacag 2880
gagtcaaaga gatgtcttta tatctgactg ttataaatga agttttgcgt tctgttgggt 2940
tcccttttgg ctgccatcaa cgctgtcttg cagccagac gtgctgggga ttggagggct 3000
tggttcagca cgcattggct ctttgtcacc ccctcctagg ccgttgtggg gcacgacgcc 3060
cgattgttgg accccttctc tgtcgcgcg cggtggcgca cgccttctcg agggccacgc 3120
ccgccttgg gcccgccctt ggggctcagg aggcctcctg gtgcgcgtct ccgggcgcct 3180
ccgcaccgg t 3191

```

```

<210> 55
<211> 385
<212> DNA
<213> Homo sapien

```

```

<400> 55
actgctaacc cctgccaggc ccagctgcc aaccctttct gggagaagca tggcctacag 60
aatgaagagg gggaccagga acccctgtgg gagaggctta gacctgaagc agtgcccact 120

```



```

ctggctcctc ctgccttggc tgactgggtt cctggaccat gtgcatttca ctgggccatg 180
ggatctacat ctcccttgcg cccagctgg tctgatccct gccagggccc ctcccttccct 240
gctcatggtc ttcaggtggc ctgatcatgg aaagtaagga gttaggcatt accttctggg 300
agtgaaccct gactccatcc ccctattgcc accctaacca atcatgcaaa cttctccctc 360
cctggggtaa ttcaacagtt aaaag 385

```

```

<210> 56
<211> 1977
<212> DNA
<213> Homo sapien

```

```

<400> 56
ttcacccggc cctgcctgt caccttcaca gagaaggggc tgccctgcagg aagaaagcac 60
ggcccacgcc cctccagtca catactgcct gtggggccctg gtgtagtgag gggggctgcc 120
gaggcactgc tgcactcacc aggcacgtgc tggtcggcaa acttgatgtt gatgatgtag 180
ttgcctggct ctgtggggca gtaggtcacc tggcgggaca ggtgcctggc tgctacaaac 240
catgcaatga gccatgcccc gccctggaca ccccgccca gcactctggc ctccacgctt 300
gggaccgtgg gagcgccaa cagagctatg tctggagaca tatgataaac cacctcagcc 360
cccaccaagc cgccgcaccc gtagaccaga cccaaggac cctggccacc atggggcaga 420
gagcattacc ttcattctctg gctctgctga gccggccctt gagtcccca cctgctgcct 480
gctctggcga ccctgggtgt gggagtgggt ccgggctgcc ttctgcttcc gcccgctgcc 540
gggattgcct ccagcgctgt ggaggcctgt gtgcggggat gcagcccctg cctgtctact 600
gaggactccc actgagggga ctgctgaagc caactggtgc caaggagcac aatggagtgc 660
ccccagccc tgatcgtgca cccccagac cggcgggatg gccaggcggg ctgcaagtca 720
accatgggca gcagcttcag ctaccccgat gttaagctca aaggcatccc tgtgtatccc 780
taccgagag gccacctccc cagcccctga tgcggactcc tgctgcaagg agccactggc 840
cgatcccca cccatgcgag cacagcctgc ccagcacctt tgccagtagt cctcgtggct 900
ccgaggagta ctattcttct catgagtcgg acctggacct gccggagatg ggcagtggct 960
ccatgtcgag ccgagaaatt gatgtgctca tcttcaagaa gctgacagag gctgttcagc 1020
gtacaccaga tcgatgagct ggccaagtgc acatcagaca ctgtgttcct ggagaagacc 1080
agtaagatct cggaccttat cagcagcatc acgcaggact accacctgga tgagcaggat 1140
gctgagggcc gcctggtacg cggcatcatt cgcattagta cccgaaagag ccgtgctcgc 1200
ccacagacct cggagggtcg ttcaactcgg gctgctgccc caaccgctgc tgcccctgac 1260

```

```

agtggccatg agaccatggt gggctcaggt ctcagccagg atgagctgac agtgcagatc 1320
tcccaggaga cgactgcaga tgccatcgcc cggaagctga ggccttatgg agctccaggg 1380
taccagcaa gccatgactc atccttcag ggcaccgaca cagactcgtc gggggcaccc 1440
ttgctccagg tgtactgcta acccctgcc ggcacagctg ccacaccctt tctgggagaa 1500
gcatggccta cagaatgaag agggggacca ggaaccctg tgggagaggc ttagacctga 1560
agcagtgcc actctggctc ctccctgcctt ggctgactgg gtctctggac catgtgcatt 1620
tccctgggac atgggatcta catctccttg catcccagc tggctctgac cctgccaggg 1680
ccccttcctt cctgctcatg gtcttcaggt ggcctgatca tggaaagtaa ggagttaggc 1740
attaccttct gggagtgaac cctgactcca tccccctatt gccaccctaa ccaatcatgc 1800
aaacttctcc ctccctgggg taattcaaca gttaaagaa gcttatctta aatgtattgt 1860
attgggggggt gggcagggcc cactctatgt tatgttaagg agttgggtct ggttcttggc 1920
tgatgttctg tatcttaaca tgaccacagt ttgtaagtac ctgctcgcg accacgc 1977

```

```

<210> 57
<211> 629
<212> DNA
<213> Homo sapien

```

```

<400> 57
tgggtgatct agtctgtcga ggcgcgatgt gatggatagc gtggctcgcg gcccgagggt 60
tacatggtgg cctatacaaa agcactccat gtttctgcct gaataacgta cgttgatcgc 120
ttggttgctt gagcaaattgt ataagggagc tgcttgagg ggaaaggaa acaataaaac 180
gcctctggag gtatttcaaa gagtagtttc tcaaattctt ctgattcagg aagaggatga 240
cgagagggag agaacgtgga attacttaaa gtcactaac tcattgggtc tgttcaacaa 300
gaaagaattc tggtttgtgg ctgaatctga tttaacagct gccaatagct cattacttct 360
aagatgtata tctaattcaa aactagatgc tccccctcc ctcttttttc cctaaaagct 420
gggaacttgt aagtaaatgg cctagtgaat tagacactgg ctattttaga aaaagggcca 480
gaaggtagac caggaactat gtatcaagaa gaagtaagt aggctcaagc ccaggccacc 540
taggctgtgt ttattcagtc caccatcc aatgtcaaag cccaagtgg gccagtgtta 600
cctttatctt cccatctttg tatttctga 629

```

```

<210> 58
<211> 3535
<212> DNA
<213> Homo sapien

```

<400> 58  
 gtgataggca gctttccttc ttttcaacag tgatacctac gaaaatcaaa ataatgcaa 60  
 gctgagggtt tgtgctcact gaaagggctg tcaacccag aaggccgaca caaaaaaat 120  
 ggtatgtgaa gatgcaccgt cttttcaaat ggctgggag agtcaaatgg cctgggagag 180  
 ggggcctgcc cttctctgct gtgtccttc ggcttccag ttgagctccc aagaccagga 240  
 cccactgggg catataaaat ctctgctgta tcctttcggc ttcccagttg agtcccaag 300  
 accaggaccc actggggcat ataaaaagt caaaaatcaa aatcaacaa caagtctga 360  
 gttacttagg aaacagactt cgcatttcaa tcagagaggc cacagagcaa ggtctaaact 420  
 tctggcttct agacaaattc ctgatagaac atttaaatgt gggaagtggc tccccaggt 480  
 cccatcccct gtttagggat agagttgata tcatTTTTat aggtgccatg tatgcctctg 540  
 cctgaatttt ttttaattgac ttttgagctt ttgagattgc acgagggaga acaaggcctt 600  
 tgctgttgtg gataggaaag acttaaccta aaattaaacc agcaagaaag cattagtaaa 660  
 aatctaacia tatgaagggc tcttatgagt catttttttc aaaagatgaa aactccagaa 720  
 acgcacagga acgaaatacc tcccagaaac atgaagcaat catcgaagac tcaactggtaa 780  
 tattttttaa aagtatacag atcaaagcaa aaagaagcca tgtgtaacia agagaaatgt 840  
 gcaaatatTT ttttaaggcag tattaagtgc aagaggagta acatgaaata aacattcttt 900  
 cacatggcta ctgggaatat aaatttcgct ccagaaaggc cgtagcagtt tgacgatagg 960  
 tggcaaaacc ttaagattgt gtactggggc ccagaatttt tatttctagg aatgtatcct 1020  
 gaggaaatta tccgagatcc ccacaaactg caatgttttag gaattgtcct tatagcattg 1080  
 catacacaag aaaaacagag aaaagcctga tcctgtcag tggaaaaggg gttcaatgaa 1140  
 ttacgggtgtg tctgcatgag gcttttatga cattaaaaat tgttgaacia cggcctggca 1200  
 cagtggctca tgctgtaat cccagaactt tgggaggcca aggtgggagg ataacttgag 1260  
 gtcaggagtt tgagactagc ctggccaata tggtgaaacc ccgtctctac taaaaatata 1320  
 aaaattagct gggcggtgtg gcaggcgct gtagtccag ctgctcgga ggctgaggca 1380  
 ggagaatcgc ttgaaccggg gagggcgagg ttccagtaag ccaagatcgt gccactgcac 1440  
 tccagcctgg gtgacaagag tgagactccg tctcaaaata aaaaaaaaaa aaaaaagtaa 1500  
 aacaaaaata aagtctatgc ccattaagac gtcttctaata tcagttgtga ttgtctgctc 1560  
 ctacttaaaa aaatatttaa gcttgatgtt taattattcc ctttcagcaa atttgatca 1620  
 gaaaattaaa gtatgtgaca agatcaggtc acctgaatt tccacacaat ctcaagacac 1680  
 tgaatagcaa aaaagtaaca ttacacagta atgattagga tatttcctta gactttgctg 1740

gatcttttggc ctttaaggtaa catgtaaaag tagtgaagcc tttcctttca tggccctgtg 1800  
caatgtaacg gtttttctgcc tctctttcag ctggaagcgt tagtggtagt atgggcacag 1860  
aatatatgta cactggcgat gctgaccatg cctcccaggt accctggctc tgggttcctt 1920  
gacctagga acaagattgg atgaggcaga tctttgagcc catgtgacta tagaatttgc 1980  
tgatgatata atttttacaat aacaatggat aggaatttta cctctctttt tattagttta 2040  
atattattta atattatgta cataagtgtt cactcgccta attaaaaaca ttgagtaaac 2100  
caagttttta tatagactac ccttgccata tgatgctctt tttctctaata atatgcagt 2160  
ttaaatcctg aggaatcaat gccagcatt tcaccacatc tgaactctgt gtgggcattc 2220  
ttcactcgcc tacaaggggt aaacaaggct accagaactt gaatttgact tatagggagc 2280  
taccaggaa ggggaaagcc cttgggactt tttccaaaac aatcttctat ttgaactgtt 2340  
catcagccaa agtagtccac tgaggtgaca agcttttcag aaatacaaag atgggaagat 2400  
aaaggtaaca ctggcccact tggggctttg acattggatt ggggtggactg aataaacaca 2460  
gcctaggtgg cctgggcttg agcctcactt acttctcctt gatacatagt tcttggctta 2520  
ccttctgacc ctttttctaa aatagccagt gtctatttca ctaggccatt tacttacaag 2580  
ttcccagctt ttagggaaaa aagagggagg ggggagcatc tagttttgaa ttagatatac 2640  
atcttagaag taatgagcta ttggcagctg ttaaatcaga ttcagccaca aaccagaatt 2700  
ctttcttgtt gaacaagacc aatgagttag atgactttaa taattccact tttctctccc 2760  
tctcttctcc tcttctgaa atcagagaga tgagaaacta ctctttgaaa tacctccaga 2820  
ggcgttttat tgtgttcctt tcccctccaa gcagctccct ttatacaatt ttgctcaggc 2880  
aaccaaggac agagtatcgg cagaaacatg gagtgccttt gtataggcca cctgtacata 2940  
aaagtgtaat tattttattta attttcccat ttgtatcata ttaaagcttt gtacagtgtt 3000  
ttaagttctg tttttaaatt attttgtatt ttatttttat aacctagtaa taaaatattc 3060  
attccgcatg caaaaaaaaa caccacacaca acccaacaa ccaaaaacaa acagaaccaa 3120  
aagatagaaa ccaaacacag caacagacag acacaagaga agacgaaaac aaccacacaa 3180  
acagcacaca caaccgcagc ggagaaccaa caaagccaaa cgcaagacag cacaacaagg 3240  
gacaaaacac acacgtagca caaagcagcc gcagaaccga acacacatct aaagacaggc 3300  
gacaacaaca tagcaggccg tagcaccgac aaccactaaa ccataactat ccagcggaga 3360  
tcagatcaca gaagccgaca cagaaagaaa agcatgtatg caacgcatga caccgcaggg 3420  
cggataaaaa cactcgtagg cgggaccgcc gcagaacgat cgaaggctaa caaacaagct 3480

51

agtagatcac aagtacgtga ccacgccctc ttatctataa aggaggaaga gggag 3535

<210> 59  
 <211> 348  
 <212> DNA  
 <213> Homo sapien

<400> 59  
 cgaatgatgc tatatagggc catgggtgca ctgatgcatg gctcgagcgg ccgcagtgtg 60  
 atggatcgcg gcgaggtact tctgccatca ttttattcca ttccagcgt ctggcatgca 120  
 agataatcca tctctaaaat tcaagacttc caaattgaga tgaacgatta tgggcttggg 180  
 ttgggggttta taaccaatcc gatcattgat catttgttcc cggctcttgg gatcactgct 240  
 aagcccaatg gctccttctc catcactgcc tctacaact tccacatctt ccttctgttt 300  
 cttacgggtc tccaggtcct ttcgaatgtt ctcaaactct tcaatgtc 348

<210> 60  
 <211> 2497  
 <212> DNA  
 <213> Homo sapien

<400> 60  
 ttatacccta tgctcgacca cttggagtgt tcaacctcgt tcaccggggt tttaatggtg 60  
 aaaccacgct tgctcgcccg tgtttcttgg aacgcttgcc ctgtaccata cctatgcgcc 120  
 cgtggtctat acggaagggt ctaaaacttt tctacggcta atgcggccca caaagttttt 180  
 tctttgtgtg tttttgtttg gatgcctcac agtgggtcaa aatatattta tttttaaaaa 240  
 cagaaaatca gatcagtttt atagagtcaa attttcaaga gacaaaccag agtttggatt 300  
 ccagcttaga gtgcaagtga agcatcagta atctcatgca gaagatttgt ctctgcagga 360  
 ggtacattct gcttgactgc aagcactcaa ttctctaaat ctggtttcta cttctgccat 420  
 cattttattc cattccagcg ctctggcatg caagataatc catctctaaa attcaagact 480  
 tccaaattga gatgaacgat tattgggctt gggttggggt ttataaccaa tccgatcatt 540  
 gatcatttgt tcccggtctt tgggatcact gctaagccca atggctcctt ctccatcact 600  
 gcctctaca acttccacat ctctcttctg tttcttacgg gtctccaggt cctttcgaat 660  
 gttctcaaac tcttcaatgt catcaagctt tagctctagg cgtgttggtt tccgtctcag 720  
 catactgaag tcaacactaa gggccaaacc cagtgaacta ttagcaattc acaggattat 780  
 cctccgcgtc caaacagatc ttaaattgtt acgtcattca ttaaacaaac acttcttgtg 840  
 ttccagctac agagttaaaa ggtacagtca taatctcttt tcaagccggc ctagccctt 900  
 cccggaacct cggtcctccc ccaacgaaac tactgctaag ccaactggac tacacttccc 960

```

agactgcttg gagcctctct ctccgcagaa cctcgtcttc cgcgagcttt tcctggaggt 1020
tctaggaggg atgccctca atgccacgac gccatttcct actacgactt ccatcatgct 1080
ccgcgccgct cggggggcgg tgaccctct tggccacgt cttgtcagt acgcacttcc 1140
tgcaacaaaa actaaagcac ccgacgactt agttgctccg gtcgtgaaga aaccacacat 1200
ctattatgga agtttggaag agaaggagag ggagcgtctg gccaaaggag agtctgggat 1260
tttggggaaa gacggactta aagcagggat cgaagctgga aatattaata taacctctgg 1320
agaagtgttt gaaattgaag agcatatcag cgagcgacag gcagaagtat tggctgagtt 1380
tgagagaagg aagcgagccc ggcagatcaa tgtttccaca gatgactcag aggtcaaagc 1440
ttgccttaga gccttggggg aacctatcac actttttgga gagggtcctg ctgaaagaag 1500
agaaaggtta agaaatatcc tctcagttgt cggtagtcat gccttgaaaa agacaaaaaa 1560
ggatgatgag aagtctaaaa agtccaaaga agagtatcag caaacctggg atcatgaagg 1620
accaaatagc ttgaagggtg caagactatg gattgctaata tattcggtgc ccagggaat 1680
gaaacgcttg gaagaggccc gactccataa ggagattcct gagacaacaa ggacctccca 1740
gatgcaagag ctgcacaagt ctctcgggtc tttgaataat ttttgagtc agattgggga 1800
tgatcggcct atctcctact gtcactttag tccaattcc aagatgctgg ccacagcttg 1860
ttgtgatgaa ccagtggcag atattgaagg ccatacagt cgtgtggcgc gggtaatgtg 1920
gcaccttca ggacgtttcc tgggcaccac ctgctatgac cgttcattggc gcttatggga 1980
tttgagggt caagaggaga tcctgcatca ggaaggccat agcatgggtg tgtatgacat 2040
tgccctccat caagatggct ctttggctgg cactggggga ctggatgcat ttggctgagt 2100
ttgggacct cgcacaggac gttgtatcat gttcttagaa ggccacctga aagaaatcta 2160
tggaataaat ttctcccca atggctatca cattgcaacc ggcagtgggtg acaacacctg 2220
caaagtgtgg gacctccgac agcggcgttg cgtctacacc atccctgctc atcagaactt 2280
agtgactggt gtcaagtttg agcctatcca tgggaacttc ttgcttactg gtgcctatga 2340
taacacagcc aagatctgga cgcacccagg ctgggtcccc ctgaagactc tggctggcca 2400
cgaaggcaaa gtgatgggac tagatatctt ttccgatggg cagctcatag ccacttgctc 2460
atatgacagg accttcaagc tgtggatggc tgaatag 2497

```

```

<210> 61
<211> 604
<212> DNA
<213> Homo sapien

```

```

<400> 61
catctgatca cgtcgcccg cctagtctgc ttttgtgaat ctccactttg ttcaaccccc 60
accgcgcgtc tctccctccc tgcgccttcc ctctaacctt aaagaccag ctacctctac 120
gcaaattggtg gctacctctg cgcaggtgga agttgagttc gggtcacgcg ggaccctctt 180
ccctgtggca agctgctgaa ggagacctgc tgttactgct ttagctgctg ttctgcttaa 240
tctcagacag ctggaaggta gtattccgcc ctgcgccagc caccagagta aatgagaatg 300
atgactgact gagaccctga tgggtgggtggc ttaggcttaa tctcagacag ctggaaggta 360
gtattccgcc ctcaccagc caccagagta aatgagaatg atgactgact gagaccctga 420
tgggtgggtggc ttaggcaaga tgaacgtctg aaatggaggc ccagggtgc cagcatggct 480
ctgtagtcat caggagagga gctcctttta tcttggtacc tactccctc ttgtgcccct 540
ttcttccctt gatctaagaa ggttgctccg ggatctcgcc atctggcctg cgttcaatca 600
gcag 604

```

```

<210> 62
<211> 4733
<212> DNA
<213> Homo sapien

```

```

<400> 62
atggagagaa accagaacag aaaagtggaa aattccaaaa accagagcgt ctcttctcct 60
ccaaaggatc acagctcctc accagcaagg gaacaaaact ggatggagaa tgagtgtgat 120
gaattgacag aagtaggctt cagaaggta gtaataacaa actcctccga gctaaaggag 180
catgctctaa cccatcacia ggaagctaaa aaccttgaaa aaagtgttaa cactcctgtg 240
gacgttttgt ctttgttttt caccacagtc cacacctctg ctgttagtga ggggctcctg 300
gtcatcacag ccacatgtgg actccctgc tctgtacctc ccagcctttc tgccaacagc 360
actggcctca cagtgtgtc ctggggattg agtgagatag ctataatgtg gagtcgctgc 420
tgctgtctaa ctgcgccaga cgttcttcga gtgtcacatt tgaagacgag cactgaggat 480
gaggaaccaa ctgaagaata tgaaaatgtt ggaaatgcag catctaagtg gccaaaagtg 540
gaggatccta tccctgaatc taagggttgt gacacatgtg tttgggatag caaggtagag 600
aatcaacaga aaaagcctgt ggaaaacagg atgaaggagg acaaaagcag catcagggaa 660
gcaatcagca aagccaagag tacagcaaat ataaagacag aacaggaagg tgaggcatct 720
gagaagagct tgcactgtag cccacagcat atcacacacc agactatgcc tataggacag 780
agaggcagtg agcaaggcaa acgtgtggag aacattaatg gaacctccta ccctagtcta 840
cagcagaaaa ccaatgtgtg taagaaatta cataaatgtg atgaatgtgg gaaatccttc 900

```

aaatataatt	cccgcccttgt	tcaacataaa	attatgcaca	ctggggaaaa	gcgctatgaa	960
tgtgatgact	gtggagggac	tttccggagc	agctcgagcc	ttcgggtcca	caaacggatc	1020
cacactgggg	agaagccgta	caagtgtgag	gaatgtggga	aagcctacat	gtcctactcc	1080
agccttataa	accacaaaag	cacccattct	ggggagaaga	actgtaaatg	tgatgaatgt	1140
ggaaaatcct	tcaattatag	ctctgttctg	gaccagcata	aaaggatcca	cactggggag	1200
aagccctatg	aatgtggtga	gtgtgggaag	gccttcagga	acagctctgg	gctcagagtc	1260
cacaaaagga	tccacacggg	ggagaagccc	tatgaatgcg	acatctgtgg	gaaaaccttc	1320
agtaacagct	ctggccttag	ggtccataaa	aggatccaca	cagggtgagaa	accttacgaa	1380
tgtgatgagt	gtgggaaggc	cttcattact	tgtagaacac	ttctcaacca	taaaagcatc	1440
cactttggag	ataaaccccta	taaatgtgat	gagtgtgaga	aatcttttaa	ttatagctct	1500
cttctcattc	agcataaagt	catccacact	ggagagaaac	cttatgaatg	tgatgaatgt	1560
gggaaggctt	tcaggaacag	ctcaggcctc	atagtgcata	aaaggatcca	cacaggagag	1620
aaaccttaca	agtgtgatgt	ctgtggcaaa	gcattcagct	atagctcagg	cctcgcagtc	1680
cataaaagca	ttcacccctg	gaagaaagcc	catgaatgta	aggagtgtgg	gaaatccttt	1740
agttataact	cactacttct	tcaacacaga	actattcata	cggagagag	accttatgta	1800
tgtgatgtgt	gtgggaaaac	gttcagaaac	aatgcaggcc	tcaaagtcca	caggaggctc	1860
catactgggg	aaaaaccata	taagtgtgat	gtgtgtggga	aagcctatat	ctcacgctct	1920
agccttaaaa	atcacaaagg	aatccacctt	ggggagaagc	cctataaatg	tagctattgt	1980
gagaaatcct	tcaactacag	ctctgccctt	gaacagcata	aaaggattca	taccagggaa	2040
aaaccttttg	ggtgtgatga	gtgtggtaaa	gcttttcagaa	ataattctgg	ccttaaagta	2100
cataaacgaa	tccacactgg	ggaacgacct	tacaaatgtg	aagaatgtgg	gaaagcatac	2160
atctctctct	cgagccttat	aaatcataaa	agtgtacacc	ctggggagaa	gccctttaag	2220
tgtgacgagt	gtgagaaggc	cttcacacac	taccgaaccc	ttacaaacca	caaaaaagtt	2280
catcttgggg	agaagcccta	caaagtgtgat	gtgtgtgaga	aatcttttaa	ttacacatcg	2340
ctcctttctc	agcacagaag	ggtccacact	agagagaaac	cctatgaatg	tgacagggtgt	2400
gagaaggctt	tcagaaacaa	ctcaagcctt	aaagttcata	aaagaatcca	tactggggag	2460
aggccctatg	aatgtgatgt	gtgtggaaaa	gcctacatct	cacactcaag	ccttattaac	2520
cataagagta	cccaccctgg	caagacaccc	catacatgtg	atgaatgtgg	aaaagctttt	2580
ttctcaagca	gaactottat	aagccataaa	agagtccatc	ttggggagaa	acccttcaag	2640



tgtgttgagt gtgggaaatc tttcagttac agctctctcc tttctcagca caagaggatc	2700
cacacagggg agaaacccta tgtgtgtgat aggtgtggga aggccttcag gaacagctca	2760
ggcctcacag tgcataaaag gatccacaca ggtgagaaac cctatgaatg tgatgagtgt	2820
gggaaggcat acatctcaca ctcaagtctt atcaatcata aaagtgtcca ccaggggaag	2880
cagccctata attgtgagtg tgggaaatcc ttcaattata gatcagtcct tgaccagcac	2940
aaaaggatcc acactggaaa gaagccatac cgatgtaatg agtgtgcaca tatacccaac	3000
gccaccgcgg acctcatgaa agtggaccat gaagaggagc cccagctctc cgagccctac	3060
ctttctaaac aaaagaagct catggccaag atcttggagc atgatgatgt gagctacctg	3120
aagaagatcc tcggggaaact ggccatggtg ctggaccaga ttgaggcgga gctggagaag	3180
aggaagctgg agaacgaggc actttcccag tggaaagaat ttgatgccat ttccgcacac	3240
ccaaattcct gttggcagga taatcagcaa gtaatacaga gagctgcttc cttcaacagc	3300
tgcattcagc acaaaaccga gggccgatta tgtggagaaa tatccttcag agaagcatgt	3360
gatctttgtt ctgccttttg ccctttgaag catatgatct ttgttcctac tcctgttctg	3420
tacactccct ccccttttga aatccctaat aaaaacctgc tggttttacg gctcaggaag	3480
cttctgctga ttgaacgcag gccagatggc gagatccgga gcaaccttct tagatcaagg	3540
gaagaaaggg gcacaagagg ggagtaggta acaagataaa aggagctccc tcctgatga	3600
ctacagagcc atcgtggcag ccctgggcct ccatttcaga cgttcacctt gcctaagcca	3660
ccaccatcag ggtctcagtc agtcatcatt ctcatctact cgggtggctg ggtgagggcg	3720
gaatactacc ttccagctgt ctgagattaa gcctaagcca ccaccatcag ggtctcagtc	3780
agtcatcatt ctcatctact cgggtggctg ggcgagggcg gaatactacc ttccagctgt	3840
ctgagattaa gcagaacagc agctaaagca gtaacagcag gtctccttca gcagcttgcc	3900
acaggggaaga gggccccgcg tgaaccgaac tcaacttcca cctgcgcaga ggtagctacc	3960
atttgcgtag aggtagctgg gtctttaagg ttagagggaa ggcgagggga gggagagacg	4020
gcgggtgggg gttgaacaaa gtggagattc acaaaagcag actagggcgg gcgacgtgat	4080
cagatgacct gtgcgggcgg cagcctcctg ccctcctccc cttcgtgcgc cggctggagc	4140
gaagagttct ttgacagcc gtgagcttcc ccgccaggaa cttactgggg ctgcatcacc	4200
ctagaaacgt ggctttgggc tgtggaaacg ctgcctctgt ggaagtctct cctcgcgggg	4260
gtggacgggt cgctgcgcgc ccagcgttct tctgcggttc tcacagcccg cccgccgccg	4320
ccgcctcggg gaccctttgc ggggaggcct caggtcagcg ccgccccttg cgatggcggg	4380
agagcagagc ggccccaggg cctctgagct ccggccccgg caggtcccgc cctctcctcc	4440

gcttgcgga gccggggcgc ctcgaggga aaccttccc gacacaggcc gggagaagag 4500  
 gggcccggtg cgccatcggc gcagcgttcc tggtttcggc catgtttttt tttttttttt 4560  
 tgagacggag ttctgctctt ttgcccagg ctggagggca atggcgccgt ctcggtctcc 4620  
 tgcagccgcc gcctcccggg ttgaaggac tctccggcct caggccgcgg tgttcttgta 4680  
 aattagaacc ggcttatgcg ccaagcgcg gtctcgcggc tgcggagaga ggc 4733

<210> 63  
 <211> 577  
 <212> DNA  
 <213> Homo sapien

<400> 63  
 aaaaacaaac aaaaaaacca gttatttact tggctataac aatgtctgta aatggtaaag 60  
 acagaaaaca acctaagttg ttcattgggg gactagataa atttaaattg gttacattcc 120  
 atacaatgtg gaagataaag tagctgtgag gaacgatgcg cctcctccct ttacagatgt 180  
 ggaatgaccg ccaagataca gccaggaaaa aagcaagaag agaacagttg gtgatctgct 240  
 gtttcagttc aaaataacca attttaaaaa aatgtctcta gaaggctaca taagaggctg 300  
 gtgagacagt ggtcctgtgg gagggaaatgt gggtaacagg caacaggatg ggagggatgg 360  
 tcaccataca tcttttggca cactctgcat tttgaaacat atgattgggt ttccctagtc 420  
 taacaaaata acttttaggtc caactgactg tagtaaattg gtcactagca aaaaaaaaaa 480  
 aaaaaacaaa aaaagcgtgg ggggaacccg gggccaacgc gggccccgg tggggaatgg 540  
 gtttccggc tccaatttcc cccattttg cgcacaa 577

<210> 64  
 <211> 744  
 <212> DNA  
 <213> Homo sapien

<400> 64  
 aaaaacaaac aaaaaaacca gttatttact tggctataac aatgtctgta aatggtaaag 60  
 acagaaaaca acctaagttg ttcattgggg gactagataa atttaaattg gttacattcc 120  
 atacaatgtg gaagataaag tagctgtgag gaacgatgcg cctcctccct tacagatgtg 180  
 gaatgaccgc caagatacac agccaggaaa aaagcaagaa gagaacagtt tgtgatctgc 240  
 tgtttcagtt caaaataaca attttaaaaa atgtctctag aaggctacat aagaggctgg 300  
 tgagacagtt gctctgtggg agggaaagtg ggtaacaggg aacaggatgg gagggattgt 360  
 caccatacat ctttttgcac actctgcatt ttgaaacata tgattgtatt tcctagtcta 420

57

acaaaataac attaggtcca actgactgta gtaaattgtc actagaatct ttgtcttgga 480  
gtcatttgat tttatttttc acagaagggc atatggttag atagcctaaa acagcagggg 540  
agggagcagt gtgtgctagg agctgccaca tgccaggcac ctgatagata ccagctctat 600  
ctcacgctcc ccctgtccct tgaggtaggt gtttctgttt ctacttacia gaaaatagac 660  
taaggcgtaa agtaacacaa tcacggtcac acatgtggca agcagcacag cctggatttg 720  
aagctaggca agtctgactc taag 744

<210> 65  
<211> 318  
<212> DNA  
<213> Homo sapien

<400> 65  
taagtgtttt aaagaaacta gagcagcaga gaagagagac tcagaagccc gtggcacggc 60  
tttctcggcg tccccctccag cgaggggggc tccattgctg cagttgccgg ttttgtccaa 120  
ccaggtcagg aggctgcccc gccccctccc cactctcaaa gttgcttggt aaacacagag 180  
tcgtaatttg tggttaaata taactagtgt gttctcacgg aaagtataat tcaggggtgct 240  
cattgtatga ggttatcaac aagaccatc tgggttaaat taaagtgatt ttcataaagg 300  
gcagaagcgc ccctttac 318

<210> 66  
<211> 2505  
<212> DNA  
<213> Homo sapien

<400> 66  
ctgcgcccc aataatcgtg tgttgggtat ctctccattg ttccctgggc cattagtcaa 60  
agggcaaatt agaaacaatt tcttgacgac aaaaattgac tcttaattct tcccaccaga 120  
ggcgcagggg gacaagtcca gaggccaggc ctgaggctgg ggctggcggc aggaggggta 180  
ggcggggtag aggtggggta gaggtggggg atctaagatg gttcacagca cagagacctc 240  
cctcaactgg agggcagcag cagctcacc ccacccaga atcagtgttc cagaggacag 300  
ctgggggcag ggggttagga acaatcccac tccctcctgg aagaggctct gacccccac 360  
cccacccatc tgctgtacg ggtccctctg ctatcgactg gggcgagttc ttttcatgag 420  
ggccttgctt ggtgcctgga gggaacaggg tgtgggggaa aggtctgtgt gttccccct 480  
cacctccctt gctcagcggg gtggcctctg gctctgggga ggatcgggaa gcccagggg 540  
ccgtgccttg gagtgggggg acagcctttt ctctgccaca gcttctgctt ttgggggctt 600  
acccttcta ggagcagaac tgttgtggag ggaagagga cggatgaagg tccgaaggga 660

agggggctgc cccactgaa aacgaagctt ccagtcacag ccccttcatt atttatcagg	720
accagaggga tgaggaggga ggggaggggg ctgcatggag ggagtgccct caccctcgtc	780
cccagcgctt gccccctccc gaccaggcct gggctgaggc ccagggtaaag ggggctgagg	840
caggccacag aggagcaaga cttgtcaggg gccagacctg ggtaggagga ttgtcctcca	900
ggcacacacg gccccagcc cccagcctg tcgaactggg ctctcccaga aggtccccgg	960
ctccagccca agcaggggagc cagggtgggg gtgtgggaag gcagaagtcc cagggtacct	1020
gggggaggct cagggtgtac ctgcaggcca cagtctcctc gacagacctc ggacgagggt	1080
gtaagtgttt taaagaaact agagcagcag agaagagaga ctcagaagcc cgtggcacgg	1140
ctttctcggc gtccccctca gcgaggggggt ctccattgct gcagttgccg gttttgtcca	1200
accaggctcag gaggtgccc gggccccctc cactctcaa agttgcttgt taaacacaga	1260
gtcgtaatTT gtggctaaat ataactagtT gtTctcacg gaaagtataa ttcagggtgc	1320
tcattgtatg aggttatcaa caagacccat ctgggttaaa ttaaagtgat tttcataaag	1380
ggcagaagcg cccctttgcc tggtttcccc tgccctttta ttagtgacag tgttattgtt	1440
gcaattatta gaggggatca aggaaggTgg gagttgccag ggacccccag gctgaggagg	1500
gagcctccca gccccctcc actcaccatt gtccTgtgc ccctccagcc ccctggTcac	1560
tgTcacctct gcggctggag ggctggagaa agggccagga gccagggaa cctccaccat	1620
gccaggctgc cttccctaaa ggccggctcc tccccccag gcagccagtc tgggggtgga	1680
cctggagggg cagggttctc tgggaatctc tgggccaagg gatgcccttt ggggatctgc	1740
tggataaag agtaatcggT tttccttgca ggaggTgac ccgaaacagc cctccgtctt	1800
cctgcccagT aggatgagga cagggaagcca gacccgggag agaaagccca gatcagacag	1860
atgggggttg ggagggccta gtggctgaaa ctgccctgct tggggacaat gctcaggcag	1920
gaccaatcca aacgagggca ctgcttatgt ggtccctccg gagcatcctc caaggcagag	1980
cctggcttcg ggcctccct gcaaggacac ctgctccac tccctgccag accaggcctg	2040
gctgcagagg cggaggggcg gcagggctgc ctgtctccac tgTttggcg tgTttacacg	2100
tgTcgctgtc agggTgtctg gacagtgggg gtccggggcc tccggggccc agacttcccc	2160
acgctcccca agagcagcag atgtaggTct cccggctccc aaacctctga gatgctgctc	2220
tgTctgaaat catcatataa ataatcattt tttaatacaa ggggtgggg gtgtcaggca	2280
agTtccatga aattgtgaat tagccgctgc tccaaataaa tgctgcttc ggcccagag	2340
cagccgcgct gcgcccgtg cggccccaat aatcgTgtgc tgggtatctc tccatttgtt	2400

59

ccctgggccca ttagtccaaa gggcacaatt agaaacaatt tcttgacgac aaaaattgac 2460  
 tcttaattct tcccaccaga ggcgcagggg ggacaagtcc cagag 2505

<210> 67  
 <211> 247  
 <212> DNA  
 <213> Homo sapien

<400> 67  
 actgagcagc tacggaatgc aaggcactgt aggaagtagg gtgagtatac tccccacaag 60  
 ggctcagggg caggcagggg aggtgagata aaaaccaca gccatacact agctggcctg 120  
 tcctgagggg tgtgaggcac aaaatgctag gagactagag aagtaagaaa tgtcttgaca 180  
 tgaggagaaa tcaaggaaag catggtttta gaacatgtgt gggatgtttt ttgtatcgag 240  
 actgaag 247

<210> 68  
 <211> 2458  
 <212> DNA  
 <213> Homo sapien

<400> 68  
 ttgcgctgtt ttgggtgatc ttgtggtgcc gtgcgcgcgc tcatgcttgt tttctcagcg 60  
 gtgctatctg tgcgtcggta tgtgtgtctg ctgcacgggc tggtgcgacg cgtggtttgt 120  
 gctcgtgatg aatgggctgc ggcgtttgtg cctatggggc ctgttcaagt atgggggcct 180  
 ttgtgggcct tcggggattt ttggggggcg cgcccgttgc ttgtggttgg acggccgctc 240  
 tgaggatgtc aggtagcccg ttactggtgt cggaagtttg tgcaagattg agataaatga 300  
 ttagtaatta caggaaaact aacttgtaaa aatcttaaag acattgaatg ggttaatgta 360  
 ctgagcagct acggaatgca aggcaactgta ggagtagggg gagtatactc cccacaaggg 420  
 ctcaggggtca ggcaggggag gtgagataaa aaccacagc catacactag ctggcctgtc 480  
 ctgaggggtg tgaggcacia aatgctagga gactagagaa gtaagaaatg tcttgacatg 540  
 aggagaaatc aaggaaagca tggttttaga acatgtgtgg gatgtttttt gtatcgagac 600  
 tgaagaggct ttttaaagtg gagggaaggc aaactgaggc atagagatgc caataccagg 660  
 tcttgtcagg aagaacagag tccaatttgg ctgcaggata gggcatatgt aggggagggg 720  
 ataagactgg catgggggca gagggggact tgaatgtcag gtgacagagt caaagcttgc 780  
 actcaagtag gtgattgata ggtgatcttg ggggcttttg agcaggaaga gtgataaatc 840  
 aacattggct taggacaatc cctttggctt tggcgaaatt gtgactcagg taagggacag 900  
 ttgggggaga caaggatggg aagatgcatg ataaatgggc cctgagcttg gcaggcaaca 960

ggaaggcagt gcaatgtttt gtagaaatag acttagcaga gcaggcgccc agcattcagc 1020  
gagaccacag attccttagcc actgtatgac ttgaagggtga tactaactcc cctgaacctg 1080  
tctcatctac aaaatgggca tagtagcacc tatgtcatag ggttgcttta tggcaggtaa 1140  
ttattcttgt aaagcattta gcacagctct gatgacacat ggggaatgct cagtaaatat 1200  
taatgtcact aattccagtc aattccatta actggaatta attagttgga gttaggaagg 1260  
aaacagggtgt cagctgggtc gactgaagga agcagagatc tcaggaagca gtacatgggtg 1320  
gtacagtggg agcatggcat ctgtggggga gactgtctgc agtgggatcc cacctctatt 1380  
gctggccagc tgtgatcttg tacaggatac ttaaccctt tctagctcag tttcttttagc 1440  
tgtaaagcca gcgcaatgtt accatggagc tggtagtgga aagcaatgca tgtaaagtgt 1500  
gtagtatgtg cctgatacat tgttagtgcc cagtaaagt tagttatcag gtgaggggtg 1560  
ggatgtgggg ttgagtagat ttgcctcgtc cactcataga ggcaggatgt gcaaggaggg 1620  
gtggagacat gcagcaaggg attgggcatg aaggttttct ccaggcccgg ggagaacact 1680  
cggcctggag atattcagga gtccctggcc cagaggagat tacaactctg cagggatatg 1740  
agccacgagt ggagtgtaga cataggccta aggaagcaat cagacacttc cagaatagag 1800  
gacatttgct aagacagctg gcctggatgc ttcaaaaagt atcatgggaa aatatgtcgg 1860  
ggttggttga gactgaaagt gactagagtt gaaacaaaa gaatgtatga accttgatgg 1920  
gacctggttg ttgtcgttgt ttttaaagac aaacattctg gagacaattg ttgaatactg 1980  
attaagggct ctgtattaga ggctataaag aagttactgt ttatatTTTT aggcattgatc 2040  
atcttaatgt aatcatgtag aacggtgtct ttgtgctcag gaaatctatg tggtaatact 2100  
caggggtcga aatgtcattc tatgtacaca tgcattgggt ggagagaata gtaaatctgg 2160  
caaatgtta acaactattc aatccaagtg gagagtatgt atctgagtat tcattgtgct 2220  
agcctttcaa ctttttctgg atgtgtggaa tttttcaata taaaaaata agaaaaaaa 2280  
gaggcctatg gaaaaactgg gaaccagtat gcaacaggaa aaggaattct ttgaaggaaa 2340  
aacaggatcc acctaccaag agagcaattt caaggagag attaagcaca caatgaaggc 2400  
tgcaaataga tcatcatatt tggtcactgg gagattgtgg cagcttgga atagtccg 2458

<210> 69

<211> 894

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

61

&lt;222&gt; (341)..(341)

&lt;223&gt; a, c, g or t

&lt;400&gt; 69

gatgataatc atataggcca atggtgactc tagatctgct cgagcgggcg cagtgtgatg	60
gatcgtgggc gcggcgaggt actccgctac tcttttactt cttttgtaaa gtattgactc	120
tggaaggcta cagtatacaa agtctcaaca tgttttttaa aagaaataag gagcaagcga	180
ctgccctgct agaaatcaca aaccgatttt tgtagaatat tttgtgcccc aggcattaat	240
ttcactgact ccagaacctg cagttcagag aatgatttct tatgatgata aaaatcgaat	300
gggatcagac gatggtttgc atttttttta attaacttgg naataggaca cctcaagttt	360
gagatttcat tttcttttag aacacagtca caagattaat ctggtgaatc cttttgtcac	420
aggttctcgg tgtgtgtgtg cgcgtctccg tgtgtgtgtg tgtgcatgtg tgtaaaactg	480
gtcacattta attgcttttt gggaccattg aatagttggg aagtaagaat tttttaattg	540
gcattaaaac ggtcctcaac tgttaaatta accaaatttg acctgtcttt aaaaaaggc	600
ttatttgtat gattttgggc taactccccg gggaccatat taaatgacaa aaatgctcct	660
ttgggtgaca caccctacaa agtatttgct gttacgaaca taaacgcca cattcttaat	720
atctaataatt ttgaccagt gatgtcttat gctgtcatct gaacctagag aagcagtgtc	780
agaggaaaacc tgggtgtccat gtgtcttagc aaaggggtact gatcgagggt ctgtgacaaa	840
gatggcccga gagctgggggt atcatggcat agtgttcttg gtaatgttcg ccac	894

&lt;210&gt; 70

&lt;211&gt; 1335

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (278)..(278)

&lt;223&gt; a, c, g or t

&lt;400&gt; 70

cgtggtcgcg gcgaggtact ccgctactct tttacttctt ttgtaaagta ttgactctgg	60
aaggctacag tatacaaaagt ctcaacatgt tttttaaaag aaataaggag caagcgactg	120
ccctgctaga aatcacaaac cgatttttgt agaataattt gtgccccagg cattaatttc	180
actgactcca gaacctgcag ttcagagaat gatttcttat gatgataaaa atcgaatggg	240
atcagacgat ggtttgcatt ttttttaatt aacttggnaa taggacacct caagtttgag	300
atttcatttt cttttagaac acagtcacaa gattaatctg gtgaatcctt ttgtcacagt	360

```

tctcgtgtgt gtgtgcgcgt ctccgtgtgt gtgtgtgtgc atgtgtgtaa aactgggtcac 420
atttaattgc tttttggacc attgaatagt tgggaagtaa gaatttttta attggcatga 480
gacggttctt caactgttaa attaaccaac tttgacctgt ctttagaaaa aggcttattt 540
gtatgatattt gggctaactc cccggggacc atattaaatg acaaaaatgc tcctttgggt 600
gacacaccct acaaagtatt tgctgttacg aacataaacg cccacattct taatatctaa 660
tatttttgac cagtgatgtt ttatgtgtgc atctgaacct tagagaagca gtgtcagagg 720
aaaccttggg gtcacatgtg tcttagcaaa agggttacca tgatcgaggg tcatgtgacc 780
aaaagatgct ccagagaagc ttgagaattt gtttcaagtt gggaggaggg ttggagatac 840
aaaaatcact ctgctctaca ggactcttca gctgtctatg caagaaattc cgttttctct 900
ttcagcacct ggaaagacac agcagcccac tgaggcgata ggtgattcac taagcacaag 960
aggaatgttt tctaagcaag gcgtcccttg cctctcaaac aaatgccctc caagtttggt 1020
agggtttcta ttcctgcaac ttgtggtatc aaaaccactt cctgaaattg tcaaagcact 1080
gccaaaataa atgtttttcc cccttctaag aaaaaaaaaa tgacagtgtc catatttgac 1140
acttgtgtat tggactctct tttgaatgaa taaaaaggaa aaggggtttg gtgtaattcc 1200
tgatgggggtg cgtgttggtt ttcatgccat ggtttggtgaa ttttaattgt ggtttcccat 1260
ttcgttggtg taactgggca gaaattaaaa aagaaaaatc aataaaaaata caaagaaatg 1320
gttaaaaaaa aaaaa 1335

```

```

<210> 71
<211> 137
<212> DNA
<213> Homo sapien

```

```

<400> 71
cgggcaggta cgcacaagca ggcccagctg ggagacgcta ggataactaa gacctggtca 60
gcgccctgag gagtcttgct tggataaagg gagacacaca ctagcttgga cttatgcgtg 120
cagcggagct gtgtaga 137

```

```

<210> 72
<211> 694
<212> DNA
<213> Homo sapien

```

```

<400> 72
ccgcccgggc aggtaccaac cccagcacac cccaacagcc tttcctcggc ccctcctcag 60
gcctcctaata tactctttct cagcctggag tgtggggccg ttaccgtcct cttccccctt 120

```



63

```

ctccttccat actgcaactta accttgettg aagacttaat gatggagatt tagggcaatc 180
tgtggctgct tggacccttc cctggaccaa aggaacttaa aaccctaaacc tgacactgga 240
atgaaatcca agttttttaa tatcaccttt caatcactca cagatctcac tctatcttaa 300
aatactcage ctactcctt aatgagtgtg tgctgaaggg agaaaattcc attttaaaaa 360
cgtattcact ttactgatta ctgtgcaatt tgaattaagt cacgattctt tagtaaattg 420
aggtgagaat ctgagattca aattgtcaga gaccatgatt tagaagtcta ccaaaccacc 480
agtttccttc cactgtttta gggtaacagg aaaacatgag attggggtgg tgtccgctat 540
taaattggaac cacacatcat gaaattcaat tctcatgtta agacattctg tattgtggga 600
tgtcaaaagt atttcccaa ctttcgtttg acctgcagag ttggagatgg cttacctccc 660
tataacttca agtttgtttc acaaagcttg gcgt 694

```

```

<210> 73
<211> 8095
<212> DNA
<213> Homo sapien

```

```

<400> 73
tttttttttt gccacctaga gatgataatt tattgtttta ccatgactca gaagagaaac 60
aacataaaga gaatatttca aatccccaca atttccttcc tcaacctcac tactcttaac 120
atttctttat cagacgccac tggcttcccta aaatggacca ctgactatgt atgtgtacac 180
atttcattat gctgcctttt ctcttatgat taaaacttta gccctcattc gaggtttcca 240
atggttactt ttagtggagg agttccctag cttttaaaaa accacttttc ctctaagatt 300
ccattattta ttgaaagaag tctttctaga aatgttaagg aggattttta atgaacacat 360
tcaattaaaa aaaaaatcac gtattgaaca tctaccaagc atctggactc ttcggaacct 420
agtaaaatga aaaaatccag ttttaacaac agtaacttca ttctgcgggt atacagagac 480
aagcacgttt cttcttttgg tctaatttat tctaaacgaa gaagctggga actgacaaaa 540
caggacaggt tgtttttaat ccagtctaca aataaacaag acaatgcctg agttagccct 600
ctatatagat ttaggcttat gctgacctcg ttgtaaaatc tgtatttaac taaaagttaa 660
taaaaataca tatgttcatt ttaaaataat tactgatttt gcttggctat cccaccctt 720
acccccaaac tcatatattt ttaggacaag attttcctgc ataaccacaa cctgtctcct 780
cccaccctac ccccatcata gatgttttca aataagaacc cctgcgatca gcagaagcat 840
ctctaatacta acatgctttg tccttgctag ggcaggctaa aagctttaa aagcaaccgg 900
atgctcttct ctggttgagg tgaggggaag gcgctcgggt accaacccca gcacacccca 960

```

acagcctttc ctcgggccct cctcaggcct cctaattact ctttctcagc ctggagtgtg 1020  
gggcccgttac cgtcctcttc ccccttctcc ttccatactg cacttaacct tgctggaaga 1080  
cttaatgatg gagatttagg gcaactgtgg ctgcttggac ccttccctgg accaaaggaa 1140  
cttaaaaccc aaacctgaca ctggaatgaa atccaagttt ttaaataatca cctttcaatc 1200  
actcacagat ctactctat cttaaaatac tcagcctcac tccttaatga gtgcttgctg 1260  
aaggagaaaa attccatttt aaaaacgtat tcactttact gattactgtg caatttgaat 1320  
taagtcacga ttcttttagta aatggagggtg agaatctcag attcaaattg tcagagacca 1380  
tgatttagaa gtctaccaa caccagttt ccttccactg ttttagggta acaggaaaac 1440  
atgagattgg ggtgggtgtcc gctattaaat ggaaccacac atcatgaaat tcaattctca 1500  
tgtaagaca ttctgtattg tgggatgtca aaagtatttc ccaaactttc gtttgacctg 1560  
cagagttgga gatggccttac ctccctataa cttcaagttt gtttcacaaa gctttgaaaa 1620  
gtaaaacaga taatttcatt ttcagataat aaaaaatctg aatagcaaaa taattgcttt 1680  
taaagttagt gtgtccactc taaaaaaaaa aaccctaaat ctatgttaga aaaacttttc 1740  
aaataatgcc ttttattaaa ttctccagta gtagttgaaa taaaaatcta ccctaatttc 1800  
tatgaaatga tctatttata tctactgactt ttctttttct ctgattctat atttcattta 1860  
acaatctgca gactttcacc ccatttccca gatgggaaaa ccctagcccc ctcgatatctc 1920  
tgagaagttg ctgagagtag gacacagaga aatatggccc ccacctggg aagtactgct 1980  
gtcactgttt aagtgtattt cagttctgtt actccaattc atacacacag tcttccatga 2040  
ggatggtagg atgaacctgg ttagctggct ttggataagt agatcagcat gactacctgg 2100  
aataaaagtg actgactcta ggataaaaat taaaaaaaga ttctttcaca gcaacgagtc 2160  
tttgcaaac ctctctccta ataatacaca accaggggaa gaaaagtggg agcaggggaa 2220  
acaggaacac agccaaaggg aatattgcaa aatgcttccc gagcttcatc agacagactt 2280  
cttgcaatgc cagcactgga tgcactgca cacaattccg ggaaatgccc accttgctgt 2340  
tctcctatcc ccaattttct ttctttcttt ctttcttttt ttcttttttt tgagacagag 2400  
tctctgttac ccaggctgga gtgcagtgg gcaatctcg ctcaactggca acctctgcct 2460  
cccagattta ggtgattctc ctgcctcagc ctctgagta gctgggacta caggcgccca 2520  
ccaccacgcc cggctaattt ttgtattttt agtagagaca ggctttcacc acgttggcc 2580  
ggctggctc aaactcctga cctcaagtga tccgccacc tctgcctccc aaagtgtga 2640  
gattacagga gtgagccacc gtgcctggc agtctatcc tcccccaac cttttttttt 2700  
tttttgacat ggagtctcac gccatcacc aggtggagt gcagtggcg catcttggt 2760

cactgcaacc tccgcctccc atgttcaagt gatcctcctg cctcagcctc ctgagtagct 2820  
gggactacag atgaagacaa gcacctgtgg tgccctcac tgcaagaagt cagggaggca 2880  
ttccacagcc tgggtgcca cagtcctgcc ctgtaccctc tggggccctt ttggcacggg 2940  
ggcagcgctt ccagatttcc ttccagaaag atgcagtcct tccgcagctg ggccatgcag 3000  
atctcctggc atccaacttg ttggaacag tggccctctg ctcaatgatg agactgggga 3060  
ggggaacag gaggacattt caaggaaagg atggagcgtg gatatgaatg ggaagcggg 3120  
gggtgggggag ctcatcagca tcctcagagg ggctcatgcc cacgctgcaa cacagaatgg 3180  
gacttgccag atgtttgtag tcgactctga gtgccccgtg ctgagaaacc tgaaagcaca 3240  
cccacctatg gctgcgcgtg ttgcacgctc aaggctgagt tcacatagtt ctgtagcctc 3300  
ctcctacacc aagtcaggtc ggccctgtgt gaccagtaga agagatggga tgtcactttc 3360  
gaggtgtgctt ccaggcgagg ctggcctgaa tgagaatgag gagcaggacg ctccccaaga 3420  
gattgccttg gacatcagcc tgggcccacat ctacaagttc agaccattc agcagctaaa 3480  
ttccaggagc atcacggaga atctccggcg agctcagcac caaggcaggc actgtgtgtg 3540  
ctgtgggccg gatgctacag aaactgtgtt atcggacacg ggtcctgate taggccccaa 3600  
gagagagttc ttgtacaaga aagaattggg gccaggcatg tttctggcgc tgtgtgcca 3660  
ggcccagccg ggggcctaca ctgatgagaa cctcatggga ctgattgagc tgctgtgccg 3720  
caccagcctg gacgtggggc tccgcctgct gcccaaagtt gacctccagc agcttctcct 3780  
cttgctcctg gagaacatcc gggagtggcc agggaaaggc cttccttcca ggacagatgt 3840  
cccacggctt gcagatggct gggcccagga gacggtgcta gcccttcctc tgagagaagg 3900  
ggtgcaggct gccgccaccg tgccatcct cctgtacaac ctggaggatg gcttgtcaga 3960  
ccatcccctg gaccagggcc ccgctgccct gccggcgcc cctgcagccc tgcctcggct 4020  
ccagctctca catcgccaaa gaagcccaag atacaggcac ctggggaaac cgttgacgg 4080  
ttttgtgtt ccagttttgg ctgcttctca agatcacgaa gcccaggga ctctgcaagg 4140  
gtttctgcaa gttcagcagt tcatcgctgg agggcgcttc cttccaggac agatgtccca 4200  
cggcttgca atggctgggc ccaggagac ggtgctagcc cttcctctga gagaaggggt 4260  
gcaggctgcc gccaccgcgc ccatcctcct gtacaacctg gaggatggct tgtcagacca 4320  
tcccctggac caggggcccc gctgccctgc ccggcgcccc tgcagccctg cctcggctcc 4380  
agctcccaca tcgccaaga agcccaagat gcaggcacct ggggaaacgt ttcccactga 4440  
ctggagcccc ccgcccgtgg aattcctcaa ccgagggtg ctgcaggcca gtcgggaggc 4500

ccccgcccag aggtgggtgg gtgtgggtgg cccccagggc ctgaggagac tggctggtga 4560  
gctgcccag gagttggagc aggaacacct ggacttggac ccgaagaggg gcctggcctt 4620  
gccagagaag ctgttctgga acacgtcagg cctgagccag caggctgcgg cccagagtt 4680  
ttcctggggg ggctcaggaa gctacttcaa caacctggac tacttactgc aggagaagag 4740  
ggaacaggcc ctggagcagg agcgagagag gctgcttctg caggagtgtc tcaatctcaa 4800  
ctccttgat ctgatgaag aggaagtgc actcacacc gagcacagaa agaggcaaga 4860  
gagctctctg gggccctttc ataagggtac caatcctatt catgaaggct ccacctcat 4920  
gcctcatcac ctcccaaagg cccacttcc taataccttc accctggggc tttccttcg 4980  
gagacaagca gtaaataaga tcagtgaagt tgtgctgcaa gggctcctga gaaaggctaa 5040  
cgctgggggc ataaggagtg ctgggaaagg tgtgggctct gatgatgtgg gctctaata 5100  
tgtgggcttt gatgatgaag gctctgatga tgaagggtg ctggtggaaa agtactcagt 5160  
gtccctgcag accatcccg cggtccatcc aggtgagact gtgtttctgc ccagggtgca 5220  
ccccctgcca tgcctcctgg actcctcact cctgaagcca cgagccacc tggaagggt 5280  
gttcctcagg cagtatgctg agcattggga cctcaaggat gaggaagatg cagtctctgc 5340  
cctagaggag cttacagcag caggaagttt ctgtcatagg acagaccag ggctcaccaa 5400  
gactcaagca gatgatgaag cctggggctc actggcccaa tcagcgatt cagactggct 5460  
ggctgcttat gaggtcctg ggcagggt gcctgctcag tgggcagctg actctagctg 5520  
ctgcaaaatg cctttcactc aaagggtttt gcttttgcca atcccctccc tcacatgcct 5580  
tgaaacaagc actttcaaag acaaagacat aaacaacaaa aggtgagcag ctgagttgcc 5640  
aacttacagt gtcattgggc cgattcaggt tcttgactgc tgcacaaaag aatttgagag 5700  
caagtacaaa gcaaaagtag gtaaagaagt ttattgcaaa gcgaagatct cctgggaggg 5760  
ccccgtggag aagaagactg agtgtatcca gaaagggaag aacaaccagg tgggtgcttg 5820  
gacgtgctc ctggtgctgc cttaccccca ggacgtctcc tcccattctg gccctcgcgc 5880  
tctactaac cggacacctt tctgccccca gaccgagtgc ttcaacttca tccgcttct 5940  
gcagccctac aatgcctccc acctgtacgt ctgtggcacc tacgccttcc agcccaagt 6000  
cacctacgtc aacatgctca cttcacttt ggagcatgga gagtttgaag atgggaaggg 6060  
caagtgtccc tatgaccag ctaagggcc taagtggcctt cttgtggatg gtgagctgta 6120  
ctcggccaca ctcaacaact tcctgggcac ggaaccatt atcctgcgta acatggggcc 6180  
ccaccactcc atgaagacag agtacctggc cttttggctc aacgaacctc actttgtagg 6240  
ctctgcctat gtacctgaga gtgtgggcag cttcacgggg gacgacgaca aggtctactt 6300

cttcttcagg gagcgggcag tggagtccga ctgctatgcc gagcagggtgg tggctcgtgt 6360  
ggccccgtgtc tgcaagggcg atatgggggg cgcacggacc ctgcagagga agtggaccac 6420  
gttcctgaag gcgcggctgg catgctctgc cccgaactgg cagctctact tcaaccagct 6480  
gcaggcgatg cacaccctgc aggacacctc ctggcacaac accaccttct ttgggggtttt 6540  
tcaagcacag tggggtgaca tgtacctgtc ggccatctgt gaggaccagt tggagagat 6600  
ccagcgggtg tttgagggcc cctataagga gtaccatgag gaagcccaga agtgggaccg 6660  
ctacactgac cctgtacca gccctcggcc tggctcgtgc attaacaact ggcatcggcg 6720  
ccacggctac accagctccc tggagctacc cgacaacatc ctcaacttcg tcaagaagca 6780  
cccgtgatg gaggagcagg tggggcctcg gtggagccgc cccctgctcg tgaagaaggg 6840  
caccaacttc accacctgg tggccgaccg gggtacagga cttgatggag ccacctatac 6900  
agtgtgttc attggcacag gagacggctg gctgctcaag gctgtgagcc tggggccctg 6960  
ggttcacctg attgaggagc tgcagctgtt tgaccaggag cccatgagaa gcctggtgct 7020  
atctcagagc aaggtaaagc tgcctcttgc cggctccgc tctcagctgg tgcagctgcc 7080  
cgtggccgac tgcataaagt atcgtcctg tgcagactgt gtcctcgccc gggaccoccta 7140  
ttgcgcctgg agcgtcaaca ccagccgctg tgtggccgtg ggtggccact ctggatctct 7200  
actgatccag catgtgatga cctcggacac ttcaggcatc tgcaacctcc gtggcagtaa 7260  
gaaagtccag cccactccca aaaacatcac ggtggtggcg ggcacagacc tgggtgtgcc 7320  
ctgccacctc tctccaact tggcccatgc ccgtggacc tttggggggc gggacctgcc 7380  
tgcggaacag cccgggtcct tctctacga tgcccggtc caggccctgg ttgtgatggc 7440  
tgcccagccc cgccatgcc gggcctacca ctgcttttca gaggagcagg gggcgcggt 7500  
ggctgtgaa ggctacctg tggctgtcgt ggcaggcccg tcggtgacct tggaggcccg 7560  
ggccccctg gaaaacctg ggctggtgtg gctggcggtg gtggccctgg gggctgtgtg 7620  
cctggtgctg ctgctgctgg tgctgtcatt gcgccggcg ctgcgggaag agctggagaa 7680  
aggggccaag gctactgaga ggaccttgg gtacccctg gagctgcca aggagcccac 7740  
cagtcccccc ttccggccct gtctgaacc agatgagaaa ctttgggatc ctgtcgggta 7800  
ctactattca gatggctccc ttaagatagt acctgggcat gcccggtgcc agccgggtg 7860  
ggggccccct tcgccacctc caggcatccc agggcagcct ctgccttctc caactcggt 7920  
tcacctgggg ggtggcgga actcaaatgc caatgggttac gtgcgcttac aactaggagg 7980  
ggaggaccgg ggagggtcg ggcacccct gcctgagctc gcggatgaac tgagacgcaa 8040

68

actgcagcaa cgccagccac tgcccgactc caaccccgag gagtcatcag tatga 8095

<210> 74  
 <211> 435  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (86)..(86)  
 <223> a, c, g or t

<400> 74  
 ggatgttcga tcactatagc cttgtgcctc tagatgctgc tcgagcggcg cagtgtgatg 60  
 gatgtcgcgg ccgaggtact tcccanggtg ggggccatat ttctctgtgt cctactctga 120  
 gcaacttctc agagatacga gggggctagg gttttcccat ctgggaaatg gggtgaaagt 180  
 ctgcagattg ttaaatgaaa tatagaatca gcagaaaaag aaaagtcagt gatataaata 240  
 gatcatttca tagaaattag ggtagatttt tatttcaact actactggag aatttaataa 300  
 aaggcattat ttgaaaagtt tttctaacat agatttaggg tttttttttt tagagtggac 360  
 aactacatt taaaagcaat tatttgtgct atccagattt tttattatct gaaaatgaaa 420  
 ttatctgttt tactt 435

<210> 75  
 <211> 608  
 <212> DNA  
 <213> Homo sapien

<400> 75  
 ggggggcata tttctctgtg tcctactctg agcaacttct cagagatacg agggggctag 60  
 ggttttccca tctgggaaat ggggtgaaag tctgcagatg ttaaatgaaa tatagaatca 120  
 gagaaaaaga aaagtcagtg atataaatag atcatttcat agaaattagg gtagattttt 180  
 atttcaacta ctactggaga atttaataaa aggcatattt tgaaaagttt ttctaacata 240  
 gatttagggg tttttttttt agaggggaca cactcccttc ctactcccca acaaggggct 300  
 cactatcccc aaagaaggag ctgtggggga cccacgacgc agccccggta cgggattaca 360  
 gcatattctc atctcggggc ccgaggtctc ctgtggggcg aggggagacc tcccatcacg 420  
 gagacagatc acagaccacg agtgccttcc ccggaccggg acgtggcctc cagagcaggc 480  
 accagctctt tccctctcta gacagaaata ttttggttaag gttctggggc agggagggag 540  
 catgaagtac gaggaaaact tgaattccag attcttaatg caaagtattt atcatttcta 600  
 ccagaaat 608

<210> 76  
 <211> 727  
 <212> DNA  
 <213> Homo sapien

<400> 76  
 gatgattcga ctactatgg gcgaatgtgc ctctagatgc tgctcgagcg gcgcagtggtg 60  
 atgggtcgcg gcgaggtact tcttagacac tgtagttaa aagaataatt tctgtagaa 120  
 aaacctaata taataggacc tactcataat ttggcaaaat catcctcata attccatgct 180  
 actgaaatgg ggggtgaata aagaaaaaat catttgttta ttcatttaac aggggttatt 240  
 aaagcaccaa tatatgcca gaactttgca gtgcactgga agttcagaga taagaaagcc 300  
 acagtttctg ccatcaaaat gctaggaatc tagaggtctc aaacatcaga ggtcccttca 360  
 aactatgtct accaggaaaa taaaatacct gatttcatcc ctgcaacaa ctctatacag 420  
 acagaaatgc ttcctagctt ggaaactata gaaaattgaa catgaaatg agagcaaaga 480  
 ttctacatca aaatggcaat gatccaatca gccagtgcaa ggctgagtgg gttgaatggg 540  
 gacttcgagt ttggattcaa tgctttgaac ttcatagtctc cagagaagct gtgcaaaaag 600  
 gggggattct agggaaatctg aggaagattg ttggagaaac cagctttctt cttgtctcct 660  
 aatccctgct aagattgata ccagtcaagg agctgagtta ctttcatttc attatgttga 720  
 ccaagag 727

<210> 77  
 <211> 3052  
 <212> DNA  
 <213> Homo sapien

<400> 77  
 ggaggtggag gggaggagtg cctgcatggc catgggattg ttcttcattc cctttctcaa 60  
 ctgcaccag cagcagtggt ttttgctagg ccttttgaag acagcaggaa tctgggagaa 120  
 ggaacatcat cgtctttcac agcatggaaa catcaatctt attccagaga agggaagaag 180  
 tccccaaagg tatgtccggt ttaacagttt ctcaagtggg ccaggaagtt ctttttcatg 240  
 ttctgggctc aatcgtgatg ctttgatttc acttggtatt ttacttttag ttttgtctct 300  
 aacatctgga gcaaagatca gaagacctga gttccagatt tattctgtga ctcaatcact 360  
 gcttcaatca ctgagggacg tggatgatg ttctttgctc tgagcttctg cttcttgatc 420  
 taaaaagaca ggtggttgtt ctgggtgatc aaaatctctt cttgctctgt gtatcttaga 480  
 atccatgaaa ttatgtctct ttgcatctat gataacaaat caaatatga atcacaattt 540

70

tcttacaggg ttgctgaggt taaagccgtg aaagcctggg aacaaatctc cccaggggaag	600
gtttaagcaa gcattaactc tttcttctgc aagttcccc attcattgct aggggtgtgt	660
ctgatagcca ccatgcacag ttgactttcc ttgggaaatc atgagtcttt tatttttgca	720
atttggcttt atctcctaca catcatccag atggtgcaac atctggtact atatgtccaa	780
tggaattgcc acaactcagc cactgagatc caacattcct gcctctcttc attccaagat	840
tccttctgtt ctttattgtg gtagacaaga gcaagcattt ttatttgag agatgtactt	900
atttaaaaag caattgtgaa agcatttgat ttaataatta ggattgtttc tccacgattc	960
tttttctgaa aaaaaatttt tttggtgtaa atttagagtt cataagtaac accaaagact	1020
gagacaatga agtccatgca tactgtaaaa aaataacata aataacagtc cctagtatgc	1080
atcagtcatt gtactagagg ctttgtgtgt acattgattg tctcacttga aaatcaaaac	1140
acggcagaag agtcaaagtc ttttgaatgt gctgaaactc aaattttctt ccaggctatc	1200
tctgtatgat tcctctttta cactgccatt actggcttct aaaaccacta aagctatgca	1260
gatagcctgg tcctaacatg ttctaaactg ggcattagtg aggggctgcc tgctggcttg	1320
tttagggggc agttgggtca gtttggaatg gtttaatatc agcaacaata gcattggggt	1380
gatttgaata taaacaactt agactttaaa agttcatcct gaaaaacaag ccttcaagga	1440
caagtgagga catgaagcaa attcctaagg atgcctgggg ttcaggaagc aaagaagaat	1500
ctttggttat tcatgaaaac caaataccag ctatgtggca tcttctggga aagcacaggg	1560
gtgggagaat cctggggtgt gtttggcagc actgtccaaa gtacagttga cttcttaggc	1620
tgctgaacaa atttcttctc ttgccccagg agaatttgat ctgcaggttc ccataagtag	1680
agtaacatct ttctcttgaa ataggtgctg tgtcaaagtc tgtatcataa gcttctcttg	1740
gtcaacataa tgaaatgaaa gtaactcagc tccttgactg gtatcaatct tagcagggat	1800
taggagacaa gaagaaagct gggttctcca acaatcttcc tcagattccc tagaatcccc	1860
cctttttgca cagcttctct ggagctatga agttcaaagc attgaatcca aactcgaagt	1920
ccccattcaa ccactcagc cttgactggg ctgattggat cattgccatt ttgatgtaga	1980
atctttgctc tcattttcat gttcaatttt ctatagtctc caagctagga agcatttctg	2040
tctgtataga gttgtttgca gggatgaaat caggatattt attttcttg tagacatagt	2100
ttgaagggaac ctctgatgtt tgagacctct agattcctag cattttgatg gcagaaactg	2160
tggttttctt atctctgaac ttccagtgc ctgcaaagtt ctgggcatat attggtgctt	2220
aataaacctt gttaaagaa taaacaaatg attttttctt tattacaccc ccatttcagt	2280
agcatggaat tatgaggatg attttgcaa attatgagta ggtcctatta gattaggttt	2340



```

ttctacagga aattattctt tcaaactaca gtgtctagga agtaccttgc aaaaaataga 2400
cacaggatgc ataattgttg attaattagt tcattttaac ctatacacct tgggggttatc 2460
tagttatggt ttcattgaaa ctagggtctt gtaatatcaa tgtcatgtct aataagccta 2520
aattttccagt tctaaaaaca aagttattca acaacacttt ctcaatttga tgtgtttttc 2580
ttttctgaa ataatttttt ttcttaagct ttgatattt gcttttgtgc tgacatttga 2640
tagtcaaac tcaaacgac tcaagtactt ctttctcagc tcaataggat catgtttcgc 2700
ttaacatttg tgaagttgat ttatctaatt cattttgatc ttgctaaaat atgaccttta 2760
aaatttttca tgcacattg tgaccagaa agaccaaata catacatgag atcatagttt 2820
tacctgataa tatcactcct agtttgatga tggaaattaat ttgtcaatat ttcattggagt 2880
tctgtgaaa cgattgcaat ttcttgggca agtttcagaa cgaccagcat atctgtggtc 2940
atgtcatctt gggcatggt aaccagttcc attggattat catgctgttc ccttgtctga 3000
caaaaggatc ttgtgaaag cacacactgt ttcttcccat aactcacatt ca 3052

```

```

<210> 78
<211> 416
<212> DNA
<213> Homo sapien

```

```

<400> 78
gccgcccggg caggtagcct ttttctctcc agccttgaat tgttccctgt tggcttccca 60
agggcccatc tgctggtaca gtccacactt ccaaagccaa gaccgagag ggctttcact 120
gccccaaagg tctctcctgt gaccttggga ttctgtcttg gcagaatcct ttgtcagcgg 180
ctcttgcctt gtccttctg tttggccaca gctctttcaa tcaatgggta ttctagaacc 240
gcaggatgtc agagctggaa gggacgcgat accggtttac acaaggggaa actcctcgag 300
gctctgggag ggacggaggg ttttgggtgac agagcgagag ctaaaattga ggattcctga 360
atccagatct tgcctcccat cagccatctt tctccaata aatttatggt atgtgc 416

```

```

<210> 79
<211> 1451
<212> DNA
<213> Homo sapien

```

```

<400> 79
taaaaacttt gtcccgatcc atccagaaaa gagtaggtag ctgcatcctg acagcctggc 60
aaagtcaaga aagttgaagg agaaacatac ctttggagag ggggttttct ttaaaactag 120
tgtaagaaa tgcttaggga ttttttttct ttatttttca taactaaagc tttcaccag 180

```

72

```

agccggctct gtttgcactt tgctgccgac attgcaaact ttttggcagg gtgggagact 240
gagtctcatt ctgtcaccca ggctggagtg cagtggcccg atctcagctt actgcaacct 300
ctgccctcca gggttctggc aattccgcct cagtctcctg agtagctggg attacaggca 360
tgcgccacca caccgggtta atttttgtat ttttagtaga gaccagggtt catcatgttg 420
ggcaggatgg tcttgaaccc ctgacctcag gtgatctgcc catctcggcc tctcaaagtg 480
ctgggattac aagtgtgagc catcgcgccc ggctgcaaa cttttttgta ggtatttctg 540
gtaaacaaat ccttaggtta tctttgctgt ggttgtgggt tggctttagt catgatttca 600
aagtagaaat agctaggcat tattttttga aatatatgac ctatatgtag tcaagaatcc 660
actgaacaga gggaagcaaa ccttttgga actggctttt gggcagacag taaacgtcca 720
gtttgatgct ggaagcatga acagcttcat caggtaggta ctctcaact ctgatgagtt 780
tgtcctttca gcctaagggg gtggaaggga gttgtttgag aatagcaaat acgcatgttg 840
attgcgagtg tgtggagaca aaggcagttc ccaccacagt taggtcctgg ccgttgtgtt 900
gtttcctgcg ctgcgatgct ccttgtagct cctcacccctc ctctcccgcc tctgccttct 960
gctgggtcaa aggtggcctt tttctctoca gccttgaatt gttccctggt ggcttcccaa 1020
gggcccattc gctggtacag tccacacttc caaagccaag acccgagagg gctttcactg 1080
ccccaaacct ctctcctgtg accttgggat tctgtcttgg cagaatcctt tgtcagcggc 1140
tcttgctctg tcttctctgt ttggccacag ctctttcaat caatgggtat tctagaaccg 1200
caggatgtca gagctggaag ggacgcgata ccggtttaca caaggggaaa ctctcagagg 1260
ctctgggagg gacggagggt tttggtgaca gagcgagagc taaaattgag gattcctgaa 1320
tccagatctt gcctcccatc agccatcttt ctccaataa atttttgttt tgtgcaaggc 1380
taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
aatgagcgg c 1451

```

&lt;210&gt; 80

&lt;211&gt; 1336

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 80

```

ccgagggtaca aaggctttga ggtccatgga ctatacttgt cccatttat catcccagg 60
ggtgctttga ccctgccata ccctggctat taagataaaa agatttgtgg acattaaaat 120
tatgaatatg tcagtaataa tccagcacac attgaaatat tgacacagat taccataatt 180
tgtgcaacat cttataaaca atgtcatttc catagtagtc taaggcttca ccagcctggc 240

```

73

```

ccactgtatc tagacttttag gttcatttta ataattatgc tttccttctc tgtatcattt 300
gggaagttga taaatatcac ttcttagat accttcattc agtgatatat ctggctttta 360
caattaaatt ggaaaaggta agtttctctt tgggtgggtg agagttggac catcaattct 420
aatctacaaa aggaaattca tgatttcact ctgacgccta ggatctagcc aaggctggtc 480
tgcagtatca aatgtccaaa ctcatctact attagccata ttttgtgagt cgtttgtcta 540
aactttgtca aaaatgcctt tgccatgatt ttgttgctat ctggatttca aacatggaca 600
gttaggaaga tgtgcattga agtaggaaaa tttgttcaga ttgctgtatt tattttttac 660
attaacatg gacatgtctc tcaaaaaaaaa aaaaaaaaaa ggctgggggt actcggggcc 720
atagcgggtc ccggggggaa atgggtaccc gccacacatc ccacacaaca accgagcacc 780
cccccccacc cccaaccaca atacatataa cacaaacctt acataaaaaa cactaacaca 840
acaaacacac aacaaaaaaaa acacaccaac acacaaatca ccataacaca acaacataca 900
ccacaacaca caacaacccc gccaccccc caccactcaa caccaccaca caacacaaca 960
cccgcaccga cccccacaca ccccgcccc acccaccaca cgccccacca caccaccacc 1020
cacacacaca cacactccca ccacacacac acaccccccc caacaccac ccacccccac 1080
aacaccaccc caccacacca cgcaaccaca cccacacac cgccaccacc acacccccac 1140
gaccaccac cacacacacc cacacacccc cacaccacc cacaccccca cccctcccca 1200
ccaccacacc acacccaaca tctcactcca ctctctcccc ccaccacca cactcaacca 1260
catcatcact cccctctaca cacaacaaca tcaccaacac tccacctgca cacacactca 1320
ctccccacac atcacc 1336

```

&lt;210&gt; 81

&lt;211&gt; 1605

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 81

```

atttataagg cccttcaaatt ttgtggcttc ctttctcata cttctcaagt ataataaag 60
ggggagaaaa accccacccat caacacaaaa gaaggctata aagactgtgc accttttaac 120
aagtcaattt gtagtcagtc cctgggcctg tctttttttt tttttaattt tgaagctacc 180
tgagggttag aattccttca gccctagctg cttttattct gctttttatt taaacaaaaa 240
gagggggagg atctgaagga aactagtttt ctgtacaaag gctttgaggt ccatggacta 300
tacttgtccc atttatcatc ccagggtggg ctttgaccct gccataccct ggctattaag 360
ataaaaagat ttgtggacat taaaattatg aatatgtcag taataatcca gcacacattg 420

```

74

```

aaatattgac acagattacc ataatttgtg caacatctta taaacaatgt catttccata 480
gtagtctaag gcttcaccag cctggcccac tgtatctaga ctttaggttc attttaataa 540
ttatgctttc cttctctgta tcatttgga agttgataaa tatcacttcc ttagatacct 600
tcattcagtg atatatctgg cttttacaat taaattggaa aaggtaagtt tctctttggt 660
gggttgagag ttggaccatc aattctaatac tacaaaagga aattcatgat ttcactctga 720
cgcctaggat ctagccaagg ctggtctgca gtatcagatg tccaaactca tctactatta 780
gccatatttt gtgagtcggt tgtctaaact ttgtcaaaaa tgcctttgcc atgattttgt 840
tgctatctgg atttcaaaca tggacagtta ggaagatgtg cattgaagta ggaaaatttt 900
gttcagatatt gctgttattt attttttaaa ttaaaaatgg aaatgtaaaa aaaaaaaaaa 960
aaaaaaaaag gctgggggta ctgggggcca tagcggttcc cgggggggaaa tgggtaccgg 1020
cccacaatcc cacacaacaa ccgagcacc ccccccacc ccaaccacaa tacatataac 1080
acaaacctta cataaaaaac actaacacaa caaacacaca acaaaaaaaaa cacaccaaca 1140
cacaaatcac cataaacacaa caacatacac cacaacacac aacaaccccg cccaccccc 1200
accactcaac accaccacac aacacaacac ccgcaccgac cccacacac ccccgcccca 1260
cccaccacac gccccaccac accaccacc acacacacac acactccac cacacacaca 1320
cacccccccc aacaccacc cccccccaca acaccacccc accacaccac gcaccacac 1380
cccacacacc gccaccacca cccccccag accaccacc acacacacc acacaccccc 1440
acaccacccc acacccccac ccctccccac caccacacca caccacacat ctactccac 1500
tctctcccc caccaccac actcaaccac atcatcactc ccctctacac acaacaacat 1560
caccaacact ccacctgcac acacactcac tccccacaca tcacc 1605

```

&lt;210&gt; 82

&lt;211&gt; 952

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 82

```

tatatatagg cgcattgggt aaatgatcat gctcgagcgg cgagtggtga tggatcgtgg 60
tcgcggcgag gtaccagggt aagtgattgg cctgcagtta gggctgtgtt gtgcaaaaat 120
cacttgtttt ggggtgttag aaccacattt aggcgagaag atcacttttg gggagcttgg 180
gaactgaggg aggcgcagg tgcagcagag gcatgagctt gccggggccc gccctcttgt 240
ctatgctcat ggagtgaagg gggggccagc ggaatggccc aaacaactga tttgtttttc 300
tttttttaaa tctttttcag acaaatacca ttgtgtttta gcgaaatgtg tgtataatgc 360

```

75

```

caaatcactg taccacacaa ccctgcacac ctctacactg gactgtaatt tcttgttcct 420
agtttgtctt gctagactgt aagctccgtg agagcaggga ccgtgtctgc ttgttgagtg 480
ggctttcccc tgtgcctgcc agcatgcctg gcatctagca ggtcttctgt aaagatggga 540
tgagtgtgta aaccctccag cctcaggagt ggctccatcc tctgaggctc tggggccctc 600
tggcaggcta gtcatttttc tgccatgtac gtacaatgct ttattttcat gttgtatttt 660
cctttctagc cagtaagcaa agctcctact ggagcaagtt tctttgtggt gttatctctg 720
tatcctttca tcagggccag gccagagtaa gtaggtgctt cgaagggtgtt tggtaatgaa 780
tgactttggt accccgcccc gtctggctca ctgtctgcgg ttgtctaata tagatgaagc 840
ccgattcgaa ggggggattt ccggagtgtc tgggggttga aaaatctctt attgccgggt 900
actcattggg tcgggcgggg gcgagtgggg actgctgggc ggggatgtcg cc 952

```

```

<210> 83
<211> 1933
<212> DNA
<213> Homo sapien

```

```

<400> 83
cacccttttt gatagcatgt tatgaggctc accaaggctc atcctctggc agtatccctg 60
gcctgttctc cccatctccc ctgccctctg ctcaccagtt ccctaaatgt atcttgatct 120
cactagccct acagactgtg cacagagctg tttctacctc cagtgcacatg cttccgcccc 180
ggcttctccc cctcccgctt caatcttccc ctcaccaact taaggctcta gggggccctc 240
taggaggcag tccccaaact ccagagccag ggtatagget acttctatgt gtcccatggt 300
actgccacag aagagtctca gctctctcca ggattcagtt ctaagggtcag tgcctaagat 360
aaaaatggag tgtaattaaa attcctctta gaaatctaag gaagggtgcc tattgaagac 420
caacatcttg aggtcccatg tagtcatttc ttgcccatgt gggaacacat tactgttttg 480
ttgagtacca ggtgaagtga ttggcctgca gttagggctg tgttggtgaa aaatcacttg 540
ttttggggtg ttagaaccac atttaggcga gaagatcact tttggggagc ttgggaactg 600
aggcaggccg cagggtgcagc agaggcatga gcttgcccgg gcccgccctc ttgtctatgc 660
tcatggagtg aaggaggggc cagcggaatg gcccaaaca ctgatttggt tttctttttt 720
taaactcttt tcagacaaat accattgtgt ttaagcgaaa tgtgtgtata atgccaaatc 780
actgtacccc acaaccctgc acacctctac actggactgt aatttcttgt tcctagtttg 840
tcttgctaga ctgtaagctc cgtgagagca gggaccgtgt ctgcttggtg agtgggcttt 900
cccctgtgcc tgccagcatg cctggcatct agcagggtct ctgtaaagat gggatgagtt 960

```

76

```

tgtaaacct ccagcctcag gagtggctcc atcctctgag gctctggggc cctctggcag 1020
gctagtcatt tttctgccat gtacgtacaa tgctttatctt tcatgttgta ttttcctttc 1080
tagccagtaa gcaagctcct aatgagcaag tttctttgtg gtgttatctc tgtatccttt 1140
catcaggcca gccagagta agtagtgctt cgaaagtgtt tggtaaata gaattatg 1200
gtaaccagc ccagttcttg catcactgtc tgcagggttag tctaattcca gatgaaagcc 1260
ccagattcga aaaagggaag attattcaga agtgcataag gttgtataag aaaaaaaaaat 1320
ctcattaaat agacctgagt aaacttcaaa ttttgatgat ctggccatgt cggagctgaa 1380
gcttaccagc tctctaaagc atttgctagg gaatcatgca gatggtccaa aatatttttt 1440
agaaaagcat tcatctgtcc cgggatagaa gtagaggaag ctggtaggca ggcgctagac 1500
cctaaagaag gactgctgag ccagttctta agccagtggc tcttttgcct aaagcagcat 1560
tctcaaaact tctcactcga agcattaagt tacggtgaga tgctaacaca cgcttttagac 1620
ttaagtcaaa atttactgtg aagccacagc aaaccatggc ttcacagatg aattagtgtc 1680
tacacaaata agttcgatac ataagtacag taattgcttt taaaccttat aataagcagt 1740
aaattagaag ttaaaccatg tttttctttt acgaactgaa agaagagaat gcttttgata 1800
ctgagaatcg cacactgtgt ccaggcagat tgttcttgca taaccagacc cacaataaat 1860
atctacaact tttcttacat gtttataaaa taaatcttag aaaaaaaaaa aaaaaaaaaa 1920
aaaaagggcg gcc 1933

```

```

<210> 84
<211> 376
<212> DNA
<213> Homo sapien

```

```

<400> 84
gcgtggctgc agccgaggta ctccactcca aatttccaa gaaattcaga agaattgtga 60
acaagttgct gggttcacaa tactgcaagg aactgcaag gttattccaa gttcctcagc 120
aagtgtttac acattggggc aaggacagat ttttctgga gaaggatctt accactgcc 180
ccatcttgaa attcttcac gttttggaac acagagccat agattttcat ttctgcactc 240
agctctgttc tgagaccggg gccatagggg ttcttggaag gacagggcag atggaagaag 300
tggaaggcat ctgccacact gtagagtgcc ttaagccac cccattgcc tgagttgttt 360
tcctttttta caaatg 376

```

```

<210> 85
<211> 1325
<212> DNA

```

&lt;213&gt; Homo sapien

&lt;400&gt; 85

```

ggcgcgcactt tttttttttt tttttttttc agagacggag agatttattt taaggaattg      60
tgtggctggc aagtccgaaa tccatagggc aggctggcag gctgaaaagt taagtgggg      120
ttaatgccat agaccggagt cctgagtttg aattccacag ggcaacaggc tggaaactca      180
gatagggttt ctatgttgta gtctcaagga gaattccatc ttcttttagga aacctcaatc      240
tttgttctta atgccttcaa ctgattggac agggcccacc cgtagtatgg tgggtaacct      300
gctttactga ttttaagcgtt aatctcatct aaaaaaatac ctttaccacc atgtccagac      360
tagtgtttga ccaaacaatg agttggcata ctccacgcaa ggtgacgtgc aaaatgaacc      420
atcacagcac ttcttggtgc ttcatgtgcc cacctggtac atgggggtac aactatctgg      480
cccaaagggg tgggtcaatcc tgagtggata aataatagga atttagtcct atgatgtgtc      540
ttgatttttc ttttcttttc ttaccttcct atttttatta acccggtct tctgcgcca      600
aagactcagc ctcatcagg accatattat gttcatactt ctgctgcgtc caaggagtgt      660
tgacgaaaaa gtggggcctt ggaggggtag aggccaaagg acagtttccc ctctgccctt      720
tgaagttcac gatcttccat gcaacaaaat tgttttctgt gaaaagcagg aaatgaataa      780
caacagcgta ggtgcgttgg ctatgtccgg tggcatttct tcagaatttt cattaatgac      840
acctgatttt ggaggcattg tatattttta aatacatcca gatgttgttt cagttgcttc      900
ctctttggtt ctttttgctt ttcgttgttg agcgtcactt aaattcgtgt catttcatgt      960
tggtacaggt actccacttc aaatttccca agaaattcag aagaattgtg aacaagttgc     1020
tggtttcaca atactgcaag aactgcaag ttattccaag ttctcagca agtggttaca     1080
cattgggcca aggacagatt tttcctggag aaggatttta cactgccac catcttgaaa     1140
ttcttcacg ttttggaaca cagagccata gattttcatt tctgcactca gctctgttct     1200
gagaccgggg ccataggggt tcttgagag acagggcaga tggaagaagt ggaaggcatc     1260
tgccacactg tagagtgcct ttaagccacc ccattgcct gagttgtttt ctttttttac     1320
aatg                                             1325

```

&lt;210&gt; 86

&lt;211&gt; 744

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 86

```

gcgtggtcgc ggcgaggtag ttttaactta aaaaaatgaa catctttgta gagaattttc      60
tggggaacat ggtgttcaat gaacaagcac aagcattgga aatgctaaaa ttcagttttg     120

```

```

cctcaagatt ggaagtttat tttctgactc attcatgaaa gtcattcctt aattggaggc 180
ccaccattca attattcatc tattaattcc ttgatccttc atttatccat tctgcaaact 240
tttcttgagc accagcacgg gtggccatth gtggacttct cttcattcct atgtgttttc 300
ttatcaaagt gatccactct cgaaaggctc ctttccagtc tgtgggtggg ttcaagtcac 360
gccagggccca gggggcccat ctctcgttt agctctaggc aaaatccagg ggatctgcag 420
tggggagcgg gggcaggaag ctggagggaa ggctgtgaa gggtagggat gtggaaagac 480
aagggtgacag aaggacccaa taggacctt ctatatctct ggcttagcat tttctacatc 540
atattgtaat cgtcttattt gctagttttc ttccttactg tgagtgacta acagtcactc 600
ttatcccaag tgcttggtac ataataagt atcaataaat gttgattgac taaatgtaaa 660
aaaaaaaaa aaaaaagggc tgggggaatc agggccaagg cttgtccggg gtgaaattgt 720
ttccccccac aaaaaaaaaa aaac 744

```

```

<210> 87
<211> 1833
<212> DNA
<213> Homo sapien

```

```

<400> 87
tgctccagga aagttctgtt actccaggga ctctctcttt tctgataac atggccagca 60
agaaagtaat tacagtgttt ggagcaacag ggaagctgg tggcagactc cgccaagcac 120
ctgggtctga agcacgtggt gtacagcggc ctggagaacg tcaagcgact gacggatggc 180
aagctggagg tgccgcactt tgacagcaag ggcgaggtgg aggagtactt ctggtccatt 240
ggcatcccca tgaccagtgt ccgcgtggcg gcctactttg aaaactttct cgcggcgtgg 300
cggcccgtga aagcctctga tggagattac tacaccttgg ctgtaccgat gggagatgta 360
ccaatggatg gtatctctgt tgctgatatt ggagcagccg tctctagcat ttttaattct 420
ccagaggaat ttttaggcaa ggccgtgggg ctcaagtgcag aagcactaac aatacagcaa 480
tatgctgatg ttttgtccaa ggctttgggg aaagaagtcc gagatgcaaa gattaccccg 540
gaagctttcg agaagctggg attccctgca gcaaaggaaa tagccaatat gtgtcgtttc 600
tatgaaatga agccagaccg agatgtcaat ctcaccacc aactaaatcc caaagtcaaa 660
agcttcagcc agtttatctc agagaaccag ggagccttca agggcatgta gaaaatcagc 720
tgttcagata ggctctgca ccacacagcc tctttcctct ctgatccttt tctcttttac 780
ggcacaacat tcatgttgac agaacatgct ggaatgcaat tgtttgcaac accgaaggat 840
ttctgcgggt cgctcttca gtaggaagca ctgcattggg gataggacac ggtaatttga 900

```



```

ttcacattta acttgctagt tagtgataag ggtggtacaa ctgtttggta aaatgagaag    960
cctcggaact tggagcttct ctctaccac taatgggagg gcagattata ctgggatttc    1020
tcctgggtga gtaatttcaa gccctaatgc tgaaattccc ctaggcagct ccagttttct    1080
caactgcatt gcaaaattcc cagtgaactt ttaagtactt ttaacttaaa aaaatgaaca    1140
tctttgtaga gaattttctg gggaacatgg tgttcaatga acaagcacia gcattggaaa    1200
tgctaaaatt cagttttgcc tcaagattgg aagtttattt tctgactcat tcatgaagtc    1260
atctattgag ccaccattca attattcatc tattaattcc ttgatccttc atttatccat    1320
tctgcaaact tttcttgagc accagcacgg gtggccattt gtggacttct cttcattcct    1380
atgtgttttc ttatcaaagt gatccactct cgaaaggctc ctttccagtc tgtgggtggg    1440
ttcaagtcac gccagggccca gggggcccat ctctcgttt agctctaggc aaaatccagg    1500
ggatctgcag tggggagcgg gggcaggaag ctggagggaa ggctgtgaa gggtagggat    1560
gtggaaagac aaggtgacag aaggacccaa taggaccttt ctatatctct ggcttagcat    1620
tttctacatc atattgtaat cgtcttattt gctagttttc ttccttactg tgagtgacta    1680
acagtcacat ttatcccagt gcctggtaca taataagtga tcaataaatg ttgattgact    1740
aaatgtaaaa aaaaaaaaaa aaaaagggtc gggggaatca gggccaaggc ttgtccgggg    1800
tgaaattggt tccccccaca aaaaaaaaaa aac                                1833

```

```

<210> 88
<211> 251
<212> DNA
<213> Homo sapien

```

```

<400> 88
ttaaaaatgt aaaaaaatga aaaaaaagt tttgagcatt atttgcacaa ttgggataca    60
tatgtcactt cacaagatgt tcaatttgaa ggaaatacca ctcatctct atgtcctggt    120
gtctgtagtg tgcttcagtt ttctcatatt gagttgacct aaatcctgga ttcatgacaa    180
gaaaggagta agtactacta ttcattgttc tatttggtta taatctgtat tataaaattg    240
cacataatta a                                251

```

```

<210> 89
<211> 458
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (327)..(327)

```

<223> a, c, g or t

<220>

<221> misc\_feature

<222> (435)..(457)

<223> a, c, g or t

<400> 89

ttgatatttta tttagaaaac aagggaaagc ttttaattgt gtgcaatttt gtaagacaga	60
ttataaacia atagaacaat gaatagtggg acttactcct ttcttgatcat gaatccagga	120
tttaggtcaa ctcaatatga aaaactgaag cactactacag acaacaggac atagagaatg	180
agtgggtattt ccttcaaatt gaacatcttg tgaagtgaac tatgtatccc aatgatgcaa	240
ataatgctcc actctgtcgc tcaggctgga gtgcagtggc gcaattagaa ctactgcag	300
ccctaaccct cttggcttaa acaatcctc caccttagcc ctctgagtag ctactactac	360
aggcaacacgc caccacaccc agctaacttt tttgaatttt tggagacagg gttcacctta	420
ttttttctcg tgcnnnnnnn nnnnnnnnnn nnnnnnnc	458

<210> 90

<211> 251

<212> DNA

<213> Homo sapien

<400> 90

tggtcgcggc gaggtacaaa aacatggcag taggacaact ttgagctcaa cgcgcgaccc	60
tccccaggac ctctcacacc cacctgaccc atccaagggc cacaccaccc cgacagatac	120
tcccaccacc tttagaaaag agtcacccaa tctggagaaa ggtgtggagg ttacatcttt	180
agaaagaaat catttttaaat acatgaacat tagagaacac agtaaccgtg cttccacca	240
gcacgggggag g	251

<210> 91

<211> 2399

<212> DNA

<213> Homo sapien

<400> 91

ggcgcacatc ttttattttt ttttttttcc ttacaaatgt gagttttatt tgcatcttaa	60
cccaagcaca gatcccatc acagacttct cgtccgcact atggtacagt aacaagtgca	120
aaatatgctt tatttcaggt acaaaaacat ggagtagga caactttgag ctcaacgccc	180
acctccccag gacctctcac acccacctga cccatccaag ggccacacca ccccgacaga	240
tactcccacc accttttagaa aagagtcacc caatctggag aaagggtgtg aggttacatc	300

tttagaaaga aatcatttta aatacatgaa cattagagaa cacagtaacc gtgcttccac	360
ccagcacggg gaggtgcag agaggcacc caaacagtcc cttctcttc tgtggttaac	420
caagcaagcc ccgcaaagct tttcccagca gagcacacc agccagcaat gaggcctcag	480
gacagagcca gactgtgac aaaagaactt gtccaccta tctgagagca tgagatctgc	540
aagtgggatc cggactggac accaggaagc tcaacctggc tcgggccatc agtagctgtg	600
ggacctggc ccccatctaa cctcccagtt gacttcctga aaactgggct agtgggggcc	660
tccccattgc tttagggagg atcgagtgag aagctgacca aatgcgcaga acacaaagcc	720
tagcctgtta gcccagctg ctatcactac tgttactcac gaagaaagga actgcagtgg	780
ctgtgtctg cccctggagt gaagacacca ggggtgcaca gaggtggac aagccacagg	840
gggtggatg gccacagcg gacctggac ccatctccg tgggactcct tccatttgag	900
gctgtccatc ctccaatggc agatgcagaa ttctcaggcc caggatacc ttatggaggg	960
ccggggggcg gccctcaa accaccaagc tgaggcact gtgagcagtc ccctttgtag	1020
caggaagagc agctggacac atgggaagag gcttgaggc tccagagaag ccaaaaggtc	1080
ctcagtcccc aaggtactag gtggaggtga gatcaggctg cccctcccag gacaagagtg	1140
tgagctggcc aggaggccac tgctgccac cactgtctca agtccttctc cacgcatcaa	1200
ccctgagggc cctggccagg ggatgcagac caaaggcca gcgggtcccc aggaacagga	1260
agcaggcgcc aagaaggaaa gcaaagggtc ctgcattccc accacgaggc ggggtggact	1320
ctgcaggagc cagctgaagc accagaacct tccaagggg gctcgccagc cacacaggac	1380
acgagatgcg tgataggcag ggttaatgca gaaaccgtc atctgaatgc tccccctgct	1440
tccaagcgca aaccaagtca tttattctt ttaaaaaagc cttactgtc tgaggcttct	1500
tttaaataat ccaacaggga tggaggtaat ggaggtctg ctcagtagtc agcagacttt	1560
ttctgtaacg ggctagacgg taaatatttt gggctttcag agccaagagg caaaatcaat	1620
attatgttgg cgtaagagca aacaaatttc cacaattttt aaattgataa aatccaaaat	1680
acaataattg agtacatatt tttggtaaat acatgtctac taaaaataag aatttttttt	1740
tttgtgatgg gggagaaaac acttcattgg gttcaaagat aatattccct atcataaatc	1800
agtggcataa acagccagtg ggcagggtg gccaccgta tgctagctga caagggcagt	1860
cacacaccgg taagtgtga tacaggatga ggggtgcgga gctgaggatg ttgttctctt	1920
tgatgaaggc ctgaaaactt cccctggccc ctgctgcca cctcagggtc cctcaggacg	1980
aagggcatga ggacaggttc ccactctggc ccttcgctgg gggacatggt ttggtttccc	2040

82

catcgccagg	ctggccagct	ggggcccaag	cactgaccgt	ccttccccac	cttatcccat	2100
cagctgccct	gcacaggagc	agaaaacca	tgccctcagag	ctacttccta	aggacactgc	2160
ctctagaagg	ccctaaagtg	gcagagccgg	ggatggcagg	tcagccctg	gccactagca	2220
cagcagttgc	cctcagatct	gttagctgtg	acccatagat	tgggggaggg	aggaaagcca	2280
ggaggagctt	ttgcagaaag	gtctggaagc	taagtggggg	tttcaggagc	tctcaggggtg	2340
ccccggggca	ggtcccaagg	aggcctgggg	tgcccgacca	gcacctcact	ggccctcaa	2399

&lt;210&gt; 92

&lt;211&gt; 595

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 92

gtgatcgact	cactatagca	tggtatctag	atgcatgctt	cgagcggcgc	ctagtgatgg	60
ataggctcgc	gcgagggtaca	aatcatctaag	gcaaactctac	aaaggaccag	taaggcactg	120
gggcacagca	gctgactgca	ggaagtctat	gtaacttccg	gtagtataaac	agcctttaat	180
gcagacatag	gtgtgaaaaa	ttcagtgtta	tggttttttt	tcagtgtcaa	cctgcaccta	240
aagcacaaaa	ggtcacttca	agtcacttca	atgtaataaaa	caattcccat	tcatcacatt	300
accagtgaag	agagaaataa	ttcactgggc	tagaaggaat	tagaagcagg	aataaagaaa	360
atgccccctt	gtttacactt	actaaagaga	atgtctttta	ctctccaagg	aataccattc	420
cgctttgtga	aattatacca	attaattagg	actcctctat	attccatta	atgtcggatc	480
attacataac	ttcaatagaa	taaacacttt	tttcccactt	tgctataata	atagctaggg	540
atacctcaac	aataataata	tggttttaaat	tatgaccatt	tctctttggc	cttgt	595

&lt;210&gt; 93

&lt;211&gt; 1457

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 93

cttatcctag	agaataactc	tgtatgaata	aaattgctta	attgagtctc	ttactaaata	60
agtaactagt	gccatgcttt	tgtagctct	tggtatggcc	catattactt	tggttttttt	120
ttttttattg	ttgttttgtg	atagtcttgc	tctgtcgccc	aggctgcagt	gcagtggcac	180
aatctcagct	cactgcaacc	tctgcctcct	gggttcaagc	aattctcctg	tctcagcctc	240
ctgggtagct	gggactacag	gtgcatgcca	ccatgcctgg	ctaacttttg	tatttttagt	300
agagacaggg	tttcaccacg	ttggtcaggc	tggtctcgaa	ttcctaacct	caggatgatcc	360
acctgccttg	gcctcccaaa	gtgctgagat	tacaggcgtg	agccaccgcg	cctggcctgt	420

```

ttgttttttt aacatgattt ttctctaagc ttaaatacca caaggccaaa gagaaatggt 480
cataatttaa accattatta tattgttgag gtatccctag ctattattat agcaaagtgg 540
gaaaaaagtg tttattctat tgaagttatg taatgatccg acattaatgg gaatatagag 600
gagtcctaata taattggtat aatttcacaa agcggaatgg tattccttgg agagttaaag 660
acattctctt tagtaagtgt aaaccaaagg gcattttctt tattcctgct tctaattcct 720
tctagcccag tgaattattt ctcttttcac tggtaatgtg atgaatggga attgtttatt 780
acattgaagt gacttgaagt gaccttttgt gctttagggtg cagggtgaca ctgaaaaaaa 840
aacaaaacac tgaatttttc acacctatgt ctgcattaaa ggctgtttta ctaccggaag 900
ttacatagac ttctgcagt cagctgctgt gcccagtgct cttactggct cttttagat 960
ttgccttaat gatttgtaga aatgactggg aggcggggat gctgcctgtg tcctggtgaa 1020
ccttaatgaa ggggccgtct taggcacagt gcaaaacaag catttgcct gtactgttag 1080
agccaaaatt gtgatgagca atactgataa ttgtccagtt tatgtcatct tcccagatt 1140
ttaaatactg ttctagatat tcttagcttg aaccactttt gattgtgaaa tgtattaggt 1200
gttggtccat tattactgta aaatgaagtt ttgaatcttc ttgttaataa actgtggatt 1260
tcccctctca atttcttaaa caacaacaaa aaaatgcttg aagattgtct ttgagtgtaa 1320
gatctgcctt ttcagaaagg gagtgtagt ttgtaatgtt aaaaaataaa gacctcattc 1380
aataaaagtt gaagtcattt ttaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
aaaaaaaaaa actcggc 1457

```

```

<210> 94
<211> 936
<212> DNA
<213> Homo sapien

```

```

<400> 94
tactactata gcgatgtgct ctagatcatg ctgagcggc gcagtgtgat ggattgctgg 60
ctgcgggcga ggtacacaac gccttctaata ttgatcttca tgactgtaga cgggtgcccc 120
attccccctg aaacaacggt tgcgaggttt gcgcattact gcttcgctg tgcattgacta 180
tcttgctgta actactagcg atgatcttgt atcgaattgt atctcagcca cttatcctct 240
cagtatagta caattaccat tgcatacttg tatacctcat ggagaaggga gttctctcca 300
gtcccaaccc atgaatgtgt tatcgattcg cgcattcgtt cgctcgcaac ctccagataaa 360
cactcttcat actttatcac taccttccat cttagtcaaa gctcaagaca aaaattaaac 420
aaaatgacac ctagccattc acctattaca accatcgacg tataagacac accattcgac 480

```

```

gtgaggaaat gacacacgta tttccatcaa cgagagtgtt ggatgggagg gcaggacaca    540
gactggaagt cagcttcagc gtataccac ttactcaca gggtgacca tgatggccct    600
gctcttgcat gaggactcac atggacagcc agtggcactg atgcctgcag gactgcatgt    660
gccgacaaga tgatgcacat tttaatattc aaaatgtaaa caaagtatcc acaaatagtc    720
caaaaaagcc aaagaatggc tttacttaac aaatttttaa attgcoctta aaagtgactt    780
tttggcataa tgcctttctt aaaaaaagaa ctctcacaaa aaaccatttt ttttaacca    840
aaaacaatgc ctagatcact tcagaactga aatcctcaga tgaaacaggt gaacacttct    900
gtgactgcta cctctcagaa ggcttgggag tatcat                                936

```

```

<210> 95
<211> 480
<212> DNA
<213> Homo sapien

```

```

<400> 95
tctcgagccg cgccagagtg atggatgcgg ccgccgggca ggtacttatt aagcagagca    60
ctttgtaaga ttcagaactg actcctgatt atcttaagcc attaaaagac tcaagttttg    120
catggacttt ttgtcctctt tggccctga gtgtgcccc tctctgcccc gactaataa    180
cacgttgga gagcaaagga tttcccacca gcgtgccaga tgatttatat aggcagggac    240
cttcattgaa aagaagggaa gggacactgt cttaaatgca catttaaggt tctttctgat    300
tattggcaat ctctatgaac caacacttaa tccatgggct aacagagaga tttttttttt    360
tttaatgtga agaggattaa agaataaaga aaaaacaaaa aagtctttat tctaaaataa    420
gaaatcagcc ccatctgtgg cacagttctc atgcagaata ttgcaccag tgtgaactag    480

```

```

<210> 96
<211> 1111
<212> DNA
<213> Homo sapien

```

```

<400> 96
cgtccaatca gaggtctgtg atttataaat aaccggtgtg ggattatgct ctccagtga    60
tataactgga gcctaaatc acaaccttaa gatctgacag ccagatgtgg aaggtctaca    120
aagagctctg ctaataagta atatgtttgc aaagtgtctt gctaagtaag gtacttatta    180
agcagagcac tttgtaagat tcagaactga ctctgatta tcttaagcca ttaaaagact    240
caagttttgc atggactttt tgtcctcttt ggccctgag tgtgccccat ctctgccag    300
cactaataac acgttggag agcaaaggat tcccaccag cgtgccagat gatttatata    360

```

85

```

ggcagggacc ttcattgaaa agaaggggaag ggacactgtc ttaaatagcac atttaaggtt 420
ctttctgatt attggcaatc tctatgaacc aacacttaat ccatgggcta acagagagat 480
tttttttttt taatgtgaag aggattaaag aataaagaaa aaacaaaaaa gtcttatact 540
aaaataagaa atcagcccca tcttggcaca gttctcatgc agaataattgc acccagtgtg 600
aactaacgct agaagcttca aactgtataa atttaaatgt atttgcataat tataaaaaata 660
aagataaaca tatacatatt ttacactagt tatggaacag caatgaacgt cagtcgatcc 720
ctctttcaca tttaacagaa ctgaaatctg agtgctctaa atactgccac ctgtactgta 780
actatggctt atatgtgcac ggaaaacaaa atccctgaga agccattcga cttttttttt 840
ttttttttct tttcttcaag tagcgcgctc cttggaggat cacagtcttg aggttcaggt 900
tgtaaaacat ttgctccatg ttctcgtcca tgcttcccc caccacccc tccccacctc 960
ttccccagtc atccaaaaag caccctgcaa gcacgcgttg tcactcaagt tcacagaaca 1020
cgctgggggtg agtgagagg gtctgccagg tgcaaaagat ggtccagggtg ttcagatgct 1080
ctcttttctc catggaaatt ccacagccac a 1111

```

```

<210> 97
<211> 395
<212> DNA
<213> Homo sapien

```

```

<400> 97
gcgtgggtcgc ggcgaggtac caccagctac ttcagagtga agaaagaaag tgtctttcgc 60
cactggttct taaggagtgg atctccggtc cacatctccc aatgctgctt agcccaggaa 120
atgaagacag ctgacaacac agaggaacat taacgaaaag aacaaacccc aaacttgaaa 180
tgcataactg ggactgctgg aatgggcca ggcataccac ggcgggtcac tgtcaccagg 240
agggcgcttg tgtttttagaa gggagtggcc aacaccgtct ggccaacctg gaagggagcc 300
aacgtgacag ctaagaacac tagacaagca tcttagcctt ctcacccatc gatctcagtg 360
tgatcttgcc acagagccac tggcaagcca ttccg 395

```

```

<210> 98
<211> 3813
<212> DNA
<213> Homo sapien

```

```

<400> 98
tttttttttt gcatacagaa ttattttatt taacttaaac catgtagtac ttactagaa 60
aaaagcagag taagagaaac taacgttgcc ttagcttcag ccattcaaaa tagacagttt 120
cttttttcca ttatgtaaag aatccagagt atatcgcaat aacaggaata aattcttaca 180

```

acagaatata	caaaaacatt	ttgaaatfff	tttcatctac	tgatffffta	tataaacagg	240
atfffftagg	aataatffat	acacagaaag	tcatffffatg	taacaaattg	gccatgttat	300
tacctfffft	tttcttactt	aaaaaaaatt	ttfffftaac	aagaaaactc	agaaaatgca	360
ttatfftgcg	tgcatccatt	ccatcccgcc	ttctggfftg	atffffffta	tcccagacaa	420
agggataccc	agaggtagac	aaactctggc	aaacctctca	cctcaacctc	actggcttag	480
aaagcagaca	ggtgtffftca	ccggggcgtct	cttcaccggg	tggatgtgtg	tgtgcaacgc	540
caaacatcca	aatgaaaagt	tgaaaacaaa	acccaaatag	tttcagatc	tttctcctat	600
gtagcgcaaa	aaccccagg	gtttcccatg	atagagatat	tgtggagttg	gggagacatg	660
gccacaacatc	cactggagtt	agaggaagtg	gagtcaactt	taaaaccaat	ttttgtgtat	720
gttatagfff	ttattaaaaa	ttctffftctg	tattggaaat	acgtatcttc	ggggttctgc	780
cttaataaaa	atagggctctc	ttctgtgttc	taacaaagca	gtaatcaatc	atgatacgag	840
gcatgtaagc	aaatggcctg	tgtgccccat	agctgtcatc	gtttatgtga	tactgtgtga	900
tgctgtaatc	atcatgaaaa	ccattggctg	tgcagtcaag	tcttcccatg	tccatggcac	960
tgtgctgaca	atgacggcag	ccagaccaat	caagccagat	gccgaacgg	gccatgcact	1020
gctgggctcc	aacacctcgg	ctgtffccat	ggccaatgag	gttctffcca	tctgtaaagt	1080
agctacactc	caaaggga	tgaccagtga	aaaatgatcc	ccgctcccaa	ccagagggtt	1140
ctgggaagac	ccagatactg	aagatacaga	actacttggt	aaatcatcat	cattcctffg	1200
ttataaacta	gggccaaaaa	gcatggggg	aaaagagggt	gaaccacgga	tggggtcagg	1260
gagaaatcct	ttfftgcat	attgtaaagc	tagctagtaa	acagggtgtc	taaaaaaaaa	1320
aaaaaaaaatg	atcacaaaca	cacatttgca	cacacagaga	aaaaaaaaagt	gtctfftaaat	1380
tatfftcggc	aattataaac	tacaaacatt	ttataaaatt	attctgttct	tacaaaaatg	1440
caatgaaaca	tttaattagt	tcttgtaa	cagatcttcg	tcaactgact	accgtaatc	1500
tactggactt	aagagcccta	ttgaaaacgc	taatgagtga	ctagttaaaa	caatgttgac	1560
cagaaagatg	cggacacaca	cacgtgggac	ataaaaatga	gtgatcggtta	tgttctcgca	1620
gaaacaaaac	gctaaagtca	tgccccagaa	ctgacaactg	acgagtgcga	tgtagtttgt	1680
gttcttgaac	aattcgcctt	aactccgaga	tcagttffca	gagtaggatg	ttaggtffct	1740
ttgttgaaac	caaatgccca	cggatgactg	ctgagcctcg	atgtgggtctg	atagcttcaa	1800
gaacaatcaa	gttcaaaacc	ttgccacat	tcctffcaag	ccctgcaccc	tgtgtctcgt	1860
aactctffctc	tgtgccagga	tcctgtgac	aatggffctg	taccaccac	ccggtcattc	1920



caccatcaag gagcactcac ttctccaaat gacgcaacca gtcatctaag atgaaggcca 1980  
aaaatgaaac cctctgacct gtccaaggtc tgtatcttca gcatctctgg caacagaggt 2040  
tcagtctaaa taacatcctc tcttgaagtt ctcatcttga ccaccagcta cttcagagt 2100  
aagaaagaaa gtgtctttcg ccactgggtc ttaaggagtg gatctctggg ccacatctcc 2160  
caatgctgct tagcccagga aatgaagaca gctgacaaca cagaggaaca ttaacgaaaa 2220  
gaacaaaccc caaacttgaa atgcataact gggactgctg gaatgggcca aggcatacca 2280  
cggcaggtca ctgtcaccag gagggcgctt gtgttttaga agggagtggc caacacgctc 2340  
tggtccacct ggaaggagcc aacgtgacag ctaagaacac tagacaagca tcctagcctt 2400  
ctcaccctac gatctcagtg tgatcttgcc acagagccac tggcaagcca ttcggctgcc 2460  
agcctgcaga ggtggactgc tgtgggaaaa gcttcagtgg aacaaactgg cctagaatct 2520  
ggtgccagag aatagttggc tcataaatct tttatcccaa agcaccocaa tgtgcaccga 2580  
gcatctcgcc atttggtagt tccacagtga ctgctcttct attttacgaa gccacttttc 2640  
gtaccattga aatgtgactc cgcactttaa gaaacaggcc aggagaggcc aggtcggcca 2700  
cgaacacggt cttccatctt ccaaggagga ggctcggtcc aaaggatatgt caaacgtcat 2760  
gacatccac gaaggagacc tgggtgtgtc tgggtcttga tcaagttcaa cagtgtctcc 2820  
agtacacacc agctcctgct gcctcagga agggctgtgt gggagaacgt cttaatgctc 2880  
acatcaattc catgatgtgc ctcatgggtt catatgactt caagcagtgt gagctgctgg 2940  
cagaaggagg ttgcatggaa aatgccacaa ctcatcttaa gattatcttg aacacacaga 3000  
gaaaaatcaa gaggcagaga aatcagcatg aagttaggct agaactgtgg atagatgatg 3060  
ccttggtata gtcaagggtg gtgggttggc ccagtaaaat gactgcacca tcacacaagc 3120  
caagtcttct cttttattga ggtgtttctg aagcatttgc tatgatgggc actacactgt 3180  
tagtgcttct tacttaaaag ctacctacat aaaacaaaaa caaatgaca tcagtaactc 3240  
ggacagttta aacaaaaccc ttataaccag ctgaatgatc ttagaaaatc cagttgtgga 3300  
aaccggtagg tatgtgcacg agaggagagg ccattattcc aaggggtcac ctacagtgtg 3360  
gaagaacaaa accctgatcc aacagtattt ctcaatgacc ttaagatccc cggggtcctg 3420  
ggagagatgg gtcgcgttcc agcaggaggc tcctgagcgc cttcacttag gctggaattg 3480  
ccgaggagcc atccacgctt aggcaaagct gcccgcaca cttcccagcg aaatcatcag 3540  
tgcctgtaag agcagctgct ggaagagggg agcgagccgt ctgtcctgtg agcagcagga 3600  
ccaggagagc ggaggtacag ccctggcggg gggggcgtga cgccacgagc ctcggcgccg 3660  
gccactgggc tttccagccg gaagggttgg tacatctctg tctaccocca ggaaggagg 3720

tgagggagaa gttgagaggg cagcctggag ggggagggga ctctgctcct gcgtgtgttc 3780  
tatcagggac tggctgtgag gtccggagct ctg 3813

<210> 99  
<211> 960  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (716)..(716)  
<223> a, c, g or t

<400> 99  
atgctcgagc cggcgcatat gtgatggatc gcccgggcag gtaccttggg gactgaggac 60  
cttttggtct ctctggagcc tgcaagcctc ttcccatgtg tccagctgct cttcctgcta 120  
caaaggggac tgctcacagt ggcctcagct tgggtggtttt gaggggcccgc cccccggccc 180  
tccataaggg tatcctgggc ctgagaattc tgcattctgcc attggaggat ggacagcctc 240  
aaatggaagg agtcccacgg gagatgggtc cgaggtccgg ctgtggccat ccagccccct 300  
gtggcttgtc cagcctctgt gcacccctgg tgtcttctact ccaggggcag acagcagcca 360  
ctgcagttcc tttcttcgtg agtaacagta gtgatagcag ctgggggctaa caggctagggc 420  
tttgtgttct gcgcatttgg tcagcttctc actcgatcct ccctaaagca atggggagggc 480  
ccccactagc ccagttttca ggaagtcaac tgggagggtta gatggggggcc aggggtccac 540  
atgctgctga tggcccagac caggttgagc ttcttggtgt ccagtccgga tccccacttg 600  
cagatctcat gctctcagat aggtgggaca agttcttttg tcacagtgtc ggcctctgtc 660  
ctgaggcctc attgctggct ggggtgtgtc atgcgtggga aaaagcttgg gccgtnaact 720  
atggccatac ctgttccctg tgtggacatt gttctcccgc tcccatcccc atcccgcgcgc 780  
acccaacca cccaacacc cacacccac gcccccaaac gccacaccc acaacaccac 840  
acccccccac cccaaccccc ccacacccac cccaacaccc acacccctgc cccccccca 900  
cctccacca cccaccaacc cacaacacac cacacaccac ccaccaccag caccaccac 960

<210> 100  
<211> 2754  
<212> DNA  
<213> Homo sapien

<400> 100  
gccagaagca gcctcagctt ggcaagggtg ggagatgact gctgttcctc tcgcatttgg 60

ggaaaacagg	ctccctcggg	agctcgatga	tcctcttttg	atcttggtg	acctcctgga	120
gagtggatga	cgctggtggc	cttagctttt	ctagacagtg	taaattgcac	tgggcgatgt	180
ccccagagca	gggcaaggtc	tctagagcgg	gtctcccaca	tgactggctt	cacacaggca	240
cttcgcctcg	ggttgcatgc	tctgtgtcat	cttaccggtc	cagggttgca	ggtaggaaat	300
gtttgtaccc	tcttctgatt	gccacctcct	tcccatcgcc	ccttagggac	agggcttgag	360
ggccagttag	gcgctgggtca	ggcaccacag	gcctccttgg	gacctgcca	ggggcaccct	420
gagagctcct	gaaacccccca	cttagcttcc	agacctttct	gcaaaagctc	ctcctggctt	480
tcctccctcc	ccaatctat	gggtcacagc	taacagatct	gagggcaact	gctgtgctag	540
tggccagggc	tgcacctgcc	atccccggct	ctgccacttt	agggccttct	agaggcagtg	600
tccttaggaa	gtagctctga	ggcatgggtt	ttctgtcctt	gtgcagggca	gctgatggga	660
taaggtgggg	aaggacggtc	agtgtctggg	cccagctgg	ccagcctggc	gatggggaaa	720
ccaaaccatg	ccccccagcg	aaggggcaga	gtgggaacct	gtcctcatgc	ccttcgtcct	780
gaggagccct	gaggtgggca	gcaggggcca	ggggaagttt	tcaggccttc	atcaaagaga	840
acaacatcct	cagctccgca	cccctcatcc	tgtatcagca	cttaccggtg	tgtgactgcc	900
cttgtcagct	agcatacggg	gggcccacct	ggcccactgg	ctgtttatgc	cactgattta	960
tgatagggaa	tattatcttt	gaacccaatg	aagtgttttc	tccccatca	caaaaaaaaa	1020
aattcttatt	tttagtagac	atgtatttac	caaaaatatg	tactcaatta	ttgtattttg	1080
gattttatca	atttaaaaaat	tgtggaaatt	tgtttgctct	tacgccaaca	taatattgat	1140
tttgctcttt	ggctctgaaa	gccccaaaat	tttaccgtct	agcccgttac	agaaaaagtc	1200
tgtgacttac	tgagccagac	ctccattacc	tccatccctg	ttggattatt	taaagaaagc	1260
ctcagacagt	aagggtcttt	ttaaaagaat	aaaatgactt	ggtttgcgct	tggaaagcagg	1320
ggaagcattc	agatgagcgg	tttctgcatt	aaccctgcct	atcacgcata	tcgtgtcctg	1380
tgtggctggc	gagccccctt	tggaaaggtt	tgggtgcttc	gctggctcct	gcagagtcca	1440
ccccgcctcg	tgggtgggaat	gcagagccct	ttgttttctt	tcttgccgcc	tgcttcctgt	1500
tcctggggac	ccgctggggc	tttgggtctg	atccccggc	caggtccctc	agggttgatg	1560
cgtggagaag	gactttgagc	agtgggtggc	agcagtggcc	tcctggccag	ctcacactct	1620
tgtcctggga	ggggcagcct	gatctcacct	ccacctagta	ccttggggac	tgaggacctt	1680
ttggcttctc	tggagcctgc	aagcctcttc	ccatgtgtcc	agctgctctt	cctgctacaa	1740
aggggactgc	tcacagtggc	ctcagcttgg	tggttttgag	gggcccgcct	ccggccctcc	1800
ataagggtat	cctgggcctg	agaattctgc	atctgccatt	ggaggatgga	cagcctcaaa	1860

tggaaaggagt cccacgggag atgggtccga ggtccggctg tggccatcca gccccctgtg 1920  
 gcttgtccag cctctgtgca cccctgggtg cttcactcca ggggcagaca gcagccactg 1980  
 cagttccttt cttcgtgagt aacagtagtg atagcagctg gggctaacag gctaggcttt 2040  
 gtgttctgcg catttggtea gcttctcact cgatcctccc taaagcaatg gggaggcccc 2100  
 cactagccca gttttcagga agtcaactgg gaggttagat gggggccagg gtcccacagc 2160  
 tactgatggc ccgagccagg ttgagcttcc tgggtgtccag tccggatccc acttgagat 2220  
 ctcatgctct cagatagggt ggacaagtto tttgtgcaca gtgctggctc tgtcctgagg 2280  
 cctcattgct ggctgggtgt gctctgctgg gaaaagcttt gcggggcttg cttggttaac 2340  
 cacagaagag aaggggactg tttgggtgc ctctctgcag cctccccgtg ctgggtggaa 2400  
 gcacggttac tgtgttctct aatgttcatg tatttaaaat gatttctttc taaagatgta 2460  
 acctccacac ctttctccag attgggtgac tcttttctaa aggtgggtgg agtatctgtc 2520  
 ggggtgggtg ggccttgga tgggtcaggt ggggtgtgaga ggtcctgggg aggtgggcgt 2580  
 tgagctcaaa gttgtcctac tgccatgttt ttgtacctga aataaagcat attttgcact 2640  
 tgttactgta ccatagtgcg gacgagaagt ctgtatgtgg gatctgtgct tgggttagaa 2700  
 tgcaaataaa actcacattt gtaagaaaaa aaaaaaaat aaaaagatgc ggcc 2754

<210> 101  
 <211> 301  
 <212> DNA  
 <213> Homo sapien

<400> 101  
 cagcggggga atgtatagac aatatggccc atgggtgact aatgctgca gggccgcg 60  
 agatgtgatg gatggtcg ggcgaggtac atttaacca tcttctccat ttcctccttc 120  
 aggagccagc tatgagattt cagtgcattt ctagccagc ggatgttcat tctccactaa 180  
 acttcatctt ttactaagca aagggggatt attccatgag gcagccagga gcaaggggcc 240  
 atgatattca tgactttgtc tgctgggcat ttttcaaagt gtccttgaat tcactcagca 300  
 a 301

<210> 102  
 <211> 4318  
 <212> DNA  
 <213> Homo sapien

<400> 102  
 gttgtatatg cttttttttt ttccaaataa acttgtcacc ctgcatgcc ttggcaaata 60

91

```

agtgaagcag aaataggaac acagtccaca ttcaagttga ggaacagtgt atctttaaga 120
gctgaccttt ggggtgacctg gaaaggggga aagatggcta agcatggaga gaaacgaggc 180
aagagacaag ctatgatata acaccgcttc agcccctgcc ctcaatagca cacaaccac 240
atatcagctt tctctagaga aggaacctac tgtttagtgc tcctcacttt gcaatgtttg 300
tgctacgcca gaatttctcc agtttttttc attatcatcc ccctgagaaa aaaattacat 360
tgaatttaaa ttttccctaa taagagaaat taaatatgaa agaataggat tttgttgggt 420
aagattgagc tttggaaggc cacgaacctt tattctatct aagggtgtgtg ttttgttttg 480
tttttttttg tttttttttg tttttttttt tgcaatccct ctccccctga accaatttca 540
cattgggaat gcaggacctg gactgctgaa taaaaagcta cttcttctat aattgtcagg 600
ttctctccaa tttctcagct tcctcaaaga catgggggtg agttgggtgt gccatcactg 660
agagagctct ggaacttttg actcttagtg acatttttag atttaggggt tcatggcctt 720
ccacatgttg ccaccaactg gtgatctctg ccccttcatg ctgatcaaga aagtagaaac 780
tcctctgcgc cttcagggtt gcagtcgcag aaacattgcc tgctgtggac tgtcagcaca 840
aaactgggac actgggtgtca tttagactgt cagcagtgc catgattgta cgatagactc 900
caggcaacca tgtgcatctg tgcaagatga cctctgcccc aagagaaggg ttacggtcta 960
attaaatgtt taccaagatg gtaccagtgg gctctccccg tgtcctttgg tgttattgga 1020
gctgggtgat gacagactca aggaaatttt ttaaggaaaa tgaagaagaa atcaaccttt 1080
atggttctct ttcattggaa gaggagaata aggaaagaaa tggcaggtag agagggaggg 1140
ggaaaggaat agaaatggca tgtctttgat gctgtggcct gtgtggggac aatgggaaga 1200
gcacagcagg cacaacatat ctgtgttagt gccacgtgg atctgttaag tatggccaga 1260
gcctcacata taagtgaaga gagttaagac aattcttgct ctttgaacaa taatagtcta 1320
tagaatttct attggcaaac catcccagac aacctgacct atcaaacaaa agcaaataat 1380
ccctgtctca gaactgctgg tctaaaagct agaaggggca tgataatgga aattgctaga 1440
aaagagagaa tgctctactc tctttcctgt gcctacctac cccatccta aacctgtaa 1500
aacagaattt caaaatagat gtcaaatatg aagtaattca gacttccaaa gaaggaaaga 1560
gttctgcccc gggcagtatg agcaaatcca cagggatgtt aagatttgg ccaactcaaa 1620
ggtttatggg cagtgagcct agagtctctt gagagtaaac ccttgcatth gggacaagga 1680
gaatatgtga agttcaggag tgctcacact agagcaagat ccagaaaaaa aaaaatccaa 1740
tggcatttta aactagattg cattatcact caatgctgtt actttgagca gacaaatcag 1800
ttgaatggga gggcaaattg cagaaatgaa caaaagctat taggtgaaag catccccaat 1860

```

gtatcagttg tgagatgatt tttgtttaat gatgatcagg tttacattga agtggccttg	1920
aagacgtatt tcagagggac tgggtttgta ctgcaaaact ctgaacacta gagcaggttc	1980
tactagcact tgggcagtaa ggtagcgggt gtgtattatg ctattgccat agttctcgtc	2040
tttgtggatt cacataccct ttcccatgag gagcttgcta ctaacagcct cctgtttctg	2100
ttgtttttat atgggagaag agaaagagct tggaatttca attgtctaaa caattgggat	2160
gatttacaag aaggcaaacc attcaggaga tgttcaacag tgtatcattc ttagcattca	2220
atacaatggt tattataaaa tatacacctg agtttatggt tttctgccag gctgaagggc	2280
aataatgtct tgctatgcaa acactctatt ttatgtgtga atttttttaa ctgtaatttt	2340
atgtgtgaat ttttttaact aaactctatc atcattttct atgttgacat cttttttttt	2400
ttttaatctg tttccaactc tgagtctgtg aactatctct tctgactgga tgctggccta	2460
aaatcctatt agtgcttaaa cagacctcaa aacactctga acctgtaggc caatacagag	2520
atgttggtct ttgatatac ttgggtcctt gatggcttca acaaacaagg tcataatttg	2580
tttaaattca gtgttttctg tagatacctt cttctcagtt tcattaagaa gagtaaccat	2640
ctttgggttt ccaaagaatg gaaactccta ccctagactt tagacttaga gcgtctgcct	2700
ttcacgatga gtaagagatc cagaatgttt aggggatgtg cgtcagccca cctggtacag	2760
tggcaaagct gaatgcgaac ttgaggcctc ctgaggcctg accttctatg cccccagccc	2820
tccaccccaa gcaccttttg gtgtggctgg aaacacatga cattggatgt gatttttctc	2880
aagcccttca ctgtggaagg catgggagac tgcccagcat tgggcatgtg gctgttaacg	2940
tttccatttc aagtccctga ttcttactgg agaagttaag gagccactta atgttttcac	3000
agacctctga ttctgttggt aatgtggcat tccagtgagt acaacctgct tgctataaag	3060
aaagcagcat attttgacaa ttttatttct tccttgggta cttacatttt tattacaaaa	3120
atggccgtta taaaaaaga cagaagggtt gggcagtggc ttgctcccta gaaactgaga	3180
ttccgaagca ggtgtttcct ctcccctaga ctgagaggta catttaatcc atcttctcca	3240
tttctcctt caggaccagc tatgagattc agtgcatttc tagcccagcg gatgttcatt	3300
ctccactaaa cttcatcttt tactaagcaa agggggatta ttccatgagg cagccaggag	3360
caaggggcca tgatattcat gactttgtct gctgggcatt tttcaaagtg tccttgaatt	3420
cattcagcaa acaaagcttt ctggagaatc tctcaaaact taggccctgc tccatttggc	3480
caaaaatgat ggctgctcca aaactctgaa cttcttaaaa ctccatctgc tacattattt	3540
ctggagttta aacatgactt tttctgtctt tgagtataga tgtgtttggt taattaacga	3600

93

agcacaagtc tgttaagcag aaggctccaa gctgtattct atacttggga atccttggtg 3660  
ccatctttat tctaccaagt gccaatcacc atggctaaaag tgggcgtata ttacagcctg 3720  
tgtcctaagc ttagaagctt taatgtactt ttttaaataa aaagtattag aggggggtga 3780  
acattgtaac taaagcataa agttagacca attacatgca gagatgttta tttaatattg 3840  
tgtgagctga gtccttctgt ataaattatt tgcacacttt tcttgcatga tgaactgatt 3900  
ttttatagtt gtttgtacca gacggtggca tatttttgta aaaaactttt gacactgaat 3960  
tgcaataaaa tgtttttcca acaaaaaaaaa aaaaaaaaaa tgcggcagag gctgcggggc 4020  
gacgcgcggg ccggcgcagc catggtgaag attagcttcc agcccgccgt ggctggcatc 4080  
aaggcgacaa aggctgacaa ggcgtcggcg tcggcccctg cgccggcctc ggccaccgag 4140  
atcctgctga cgccggctag ggaggagcag cccccacaac atcgatccaa gagggggggc 4200  
tcagtgggcg gcgtgtgcta cctgtcgatg ggcatggctg tgctgctcat gggcctctg 4260  
ttcgctctg tctacatcta cagatacttc ttccttgccg agctggcccg agatgcgg 4318

<210> 103  
<211> 2288  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (948)..(949)  
<223> a, c, g or t

<400> 103  
tgtgacgaa acattcacac ggaacagcta ggccatgata cgccagcttc cccgtctatg 60  
ggataccaaa gttgccagca attaatctac attacacaaa aggagaaacc attatctatg 120  
ctatcaccaa agccataccc ttaaaagtaa aaacacatct ccacttgata ttagtaattt 180  
gagaaaactt agcatatcta caactactgc ttaatccaca acttttcatt gattcaacat 240  
tatcacttaa atgcagatgc aaaataaccc ttgcatggca aacatgttta ctctgtgcta 300  
atgaaactat gaaacagttc ctgcaagttc acagacacag tcaatcaatg attgactaca 360  
gaacagactg gtgagtgtta ccaaaaacaa aagacctgcc caggggacca ctaggggtgg 420  
aggaagaaca cctgggtctc actcactggg cacttgatgc tttcattttt atctgtaagc 480  
caggggacaa ttatattaat attgtatgaa tacactgcta ctgggaaaag cattcattca 540  
acagatgcc agctacatac tctgtaccag gtagtggtt aagtgtgaa acaggaag 600  
acaaggcaca tcctacgggg gctcgcagtg tgggcagggtg ctgagctaac gcacacacac 660

94

aagggtggg tacctgccag atctgtatca ctccggagcc aacgacctgt ctctctgaat 720  
gatctctggc atggtaaaag agttaactgc tatttcaaac aggctgaaca caaaactttt 780  
tttgcttcg cttactgcac tgcttctcaa acttgactca cgctggcttc acggcctgcg 840  
acgtactgca ctcacgaact tactcctgct gaacgccttg cgccgctaac tccactgcgc 900  
tcactacgcc tgcttctccc tgctgctgca cacactctgc tctactcnnn cgctcacaat 960  
ctctccacac aacataccgg agccagcccc cccccctcc ccccgcccc cccctgccc 1020  
ccccccccc ccccccccc ccccccaac actataactc ctgcgctcag cgcctcacct 1080  
gccccgcac tccccccagc tccggcccac acaccatgcc ccgcagcca accctcgcca 1140  
ctccacact gcacctcgc gcctccaaac agcccccgcg accaacacac accgagcca 1200  
cacgcccact acccccgcc gccagccca cccaccactc ccgacatgcc ccctccgccc 1260  
ctccaccata gaacacctcc gccccggccc cgcgcccgac ggccccgaca ccgcccccc 1320  
gccccgcca acgccccgc gccaccaccg ccaccaccc ccacacacgc acccagccac 1380  
cactaccgac caccatcccc accccaccac tcccaccgg cccacaacca ccgccccggc 1440  
accaccaac acacgcccgc acgaccccca ccccgcccc cccaccacc tcgccccgc 1500  
aacaaccgcc acccacaacg cgcccgcccc accgccccag ccaccatcc acaccact 1560  
accagcccc gcccccccc ccccgccacc gcacccact ccaccaagac gaaaactccc 1620  
gacaccgccc actaaacgca ttacagcaag cgctgagac ccgaaaacaa cccccgcaa 1680  
gcagaggcac cgctaccatc aaacgcaaca accacacaac gcacggctat catcccccc 1740  
ccaccgtgac caaaaacgca ccaccccgcc cgaccagcac gccacacccc cacggccatc 1800  
acgcacagca ccacacccca cgcactcaca cgacgaaata cccccacgcc agccgcccac 1860  
ctccacccc ctacggcaca aaccacacg gcggaccac acctaccaca cacacgcaac 1920  
acaggacgca tcagaactac ctaaccacac gcacgaacac acaacagcac accaccccc 1980  
aaccacggac gcacgagctg tcgacccact accaccacac acgatgacc gacacagcgt 2040  
gcgagcgcca taccgcgga gcagcacagc caatgcacgg cccacgacg gcgacacgcc 2100  
gccatccttc agcctcgcg ccccccgtc caccgaacca agaccaagac gcagaatcgc 2160  
aggccgcacc acaccgcta cggtcgtag cgagacagca aacaacaaga cgactcgggc 2220  
gcccgcacca ccgccaagca actacgcaca accaccgac cctcatcacc ccaccaccac 2280  
aacactta 2288

&lt;210&gt; 104

&lt;211&gt; 592



&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 104

```

ggatatcgac taactatagg ccatgttgac taatgctgct cgagccggcg ctgtgtgatg      60
gattggtcgc ggccgaggta cacatattca tgccactcgg ctctgaaaag aggttcaagg      120
tggtgcaagg tgggtccttg ccagtggagg aaggaagggtg tccaggactt taggttaatc      180
aacagtgggg acagagagga atgatttccc ttgtgaaaac aacagggttc ctttctcata      240
ttcttggtggc cagaaactgg ggtgaacttc agttgtgggtg taattgaaat gaaacagtga      300
gagccatttc tccatggaac tcctatgacc tccattttta cttctgacaa agttaacttc      360
atttatacaa tctgtatttg aaaacagtaa tcacaaccaa aaaggctcta taaacctgta      420
atagatgtca aagggttca cattctgaac ttttaatttta aggacccttt aaaaggccta      480
gacttggatt aaagtaaacy taatattcca agctaaaacy aggcaccata aaaaatcaac      540
tcaaaacatc caaacaatgg ctagatggac taatgtagggt tgttttgctt tt          592

```

&lt;210&gt; 105

&lt;211&gt; 2180

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 105

```

tttttttttt acatctgtac aagatttatt tcatttacca caagtttttag agtgaaagta      60
tatgccctaa tacagaagga gtgattcaga acccaccaa agatcaagag ccaaagtcag      120
ggcttgatc ccaggccaat aggagtttca tccgccattt gtttttctgg gattaaagag      180
atgatgtgca gaacgcccgg gctgagctca ctatggcttc tgacatacaa gcaccactag      240
gaacaagact tcatgcttca tccttgcctc ggctgtgcta gtgagtggca aaagcctctg      300
ctcgtgcttg cctccaaat tttcacaag cattcctggt actagccata gcttcccatg      360
acttcacatt tgagtaagtt atcctgaagt gtgtggctgt aatattgaca aatagaacta      420
atgagagtga actgccatct gtttaacaaa acgcaactct ctaagagaat acccagtctt      480
agtgcatтта gtacatagtc acaacattga aatgacgtga gaatcaatac aaaatattta      540
ttttttttca aaccacagaa ttcttaacct cagagccaca caataaagtt ctcagaattg      600
taagccatta acatttttct aaacaatgca gtccagagat gaagataatt tccaaccagc      660
agggatgcaa tatatagtag gttcccctat gaatgaagct caaattagca tttcctttaa      720
ttctcccaca gccactccat caacagaagc agaaacagta cacatattca tgccactcgg      780
ctctgaaaag aggttcaagg tgggtcaagg tgggtccttg ccagtggagg aaggaagggtg      840

```

96

```

tccaggactt tagttaatca acagtgggga cagagaggaa tgatttcctt tggaaaacaa    900
caggggttcct ttctcatatt cttgtggcca gaaactgggg tgaacttcag tggggtaatg    960
aaagaaacag gagagccatt tctccaggaa ctccatgtac ctccatttta acttctgaca    1020
aagttaactt catttataca atcgatttga aaacagtaat cacaaccaa aaggtcctat    1080
aaacctgtaa tagatgtcaa agggattcac attctgaact ttaattttta ggacccttta    1140
aaaggcctag acttggatta aagtaaactg aatattccaa gctaaaagag gcaccataaa    1200
aatcaactc aaaacatcca aacaatggct agatgactaa tgtagggtgt tttgcttttt    1260
agttgcaaag cttttcagta tctcagatta gtgtatgttc ataaaacaat gctcagttat    1320
tttaatagct gcttatgaaa caataacagt ttaactcaag ggcaatgctt cttgcataat    1380
aatcacaaaa ataattaact gctataaaac gggaaaaaaa gtagaagaaa ataaagccag    1440
cctcaataat aaaaaggcaa aatctggagg gggtactcgg cttaaaaaga gattaaccag    1500
gattatttaa atactataat acacagtgtc cctgctcact tctaactgca gaaaccaatt    1560
ttgtttgcta gatcaccatt acctttgcta gtatgcgtac agaccaccac tcggaagtta    1620
tccttttggt ctgaaaaacg ttcaaattcc ttgtttggtc agtacagaat attgcgaggt    1680
gatgctcatg caaactcttc ctgaggaatt tatgtgtgca aatctgcaac ccgacagcat    1740
ggcagcgagc cagggagtgg tagctgcaca gtgtgagcac tggagatgga tgtgcagtgt    1800
gcagtgttca cagccatgga catccattct tctgcaatct catctacca caaattagct    1860
ttcactctag accccaaagg gagggtaatt gctgcaaatt tgttaaaggg acagaagaaa    1920
aagtagcttg tctacaaaat aatgcacaat gcatgcatct gggtttgtgt ttcttctcac    1980
taaccttgcc taagaaccat taggataaaa gtcacaacac caggttttgc tttctgcccc    2040
acaaaaaac agtagttaat tcctgtcagg ttaggttaca ggtgtgacaa caaaaggtca    2100
caaatgaca atgttactga agcttaaggc caacctttaa aacatgtacc gtctctcaaa    2160
acaattatcg atttactttt                                     2180

```

&lt;210&gt; 106

&lt;211&gt; 611

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 106

```

cgggcgtctg ggcaggtac gttacggagc tatctgggag gaggaagccg tccaccaag    60
ctcaccgcac tggttcaagg ttaacaatgg agagcctcac aaacacacgg aggcacttgc    120
gagaggcaga ggctggggcc acagagctgt gaggagagag tgaatctccg tgcattggcag    180

```

97

acatgtttgtg agaggcagag gctggggccg cagagctgtg aggagacagt gaatctccgt	240
gcacggcaga cacacaaacc ccatcctcag ctgcagattc acaggagagc atgggggcaa	300
gtgggctctg cagttataca gcaggacagc gcacggcctt gggcaggcca caatttctta	360
aagggaaatgg gaaaatgaga gcttacggaa agcaggataa agcgccctcc actcatgctg	420
aaaagcacga agacctgctt tccaggaatg acctgcctga ggccgggaca gtcagctacc	480
aatgcaagac acaagagcaa gaaggcccaa gtgcagagag cgcaagttaa ctctccagc	540
tccaagacac aggggtgagag caggctacgt gtgggcagag acggcatcta tctgcccac	600
tctgggaaaa g	611

&lt;210&gt; 107

&lt;211&gt; 1845

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 107

cacgaccatc tcgcactacc ctgactacag ctggagcgcc cagaggcgag ccctggtgga	60
ggaagaggtg agctgagtgg ggcctatgct gggggaagct ggcccttccc acattccacg	120
ccctgagtgc ggagtgtgt tttccgccgg ggtgctttga gtctcgctct gtcaccaggc	180
tggagtgcag tggtgcaatc ccggctcact gcaacctccg cctcctgggt tcaagcgatt	240
cttctgcctc tgcctccga gtagctgggg ttacaggcac acaccaccac gccagctaa	300
tttttgtgtt tttggtaggg acggggtttc accgtgttgg ccaggatggt ctctatctct	360
tgacgtcatt tgtgatccac ccgcgtcagc ctcccaaagt gctgggatta caggcgtgag	420
caatgtaata aacagacttt attttttaga gcagttgaag gtaacaggaa gtggagctga	480
aaacacaggg tggcccatc catgccctct cacagcccct ccttctctg agccctcac	540
gtccttggct ctctccgaa gcttcttttc ccagagatgg gcagatagat gccgtctctg	600
cccacacgta gcctgtctc accctgtgtc ttggagctgg aggagttaac ttgcgtctc	660
tgacttggg ccttcttctg cttgtgtctt gcattggtag ctgactgtcc cggcctcagg	720
caggtcattc ctggaaagca ggtcttcgtg cttttcagca tgagtggagg gcgctttatc	780
ctgctttccg taagctctca ttttccatt ccctttaaga aattgtggcc tgccaaggc	840
cgtgcgtgt cctgctgtat aactgcagag ccacttgcc ccctgtctc ctgtgaatct	900
gcagctgagg atggggttt tggtgtgtgc gtgcacggag attcactgtc tcctcacagc	960
tctgcggccc cagcctctgc ctctcacaac atgtctgcc tgcacggaga ttactctct	1020
cctcacagct ctgtggcccc agcctctgcc tctcgcaagt gcctccgtgt gtttgtgagg	1080

98

ctctccattg ttaaccttga accagtcggg tgagcttggg tggacggctt cctcctccca 1140  
 gataccctca cgtaccctgg ggttctgggt gtcacagaag ctgctctggg tgccggccact 1200  
 ctggagcggg gcccttgtgc caggtgagac acccttctcc tcagcaagcg gacttggtgc 1260  
 gcagcaggcc aatacgtcgg tgccgacatg ccatgaagca cgggaggccg taggagattg 1320  
 agggaggtga atgactcagt cctcatcgta aggagcgcgc tgaggccgaa gatgagcagc 1380  
 ggagctggtg catggggccg actggcccca tccatgccct ctcacagccc ctcccttctc 1440  
 tgagccctc acgtccttgg ctctcctccg aagcttcttt tcccagagat ggggcagata 1500  
 gatgccgtct ctgccacac gtagcctgct ctcaccctgt gtcttgagc tggaggagt 1560  
 aacttgcgct ctctgcactt gggccttctt gctcttgtgt cttgcattgg tagctgactg 1620  
 tccggcctc aggcaggtca ttcctggaag gcaggtcttc gtgcttttca gcatgagtgg 1680  
 agggcgcttt atcctgcttt ccgtaagctc tcattttccc attcccttta agaaattgtg 1740  
 gcctgcccaa ggccgtgcgc tgcctgctg tgtaactgca gagccactt gccccctgct 1800  
 ctctgtgaa tctgcagctg aggatggggg ttgtgtgtct accgt 1845

<210> 108  
 <211> 160  
 <212> DNA  
 <213> Homo sapien

<400> 108  
 ctgttacttc cttttgctgt cagaggggtg ttgacaatgg caagggggga tgttagtgag 60  
 atccaggtgg tgggtggcttc ttgggtccact cagcttgacac acatgcaaga ggaggggtctg 120  
 tggccccctca gccgtgctgg tggcctcctt cctcaagctt 160

<210> 109  
 <211> 4621  
 <212> DNA  
 <213> Homo sapien

<400> 109  
 ctgagagaag cacgggggga ttgattgggt ctttttagaga acacacctag atacaaatgt 60  
 gatacatctc tatactcaaa ttagaacaca tgataatgta gatttggtca ttcataaag 120  
 acaatcacc attatagttg taattctcag tatttggtct ctcttggtga tgatcagtat 180  
 tacttttctt tcataggtat tggatatgct ttttaggtct atcaaaaact aaagtctctg 240  
 aagtgcact ggtacaagca attcacttga atttctaaaa acagataaaa tataatggac 300  
 cggccgcggc cgccgggagt tttttatttg gaatattatt agatgatgcc ctatgataag 360  
 atgagacaaa tgatggggag ggaaggagga tggcccttct ctagaatcag caaacccaat 420

ggttctgtga aggtcagacc caagcttggga gcagctggtc tggatgcaga tccaggagct	480
gcagagtgtg gaacaggaaa ggctctgccc agggcccacg agctctagca ttccctgctgg	540
cagattagag atcttagtta aatttgacca agaaaggagc ttagctaaga ggtctttgtt	600
tccagaggac ccaagactac cagactcctg tgcagtctgc ctgtctgcag agcctccaat	660
cacggtttaa agtggctctg gcctcccagc cccactgct gcagccttca gagccagcct	720
ctggactcag cgccaggagc ctccctcctc gctgccctgg tacctgtcat cctagtgtca	780
cctatattgt ttgcacagca ttctggagaa catgtgcctc acaaagtgat cctgtttttc	840
tcacctcca aagctgaggt ggctaaggga ggcaggggtg agagagctca ctctctaaac	900
cacaggcagg gcaagggtgct tctaggccgt gtccctccc tggggaatgg tcaactactc	960
tcagcatggc cacaggcccc tgtggttttg ggagtttgct gagtgactgg aatgggctga	1020
ccccagccgt ttccctgctg tggaagcagc aaggtagggg cactgctcgg tggtttgtca	1080
agctcagagg cagccacgga tggttaggaa caggaagcca cactgctaag gtgtgatgag	1140
ctagaaggga gacatcctgg acttcaagtg agacaagtgc agaggaggcc actccactta	1200
ggaccttcct cttagacctg catgagcacg tgtttcactt aagcacattg ggtccgaatt	1260
gtggcgcattg aaccagctg ttaaaccagg taccctggga ctgccctctg cctctcagag	1320
ccctacctgt cctggacttg aaggcgagca tcaggcaggc cttctcagcc catcttccac	1380
caggagtgca gagccagggt gctgagagga gcagggactg taactacagt aggaggcaac	1440
tttgtggtg tcattcctgc tcggattgac tttgtgctcc ctcccatcca cagctatggt	1500
agccagtatt tccccagcag ctctctagtg gggaagagtg gctagaacca ggccattctc	1560
agtgaattt aggaagacca agactcatgt tcctgacagg acggtcattc cctcatggca	1620
tcactgactc agttctaatt cctcccctcc tgtttcattt tggtttgaac aacctgtgcc	1680
tgcagctgtt tcttccacct tcctggagct cacaattgga gcttcatgtt cagtcttgag	1740
ctcctaattg ttccagacag ggcaggggat aggacagcca taatctatga aagctgtgaa	1800
acaaacctg ggttatatag acctcagatg gtctcatctg aaggctttgc ccacttocca	1860
gtgagcagag ggtttgggga acaaagaggt agctgaagag tgggtggttt tccctgtatc	1920
ctgattttca gaaagggtt tagtctctga gctgtggcta gtagctggct ggctgaccag	1980
gggacggggg tctaataagg tgctgacca taggacacct ctctgtttg gccttccctt	2040
tcttgtgtgt ttgtgtgtgt gtgtgcatgt acacacacaa atctgtatcc ccaggagtgc	2100
ctcctgcagt cactgggggc tcttcctgtg tgcaccatcc catgagagca gatcagaggg	2160

100

ctgtgggtcag gacttcctcc cgagctgccc tccctccctg ggatgagttt cctctccacc	2220
tgctccaagg tgccttacga ggtgcagctc ttcacctggc cacatggcat ccatcacctg	2280
gttgagaaat ggtgggacgt tggctggata ttgtgtgcta tgaatctgat ttgtccaaat	2340
ctggacctca gccaaagccac ctgtggtgga accttgcaag tcaagggtcat gaacaaattt	2400
cttgtaacta ttggaaataa actaatgagg tagaactgtc atatccaaat ggaagagggtg	2460
gttggtactg ttacttcctt ttgctgtcag agggttgttg acaatggcaa ggggggatgt	2520
tagtgagatc cagggtggtg tggcttcttg gtccactcag cttgcacaca tgcaagagga	2580
gggtctgtgg cccctcagcc gtgctggtgg cctccttcct caagctttaa cttgtgcctt	2640
ccctggcaac agggagtcac gggttaatgt cacctgtcat gcctctttct tcagggaaaa	2700
tattaaaagg ctcaaatcca agctgtgact tcccttagac agtgtaagcc tgtagggtgc	2760
agccccaagt ttatgtccaa aggctgcctc agaaccctgg agggagcagc gccagctgg	2820
cagctcactc tccccttgca gttcactggc cttttcgcag ccaggctaag ataggcagtg	2880
caaggagctt cccactggcc agagcagctg ccttgtagaa tgtggggctg gcttttagaa	2940
gtttcacacg cttgcagcta agagtgcaga gctctctgtt ttacttcgtg aaacattagc	3000
agctctgagg ggcttggtt ttggttaagg acttatagtc tgacttgcca caagcacctt	3060
gagctcctgg gttggttggg ggttggttgg ttgggttgtt ttaaatttga tttttctttt	3120
cctgaagttt gttagaagtc agacctatgc aaggaaaacc atggcccact tcagcagcca	3180
tccagtgggg gtgcttaatc ggtggtggta ggattcatgg aaacgttttt ttgaaatgaa	3240
agagaagatg atgtacttac attgtaaaat ggtttacaat aaagtgttggc atcttattac	3300
agtttttttt aaaaagaaac catcacattt gtggttgttg gttgtgggtt ctctggagtt	3360
gaaacagctt ggcagggtca aaaaagattc ccctgtgaat tagaagggtc tccccaggga	3420
ccagagtgag aaggaacctt acgaagcctc atggcaggag tgggagccag caactgcca	3480
gtgaaaagcc aaacatgctc ttgccatgtc catctccact tcttcgctag tgagaattaa	3540
agcaagtccg tctctgagga ggacatcgtg ttggggagggt agagtataag cagtgagtag	3600
cccacatcct tgtccctgag gctgcggggc tggaaggagg tccctgggca gagccgcagc	3660
atcaggtgcc atctgcaggg gcacccctgg aactagtgga agggcccccac aaggcctggc	3720
ctgccctcag ctgcctcttg gcccatgtgc cacatcctgg gcattcctca tgtcagcact	3780
tgtctcagat caagcctggc agtcctctca ttggcctcct ggagccaggg tgtcaggagg	3840
gggattgggg tggggttcaa agtatgacag caatggagtg gcatttggga taaccaaagt	3900
tcagtgcctg gttgagttcc atctgcctgg agccttcgag gataaaaata atctccatca	3960

101

taaactgaaa aggacttaga tatgtgtgtt actgggaggg ctgcgaccta tgcacaccta 4020  
ttccccatac ccaccccagg cgtaggctcc tggcctgtgc cctgggggat cttccccttg 4080  
caaggagggg tgtgttagga gcttctagca aaggagagct aagtgacctt ccggggagcc 4140  
cttgggcctg ttcttgtctc tgcagctcag tatctggagt gggcttcact ctccccacc 4200  
ctctttgagc aactgaaact gtcctgcagg ccagccccc tgcggtggcc tcacctactc 4260  
ggaggtgagt aggctcaggc ctgagcctga gcctgtttcc cacctctgtc tcatcagtgc 4320  
tgtcaccatc gagcatgggt tccctccctg tcccttccag accccttact cccccctctc 4380  
tgaacttgca gttggaatag gatagaggac aaggacatca gcaaaaacat gagcaactcc 4440  
ccaggctccc ttacctcac tttctccacc tgtgaacctg tggtagcccc tctctgagtt 4500  
tgctgcaagg gccagtgag cttgccataa tcagacgcag cagacacggg aagctcctgc 4560  
tctgccacca tgcagggatg gaaaatctgt ccactggaat ccagggaag ggatggaaga 4620  
g 4621

<210> 110  
<211> 303  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (176)..(255)  
<223> a, c, g or t

<400> 110  
tccctgttat tgttccgtat attacctgta agcagatact gtattttatt ttagcctatt 60  
tgacagaaca catcactcag aaaaagtga gtttcagagc aaacagtga gaaatcagtg 120  
tgattgtaga caaaaagtcg gttcacagaa cggagcagcg gggggaggaa gggaannnnn 180  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 240  
nnnnnnnnnn nnnnncccg gggcagccgg ggctatgagg ggacgtgctg atgcgtgatg 300  
atg 303

<210> 111  
<211> 1848  
<212> DNA  
<213> Homo sapien

<400> 111  
tgtttttttg agacacgggt ctctgggttaa cccgggctgg ggtgccatgg tgccatctcg 60

102

gctcactggc aacctttgcc tccccgattt aaggcgggtt tttcccgct ctagccctcc	120
ttgagtatgc ttgggactac agggcgccca cctctcacgc ccggttatc tctctgtaat	180
tcttagtaga gacaggcttt tcacccacgg tggcccggtt ggtctccaac tcctggcctc	240
cagtgggtccg cccccctttg ccttcccaag tgctgggatt accgggggtg gggccccgtg	300
cctggcccggt cctatcctcc cccccacct tttttttttt tttttgacat ggagtctcac	360
gccatcaccg aggtctggagt gcagtggcgc catcttggct cactgcaacc tccgcctccc	420
atgttcaagt gatcctctg cctcagcctc ctgagtagct gggactacag gcgcccccca	480
ccacgcccag ctattttttt gtatttttag tagagacggg gtttcgccat gttagccagg	540
atggtctcga tctcctgacc ttgtgatcca cccgccttgg tctcccaaag tgctgggatt	600
acaggcctga gccactgtgc ccagccttat cctcaatttt ctaagcataa ggatttaaga	660
gtagtggtga aagcatgact acggtttaaa agaacctggg cagctgaagc agtcccactt	720
ggccattcca gtacacttcc tactctcgct tcatggagaa gaccgtctac tgacaagaga	780
atccatcccc tttgcacaca gtggtcacct gacagctcag aggtcaactt cttgggtttg	840
aggaaaaatt caaaaggctg cacgtttaaa ggagttgttc catttcagtg cccatttagc	900
ctgtctttcc tcagaaattt accaatctct tgatgtgata agcaccaaac tatgaagctt	960
ttcccttcct ctccccgctg ctccgttctg tgaaccgact ttttgtctac aatcacactg	1020
atttcttcac tgtttgcctt gaaacttcac tttttctgag tgatgtgttc tgtcaaatag	1080
gctaaaataa aatacagtat ctgcttacag gtaatatatc gaacaataac aagggactga	1140
aggtacaaaa cacacacgga cattatgggc atataaaata tatagaagta cctaacgtta	1200
acaatttttg taagaagttg cacattttgc tattttttta aagcatttcc ccacattttt	1260
tttcatctgt agatcctctg cagttaagat tgagcacccc cccgcaactt ttttttttga	1320
tacagagcct cgctctgtca ctcaaggctg gagtgccagt ggcattgatc tagctcactg	1380
caacctccgc ctgcaggtt caagccattc tcctgcctca gcctcccag tagctgggac	1440
tacaggcgtg cgccactgtg ccagcgtaat ttttttttgt atttttagta gagacaaggt	1500
ttcaccatgt tggccaggct ggtctogaac tactgacctc gtgatccgcc tgctcggcc	1560
tcccaaagtg ctgcgattac aggcgtgagc cactgcgccc ggccaagatt gagtccctc	1620
ttgcaatgtt tctcaaattc atcacgattg gaacataccg acggaattca ttttctgtct	1680
gaagcaatga gtgctataca tgaaagtttt cctcacatat aatattcatc aagtttattt	1740
acagtataag ctttccgatg ctaagggtg agatgtgatt aaaggctttg ccgtattcat	1800
cacattcagg aggtctggggg ggggggatta atttaattaa ggatcctt	1848



<210> 112  
<211> 333  
<212> DNA  
<213> Homo sapien

<400> 112  
ggccgaggtc tagaatgggt gaaggaatgt gttagtgtct ggagccatga aggccttggt 60  
ctgaccaagc tgctcacctc ggaggagctg gctctgtgtg gctccagget gctggtcttg 120  
ggctccttcc tgcttctctt ctgtggcctt ctctgtgtg tctactgctat gtgcttccac 180  
cctgcgccgg gagtcccact ggtctagaac ccggtcttga gggcactggc ctagttcccg 240  
acttgtttct caggtgtgaa tcaacttctt gggccttggc tctgagttgg aaaaggtttt 300  
agaaaaagtg aagagctgga atgtggggga aaa 333

<210> 113  
<211> 2269  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (2266)..(2266)  
<223> a, c, g or t

<400> 113  
gcgagcggct ggcggatccg acgcgcgaga ccgggagggg acgagggcgt tgcaatcggt 60  
cggggcgggg gctttccggg gagggggtgc tcaggtgcac cagcggcggc ggaccctcag 120  
actctgccct cccctccctt taacccctt ccagccggac gggaggcggg gcagggttga 180  
gcatttgtga cacctacatt tccgtggctc cttctttttc ccccgacccc tgtttatctc 240  
ttcgcttcc agaagtctt tccatcagg ccgtcgcacc ttgcgtggga aggagcacc 300  
cacttggaag caggaggcgg ggttcagatc ttggccctac ccctcctgtg ttaaagtccg 360  
cgagcctcag tttccctcac agtatttttt gcctcgctt acccggtttt gaggatctgt 420  
acgagaaaga gaaaggaagt ggacatttgt tgaattcctg catggccaaa taccacgcag 480  
actgcttcat ccgccacgtt taatccttat tacttggtgt tctcagaact cccatttcat 540  
ggattcttaa gctcacagag tcagtgaata acagaaaggg attcagatct agccgtttag 600  
ctgcacagtg gagttcttct ccagagtctt ccctgtctg ggctctggct ggaactatct 660  
ctcagccaaa tcctcgcccc agaacagtgc ttctgtttc tccagctgag aagtctccct 720  
ttcagtttcc ttcttcagc acggagtaca ctgctctgcc tccacttaga ttacttcaga 780

104

aatgaaatgc agcaaatatt tatccagcag tgcagggagt tgaacttttg gagtcgggaa 840  
ccttggaattc ttgttctggc tctgccactt actgtgtggc cttgggaagt cctttgtctt 900  
ctctgagctt tcttttctct ttgcgtaaaa gcggtgctct tgtcccatc tccctccctg 960  
tcttccagca ggctctcccc ggaggctcag cccctctctg tcccatggg caactgccag 1020  
gcagggcaca acctgcacct gtgtctggcc caccaccac ctctggtctg tgccactttg 1080  
atcctgctgc tccttggcct ctctggcctg ggcttggca gcttctctc caccacagg 1140  
actggcctgc gcagccctga catccccag gactgggtct cttttttgag atcttttggc 1200  
cagctgacct tgtgtcccag gaatgggaca gtcacaggga agtggcgagg gtctcacgtc 1260  
gtgggcttgc tgaccacctt gaacttcgga gacgggtccag acaggaacaa gacccggaca 1320  
ttccaggcca cagtctggg aagtcagatg ggattgaaag gatcttctgc aggacaactg 1380  
gtccttatca cagccagggt gaccacagaa aggactgcag gaacctgcct atattttagt 1440  
gctgttccag gaatctacc ctccagccag ccaccatat cctgctcaga ggagggggct 1500  
ggaaatgcca ccctgagccc tagaatgggt gaggaatgtg ttagtgtctg gagccatgaa 1560  
ggccttgtgc tgaccaagct gctcacctcg gaggagctgg ctctgtgtgg ctccaggctg 1620  
ctggtcttgg gctccttctt gcttctcttc tgtggccttc tctgctgtgt cactgctatg 1680  
tgcttccacc cgcgccggga gtccactgg tctagaacct ggctctgagg gcaactggcct 1740  
agttcccgac ttgtttctca ggtgtgaatc aacttcttgg gccttggctc tgagttggaa 1800  
aaggtttttag aaaaagtga gagctggaat gtgggggaaa ataaaaagct tttttgcca 1860  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920  
aaaaaaaaa caagcaaaaa gacaagagaa gaaaacacaa gaagaaaaaa aaaccacaaa 1980  
caaagacaaa agaaaagaaa agaagagacg aaaagagaga aacaagaaag aggagaggac 2040  
aaagagcaag aacgaagaga gaagaaaaga gagcacacaa agagaagaga agaagcgaga 2100  
ggaagcgaaa aagagagagg aaaaagagaa aagaagagaa gaccaaacc gagagaaga 2160  
gagaggaaa gcgagcgagc aaagagcacg agaagagaag aaaggaagcg agggtgccaa 2220  
gagaagcgga gagaacgaga gggagaaaag agggagagga agaagnagt 2269

&lt;210&gt; 114

&lt;211&gt; 550

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 114

agagatatat agcccgctctg ggctaacttg tgtcctctag atcatgcgtc gagcggctgc 60

105

cagtgttatg tatcgctggg cgcgcccgag gtacacacaa gaagccagaa gatatttttt	120
tttcagtga ctttctcctg gaagcaaagg agaagctatg ggagatccag gcatgggttt	180
ggcttctgga ggctgttttt tggttactgg ggtctcttca aagcaaaacg ggatcaggat	240
gaagaggggg aaaggcatgg gccataaata aataaggaaa tttgccccga ttctacaaat	300
gcatctgatg gaatgaggag ggtcaggctg tgagggattg ggggtagctc caggctgctg	360
ttagggacac acttgagctg gttcattccc tggagtggcc cgcaactgcg tctagggaga	420
ggcaggccca agcacatgtt cagtctaatt ccagctcaca ctggaaggct tcctataggt	480
ttggttgccc tgatcacagc cgagctggcc caccaggaat taaccctggg gggcaaaggg	540
tccatcttct	550

&lt;210&gt; 115

&lt;211&gt; 4441

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 115

agcgggggca tcgccgcccg cgccctcta agtgccgggc cgcaagctcc accgcagccg	60
cctgcaagca gcggcgccct ggccctcgac ctgcgcgcaa agcctgtgct ggagccgtcc	120
tcccgcggcg gggaccggga ccggggaccc aagccaatcg aaagctccaa ccatggccat	180
ggggctcttc cgcgtgtgtc tgggtgggtg gacggccatc atcaaccacc cgctgctgtt	240
ccgcggggag aacgccacag tccccgagaa cgaggaggag atcatccgca agatgcaggc	300
gcaccaggag aagctgcagc tggagcagtt gcgcctggag gaggagggtg ctcggctggc	360
ggccgaaaag gaggcactgg agcagggtgg ggaggagggc aggcagcaga acgagacacg	420
cgtggcctgg gacctctgga gcacctctg catgatcctc ttctgatga tcgagggtgtg	480
gcggcaggac caccaggagg ggccctcacc tgagtgcctg ggcggtgagg aggatgagct	540
gcctgggctg gggggcgccc ccttgagggg cctcaccctg cccaacaagg ccacgcttgg	600
ccacttttat gagcgctgca tccggggggc cacggccgat gcagcccgta cccgggagtt	660
cctggaaggc ttcgtggatg acttgctgga agccctgagg agcctctgca accgggacac	720
cgacatggag gtggaggact tcattggcgt ggacagcatg tacgagaact ggcagggtgga	780
caggccactg ctgtgccacc tttctgtgcc cttcacaccc cccgagccct accgcttcca	840
cccagagctc tgggtgctccg gccgctcagt gcccctggat cgccagggtc acggccagat	900
caagggtggtc cgcgccgatg gggacacatt gagctgcac tgccggcaaga ccaagctcgg	960
ggaagacatg ctgtgtctcc tgcacggcag gaacagcatg gcgcctccct gcggcgacat	1020

106

ggagaacctg	ctgtgtgcc	cagattccct	gtacctggac	acgatgcagg	tcatgaagtg	1080
gttcagacg	gccctcacca	gagcctggaa	gggcatcgcc	cacaagtacg	agttcgacct	1140
ggcctttggc	cagctggaca	gcccggggtc	cctgaagatc	aagttccgtt	caggggaagt	1200
catgcccttc	aacctgattc	ctgtgatcca	gtgtgatgac	toggacctgt	actttgtctc	1260
ccaccttccc	aggagaccct	ctgagggcac	cccagcctcc	agcacagact	ggctcctgtc	1320
ctttgtgtgc	tatgagcgac	acttctcag	gacgacacta	aaggcactgc	ccgagggcgc	1380
ctgccacctc	agctgcctgc	agatagcatc	cttctgtctc	tccaagcaga	gccgcctgac	1440
cgggtcccagc	gggtcagca	gctaccacct	gaagacggcc	ctactgcacc	tcctactcct	1500
ccggcaggcc	gccgactgga	aggcggggca	gctggacgct	cgtctgcacg	agttgtgtg	1560
cttctggag	aagagcttgc	tccagaagaa	gctccaccac	ttcttcatcg	gcaaccgcaa	1620
gggtgcctgag	gccatgggac	tccctgaggc	cgtgctcagg	gccgagcccc	tcaacctctt	1680
ccggcccttc	gtcctgcagc	gaagccttta	ccgtaagaca	ctggactcct	tctatgagat	1740
gctcaagaat	gccccagcgc	tcattagcga	gtattcccta	catgtcccct	cagaccagcc	1800
tacccccaaa	agctgacgtc	ttttacagaa	tgtgggatcc	tcgagctaag	atgagggcat	1860
ccctcacgtt	cacaccctg	gtggcatctg	ccagccctgt	tctggggaca	aggcgggctt	1920
tcgtgggagc	cgtgctcagc	ctgccaggaa	gccaagccct	acagtgcaga	ggaaacagaa	1980
tttcaacggg	aagctggttt	gcttcatacc	attgggatct	gctggtaaag	ctgttatattg	2040
ggtttaggga	ctgatccctt	gcagtttact	tctggatcac	catgaatggc	caagatggtg	2100
gcagaacacg	ctgtggacct	tgagttagag	acaatgcaaa	tgttggtattg	ggtgtaattc	2160
tttttgaatc	ccagatccag	tctgtacttg	aatatgagca	gaggatctac	aagaatgctg	2220
acagggaacc	gtgttaagac	ccagcaccct	tattcccagg	agcttctggc	ctgacctctt	2280
gcagccaaag	cactaacagg	gacagatatg	ggaatgtcca	cctttgatcc	gcatcctgca	2340
caatagtggg	cccaccatgg	ctgccacttt	tttatactat	ttggagaaaa	gaccttgtat	2400
aaattcgagg	cccgagtgc	taacgtctct	gtcacacgga	aatgggtact	tggtggcata	2460
gagaaacaca	attagccact	ttttcagcta	cacttctcac	tcagctgcac	cctacacttc	2520
tcactcaggt	gcacccctt	ctgctgtcct	ttcccacag	tactgggtcc	cgagcgtggg	2580
gggtatttgc	cacactgggt	gccagctcag	cagcccccca	cctctcttta	ttctctccaa	2640
agctgggtctt	tctgactatc	attgtggtag	ggggaggaca	gatgctaaag	gtggaagctg	2700
acctggaaaa	agagacacac	ggggtgactg	tggcaaagga	cagctggaaa	agaaactcta	2760
tcacttcttc	attggcaacc	acaaggcacc	tgaggccatg	gcactcccag	aggctgtgcg	2820

cagagccaag cctctcaacc tcttctggcc ctgcgtcctg cagcgaagtc tctgctgtaa 2880  
 gacagtagac tccttcgatg aggtgctcaa aaatgctacc cggggtgggtg gtgtctggct 2940  
 tgcagtctgg cccagttcag agaaagttgc agagatcagg ggccaaggat gtcataagccc 3000  
 caggttgtcc tcagggtccc aatcctaggg cagggtgtgc atggaagcaa gaactatgga 3060  
 aacctagctc cagtctgcag gctctgagcc cctagttcct cactccagcg gggctccctc 3120  
 actgcacaga acccaccctc tctgtgtggg cactgctgac cacacagatg acccagaccc 3180  
 aaagagcctg gcagaagctc tgtggttga gctgggctcc gtctccagggt ctggttcagg 3240  
 gggatcagga aggtctttt ccacctgtgg cttcactggc cttttgagat ttcctatctc 3300  
 accgttactt cagttaccct tgcagggggc caggagtgca agaataacc gtgttccctc 3360  
 agggtttaag ccggccatgc cttcccagaga gcataaccaa cttgacagggt gtgcccagtt 3420  
 accccacaaa ctgaaggaag gagatccttc ccccatcccc aggagtgtc tcaaccagcc 3480  
 tcagaaagct tgagaagatg gaccctttgc ccaccagggt taattcctgg tggggcagct 3540  
 cggtgtgat cagggcaacc aaacctatag gaagccttcc agtgtgagct ggaattagac 3600  
 tgaacatgtg cttgggcctg cctctcccta gacgcagttg cggggcactc cagggaatga 3660  
 accagctcaa gtgtgtccct aacagcagcc tggagctacc cccaatccct cacagcctga 3720  
 ccctcctcat tccatcagat gcattttagt aatcggggca aatttcctta tttatttatg 3780  
 gcccatgcct tccccctct tcactcctgat ccggttttgc tttgaagaga cccagtaac 3840  
 caaaaaacag cctccagaag ccaaaacat gcctggatct cccatagctt ctcccttgct 3900  
 tccaggagaa agttcactga aaaaaaata tcttctggct tcttgtgtgt acagagacaa 3960  
 cagaactcgg tggggaaacg ggaatctttt ctgcaccaa gctgcttcta aagcagaaag 4020  
 cagtggggct cttggtgttt catgctgcct tatattatatt aaaggaagaa ttaaactctg 4080  
 caaggagtaa aaatgggtcac tgtttggttt ttaaacttca ggaaatctgt gaggtccca 4140  
 gggcagagtt ggggacaggg ggggtgattt cctattgaca aagcagaagc tttcactccc 4200  
 tttttattct tacactttca ggagacttta aaaaataaca aaacagaaca tttctaccct 4260  
 gtctttgagg caacttgtgt gctgcccga gggctccaga aagggccttt gaaagctggc 4320  
 cgtaggggtg attccagcct aagaccttat ttcacagagc taatgtcagc gagagatata 4380  
 ggagctggaa ctaacaggag cgtttggttt tagagaaaga ggaggtgtct tggataactc 4440  
 t 4441

108

<211> 120  
 <212> DNA  
 <213> Homo sapien

<400> 116  
 acttataaac tgtggcatg ttaagataca gaacatcagc caagaaccag aaccaactcc 60  
 ttaacataac atagagtggg ccctgcccac cccccaatac aatacattta agataagctt 120

<210> 117  
 <211> 1977  
 <212> DNA  
 <213> Homo sapien

<400> 117  
 ttcacccggc cctgcctgt caccttcaca gagaaggggc tgcctgcagg aagaaagcac 60  
 ggccacgcc cctccagtca catactgcct gtgggccctg gtgtagtgag gggggctgcc 120  
 gaggcactgc tgcactcacc aggcacgtgc tggtcggcaa acttgatggt gatgatgtag 180  
 ttgcctggct ctgtggggca gtaggtcacc tggcgggaca ggtgcctggc tgcataaac 240  
 catgcaatga gccatgcccc gccctggaca ccccgccca gcatctgggc ctccacgctt 300  
 gggaccgtgg gagcgcccaa cagagctatg tctggagaca tatgataaac cacctcagcc 360  
 cccaccaagc cgccgcaccc gtagaccaga cccaaggac cctggccacc atgggccaga 420  
 gagcattacc ttcattctctg gctctgctga gccggccctt gagtcccca cctgctgcct 480  
 gctctggcga ccctgggtgt gggagtgggt cggggctgcc ttctgcttcc gcccgctgcc 540  
 gggattgcct ccagcgtgt ggaggcctgt gtgcggggat gcagcccctg cctgtctact 600  
 gaggactccc actgagggga ctgctgaagc caactgggtgc caaggagcac aatggagtgc 660  
 cccccagccc tgatcgtgca ccccccagac cgggcggatg gccaggcggg ctgcaagtca 720  
 accatgggca gcagcttcag ctaccccgat gttaagctca aaggcatccc tgtgtatccc 780  
 tacccgagag gccacctccc cagccctga tgcggactcc tgctgcaagg agccactggc 840  
 cgatcccca cccatgagag cacagcctgc ccagcacctt tgccagtagt cctcgtggct 900  
 ccgaggagta ctattctttc catgagtcgg acctggacct gccggagatg ggcagtggct 960  
 ccatgtcgag ccgagaaatt gatgtgctca tcttcaagaa gctgacagag gctgttcagc 1020  
 gtacaccaga tcgatgagct ggccaagtgc acatcagaca ctgtgttcct ggagaagacc 1080  
 agtaagatct cggaccttat cagcagcatc acgcaggact accacctgga tgagcaggat 1140  
 gctgagggcc gcctggtagc cggcattcatt cgcattagta cccgaaagag ccgtgctcgc 1200  
 ccacagacct cggagggtag ttcaactcgg gctgctgccc caaccgctgc tgcccctgac 1260  
 agtggccatg agaccatggg gggctcaggt ctcagccagg atgagctgac agtgcagatc 1320

109

```

tcccaggaga cgactgcaga tgccatcgcc cggaagctga ggccttatgg agctccaggg 1380
taccagcaa gccatgactc atccttccag ggcaccgaca cagactcgtc gggggcacc 1440
ttgctccagg tgtactgcta acccctgcc aagcccagctg ccacaccctt tctgggagaa 1500
gcatggccta cagaatgaag agggggacca ggaaccctg tgggagaggc ttagacctga 1560
agcagtggcc actctggctc ctctgcctt ggctgactgg gttcctggac catgtgcatt 1620
tcactgggcc atgggatcta catctccttg catccccagc tgggtctgat cctgccaggg 1680
ccccttcctt cctgctcatg gtcttcaggt ggcctgatca tggaaagtaa ggagttaggc 1740
attaccttct gggagtgaac cctgactcca tccccctatt gccaccctaa ccaatcatgc 1800
aaacttctcc ctccctgggg taattcaaca gttaaaagaa gcttatctta aatgtattgt 1860
attggggggg gggcagggcc cactctatgt tatgttaagg agttgggtct ggttcttggc 1920
tgatgttctg tatcttaaca tgaccacagt ttgtaagtac ctgctcgcg accacgc 1977

```

```

<210> 118
<211> 182
<212> DNA
<213> Homo sapien

```

```

<400> 118
catgttctct aatgcatgct ccgacggcgc atgtgatgga tcgcggcgag tgaagagcaa 60
gagccagaat taagaggttg ggtcagtctg gcagtgaagt catgcattta gaggtgttct 120
tcaagatgac taatgttcaa aaattgagac atctgttgcg gttctttttt tttttttttc 180
cc 182

```

```

<210> 119
<211> 875
<212> DNA
<213> Homo sapien

```

```

<400> 119
ggtcgcgggc gaggtaccac attggtccac ttgacactaa ccaatcgatc attttttttt 60
aatcaagaaa gctagattct atcagataaa atcactgctt ctaaagagtt taaatctagt 120
tagaaaaagt tatagaaatg tttgcaaaga taagtaacag atagagtcag tagaggataa 180
gatcaaaaac aaaaccaagc aaaagatgag ttcaggggag tttgccatca agtggcaaaa 240
ctgacttact tagggaagaa agttataaaa caggaaaata tgagatgaac cttgagtgat 300
gtggaagatt tagataaatg gaaaggaagg agaaaatgga gttcttttagg tgggtgtaat 360
tggaggagga aatgaataca cacatcttgt tgacttaaac ccagacattc agcagctctc 420

```

110

tatacatatc	tggaaaagac	tgacacagtca	cctcctgtct	ctcaccocag	gtattactta	480
gaattattat	catatttccc	ttcctttaaa	gtaagtaagg	gtgatggtga	caatatggag	540
aactatgatt	tttccattaa	cctaataata	attgtattta	ttgagttctg	ttaagcattt	600
tacatattaa	ctcacttaag	cctttcaaca	gcctgggcaa	aatagggtatt	attatcccc	660
attttacagg	caaagaaaac	tgaggtttta	ggtaactgtg	ccgaaagtgc	catataacag	720
ggctcacatt	cagtatctgc	agttgcaagc	tcatgatcta	tagtgccaag	ttgcatatgg	780
tagtccatgt	cacattatta	cccttttata	tccctggaat	tttcatgggc	aaccattagt	840
attcatttta	atatcactaa	acttccagcc	ctgat			875

&lt;210&gt; 120

&lt;211&gt; 987

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 120

ggtcgcccc	gaggtaccac	attgggtccac	ttgacactaa	ccaatcgatc	attttttttt	60
aatcaagaaa	gctagattct	atcagataaa	atcactgctt	ctaaagagtt	taaactctagt	120
tagaaaaagt	tatagaaatg	tttgcaaaga	taagtaacag	atagagtcag	tagaggataa	180
gatcaaaaac	aaaaccaagc	aaaagatgag	ttcaggggag	tttgccatca	agtggcaaaa	240
ctgacttact	tagggaagaa	agttataaaa	caggaaaata	tgagatgaac	cttgagtgat	300
gtggaagatt	tagataaatg	gaaaggaagg	agaaaatgga	gttcttttagg	tggttgtaat	360
tggaggagga	aatgaatata	cacatcttgt	tgacttaaac	ccagacattc	agcagctctc	420
tatacatatc	tggaaaagac	tgacacagtca	cctcctgtct	ctcaccocag	gtattactta	480
gaattattat	catatttccc	ttcctttaaa	gtaagtaagg	gtgatggtga	caatatggag	540
aactatgatt	tttccattaa	cctaataata	attgtattta	ttgagttctg	ttaagcattt	600
tacatattaa	ctcacttaag	cctttcaaca	gcctgggcaa	aatagggtatt	attatcccc	660
attttacagg	caaagaaaac	tgaggtttta	ggtaactgtg	ccgaaagtgc	catataacag	720
ggctcacatt	cagtatctgc	agttgcaagc	tcatgatcta	tagtgccaag	ttgcatatgg	780
tagtccatgt	cacattatta	ccccttttta	tatccctgga	atttttccat	gggcaaccat	840
tagctatttc	atttaataat	cacctaaaac	ttttcagctc	tctgattaaa	attacgctgg	900
agtgatagaa	tgtattttca	tgatagaaat	tgggaaaaaa	aatggggaat	gaagtttatc	960
agcatttcag	acttggtttt	ttttttt				987

&lt;210&gt; 121





111

<211> 295  
<212> DNA  
<213> Homo sapien

<400> 121  
cgtggtcgcg gcgaggtaga taaagctatg attttgcatt ggaactcatt taaattaaag 60  
ttaccaaggg aattccatat gtaaaactttt cctggaacta tgaacttctg agacttcaga 120  
aagattttga ctgtgtaggt tattctgtgt tgcgctatgg ggtccgcctt tgtgttgctg 180  
agctggagag cgtgcctctg ctgccgcgct gtgtcagtag tggggattgc acttttgttt 240  
ccagctacag gccaaatttg agcaccttga gagacttcac caagaagaga gaatg 295

<210> 122  
<211> 3210  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (954)..(1013)  
<223> a, c, g or t

<220>  
<221> misc\_feature  
<222> (1958)..(2054)  
<223> a, c, g or t

<400> 122  
tagtgtaaatt tctactatga tgagtatttt tatatgtaa gctttctctg aatttaggat 60  
ttttttaagc ctagatctca ggacattgaa agactatgga aaaatagaat acagtttta 120  
cattcttgac atagttgaca attgacactt gctttccagt gatgtttact agtacagttt 180  
tcaataactg tttactgcat atattttatt tggaaaatag tgttggtgtt tttttccttt 240  
ctggtaattt ctttctatac tttgcatctc ttatttttat tgagcatgga cttgagagac 300  
tttaagaagt tttgtaggga aaatacacac cgagaaaata aaaactctag gaaaagttca 360  
caatgtttta aaaatagttt tgtacataaa gctatgattt ttgcatggga actcattta 420  
attaaagtta ccaagggaat tccatatgta aacttttctt tgaactatga acttctgaga 480  
cttcagaaag atttgactgt gtaggttatt ctgtgttgcg ctatggggtc cgcctttgtg 540  
ttgctgagct ggagagcgtg cctctgctgc cgcgctgtgt cagtagtggg gattgcactt 600  
ttgtttccag ctacaggcca aatttgagca ccttaagaga cttcaccaag aagagagaat 660  
gaagcttgaa gaaaggagag acttttgga gaagaaataa ttgctttctc taaaaagaaa 720  
gctacctccg agatatttca cagccagtcc tttctggcaa caggcagcaa cctcaggaag 780

gacaaggacc gtaagaggta agaggcccag ccaccctcag gttgctgccc tgcccacact	840
tgtcacattg ccctgtcgga tcttcctagc gcttcctact tctgcttcct tatgctttgt	900
cttcctttct cactaaatg tcagctcctg gagaggagag accttgctcc tctnnnnnnn	960
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnntttgcca	1020
aatgaatga atgaacaaaa taaaaatata tcacagtgtg aaaaggatca gttagctggg	1080
ggaaaatggc tgctcttatt gaatagccca gctgtggccc tagtacacag ctaatggctg	1140
ctgacctacc atgagttatt ttgaatttca tgtctaaata aagctgtgcc ctttgttggg	1200
gaattataga cataagatag tattttattg aattaattct taggttcagt tttttagaac	1260
aaattctact gatactgatt ttgtgagaat ttttatttta ataagggaac caggctgtcg	1320
attcgaactc ctgtgcattg atgtcagagc ttgtgaaacc aatggtggac gtaaagacgc	1380
agagaaaggc agagagggcc acagtgcagc ggggcagcca tgagtagcat gtggatgata	1440
atcgcaaggc gtgtagggtt ggggtatgtg ttaaaatcag ttacccaagt tttagaaaat	1500
aagtttattt ttcctttttg ataatttct tctgtacttt gtgtcccttg ttttatttct	1560
cccacttaag tatccctgtc ggtttaacta tttggctctt gaggaaatc atcatgcctt	1620
gttctattca gaatgctcat ttgggggact ctgcctcagt ttactctagc tacctctgtg	1680
ctagcagcgt tgcattgctc catgttcccc acagagcaac acatctggtt taatgctctc	1740
actgcactca tttcagaccc attttcagaa tattgcaact caactttaaa ataggaaaac	1800
ataaccttgg ccatttggg gctttcaatt tttaaatatg gagaagtaaa ccacaggact	1860
ttggcagatt ttattggctt atatatttta caggatattt tgtttgtttg ttatgtttt	1920
ttggaaaaga ggaaggaatt ctcatgtatg atctttcnnn nnnnnnnnnn nnnnnnnnnn	1980
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn	2040
nnnnnnnnnn nnnttatatt ttgaaagaat aaatagtata aaagctgtat tttattcaag	2100
cattgaattt agaaagataa actataaatt tattactgct tttcaacatg ctttggattt	2160
taaagctaag ggatctttta ttaatacctt ttttcctttc atcttaaccc agtgttacta	2220
aaattagatt tcccatTTTT tccctatat gaaagataat ttacatttac cttgtaaaaa	2280
ttatcacctt gctccacttg agaaccctgc tgttgtttgc aaaatcagga ccaagcccat	2340
atTTTTtgag agctctctag aagaatttat ctcaagaaa atatggtttg gtgttttttg	2400
TTTTTcttt tctTTTTcaa agtcccatgg ccagatatcc tataatatac tagatgcatg	2460
tttgctaatt ttacttgaa ttttttttaa attgtaccaa tcaaaagggt ctttttcttt	2520

113

```

ccagctccaa ttttttgtaa aacagaagtt ccagagcaca gaaggtcac atcacaagca 2580
aactttatta aaaaaaaact agaagtgtgc tttgattttg ctgttatttg ttttatcact 2640
tctatatattg gtgaacagcc acagttactg atattttatgg aaaagtactt tcaagtacaa 2700
ggccaataca taagccagag tgaatgatac tacaagttga gcatctctaa ttcaaaaatc 2760
tgaaatccag aagcttcaaa atctgaatct ttttgagcac tgacttgacc ccacaagtgg 2820
aaaattcccc acccgacacc tttgctttct gatgggttcag tttaaacaga ttttgtttct 2880
tgcacaaaat ttttgataaa attactttca ggctatatgt ataagggtga tgtgaaacat 2940
gaattatgta attagagtcg ggtcccgtag tgtatatgca gatattccaa acctgaaatc 3000
caaaacactt ctggtcccta agcattttgc actaagggat actcagcttg tacctatata 3060
ttcctatata ttactgttg ttagaaatgt ttaagttgct gttctgtgat gaatctaaat 3120
cttttctctt gctaccaagc tattgtcact gcagtgcatt ataccaaaga gcgaagtcag 3180
tgccactgaa aatacagaac cattatatcg 3210

```

```

<210> 123
<211> 662
<212> DNA
<213> Homo sapien

```

```

<400> 123
gcgtggcgc ggcgaggtag ctgcatctaa aatagaattt atttttcttg agacacgtct 60
ttcaggcaga ggaaaggtaa tgggcacaca aaccttgatc atcttcttat aaaacaaggc 120
agcatccaca tttcaatact gtagcatatg aaataatttc tcaattccta ctctgtcata 180
gcttaaatga cttactgatt aaaatatgag taacaataat tctggagctg aaagacattc 240
tcaagccaaa aggtaacatt aaacaatgtt ttactttaaa tttaatgtca tgtagggtca 300
ctaaaaacaa aatgtaaggg ataaatgtaa gtgcataaaa cagagataat accaatttcc 360
acaaatacaa cttttattat ccaaaatcat cttggaagga ctttttctaa tatgccatt 420
ttctaaataa gattaacat ttgatgggaa tatttccaat tgtatcacct ccttcttgga 480
ctttttcttc atcaacttag ggcctgggtt gtaggcactg tggctctttg ggatagttaa 540
atgggtgcaa tttggctgag accgcccctg tcttaaattg cccaggctac agggcttgcc 600
aaatggcttg tggtttgcaa cctcttctt tgatatccat tgaagaacac atgtcctacc 660
ct 662

```

```

<210> 124
<211> 1845
<212> DNA

```

&lt;213&gt; Homo sapien

&lt;400&gt; 124

tgtcagattg atggcctgtg ctgttgagta gttccgtctg attgacgtgg cgattcggat	60
gtggtcgggt gtggtgagtg gctgggtggg ctttcgggtgg gtgggtgtgtg tgcggccgggt	120
ggtttgtgtg tgcgtgtgtc gcggcgggtgt gggctgtggg tcggacggag ggcctgggtgg	180
cgttgtaag aggctcgggt gtcggcgggg gtgtgttctg ttgggggctc gtcgtgtccg	240
ttcgggtggc cggcgtgggt gtgtggatat cgtgggtgtc cgtgggtgtc tggctgcgct	300
ggtgccggcg tggccttatgt tgtgttttaa tgcgttgctc gtggggtcgg tggggtcgtg	360
gcgggtgtgt ggtgtgtatg tgtgtgtttt gttcgcattg ggcgtgttgt atgtgttggt	420
ggccgcggta ggagtcggc catctcctga tttattcttt tacagttttc tatgttttga	480
attgatatca attccttagaa taaaatgcag tacctgcac taaaatagaa tttatttttc	540
ttgagacacg tctttcaggc agaggaaagg taatgggcac acaaaccctg atcatcttct	600
tataaaacaa ggcagcatcc acatttcaat actgtagcat atgaaataat ttctcaattc	660
ctactctgtc atagcttaaa tgacttactg attaaaatat gagtaacaat aattctggag	720
ctgaaagaca ttctcaagcc aaaaggtaac attaaacaat gttttacttt aaatttaatg	780
tcatgtaggg tcactaaaaa caaatgtaa gggataaatg taagtgcata aaacagagat	840
aataccaatt tccacaaata caacttttat tatccaaaat catcttggaa ggactttttc	900
taatatgccc attttctaaa taagattaac catttgatgg gaatatttcc aattgtatca	960
cctccttcct tgactttttc ttcacaaact tagggcctgg gttgtaggca ctgtggctct	1020
ttgggatagt taaatgggtg caatttggtg gagaccgccc ctgtcttaaa tggcccaggc	1080
tacagggtt gccaaatggc tttggtttgc aacctcttcc tttgatatcc attgaagaac	1140
acatgtccta ccctcttgat tgcaagcttc tatctgctat tggctatcag gagcataaca	1200
gataagttct aaggctcttc cagttccaaa agccattgac caaccctgtg aggactatg	1260
agagattgga gattactgag gaatctcttc caataacata tgatatataa aggttaattgt	1320
gattctatga agagtgaata aaaattgaaa acaaaaccaa tcttgtttaa actattaaat	1380
gaagttttta aaaataatgg agtgggtaga tgtattgcct atcaaattaa aattcaggga	1440
acacgtgtca gttatcacct ttataagtat gatctataag gttgaattaa ctaaagatct	1500
aaccctaaac taagtgagat attactgggt tactaaatat agatgaatgg cttccttttt	1560
cctttaaaga tggaagaatc tcaaaagtat gcctgaatca gaagcagagg actcatgttc	1620
taatgacacg tctgatcatc accctgagtt ccataaagct atagcatatt gtagtagaaa	1680

115

gtatatcagc atgtgagtgg agagatttaa gggatatagat ctctacgtat ttccagctct 1740  
 gtcaccaact ggtgacatga ctttgggcag aaactgtctt attgattccc tcgtgccgaa 1800  
 ttcttgctcg aggccaaatt ccctatagcg aacttattga acaga 1845

<210> 125  
 <211> 306  
 <212> DNA  
 <213> Homo sapien

<400> 125  
 gcggcgccgg gcagggtacat aagtgtcact cgcctaatta aaaacattga gtaaaccaag 60  
 tttttatata gactaccctt gccatatgat gctctttttc tctaataata tgcagtttaa 120  
 atcctgagga atcaatgccc agcatttcac cacatctgaa ctctgtgtgg gcattcttca 180  
 ctgcctaca aggggtaaac aaggctacca gaacttgaat ttgacttata gggagctacc 240  
 caggaagggg aaagcccttg ggactttttc caaaacaatc ttctatttga actgttcac 300  
 agccaa 306

<210> 126  
 <211> 2049  
 <212> DNA  
 <213> Homo sapien

<400> 126  
 aaaaaaaaaa gtaaaacaaa aataaagtct atgcccatta agacgtcttc taattcagtt 60  
 gtgattgtct gctcctactt aaaaaaatat ttaagcttga tgtttaatta ttccctttca 120  
 gcaaatttgg atcagaaaaat taaagtatgt gacaagatca ggtcaccttg aatttccaca 180  
 caatctcaag aactgaata gcaaaaaagt aacattacac agtaatgatt aggatatttc 240  
 cttagacttt gctggatctt tggctttaag gtaacatgta aaagtagtga agcctttcct 300  
 ttcattggccc tgtgcaatgt aacggttttc tgcctcctct tcagctggaa gcgttagtgg 360  
 tagtatgggc acagaatata tgtacactgg cgatgctgac catgcctccc aggtaccctg 420  
 gctctggggt ccttgacctt gggaacaaga ttggatgagg cagatctttg agcccatgtg 480  
 actatagaat ttgctgatga tataatttta caataacaat ggataggaat tttacctctc 540  
 tttttattag tttaatatta tttaatatta tgtacataag tgttcaactcg cctaattaaa 600  
 aacattgagt aaaccaagtt tttatataga ctacccttgc catatgatgc tctttttctc 660  
 taataatatg cagttttaa cctgaggaat caatgccag catttcacca catctgaact 720  
 ctgtgtgggc attcttcact cgcctacaag gggtaaacaa ggctaccaga acttgaattt 780  
 gacttatagg gagctaccca ggaaggggaa agcccttggg actttttcca aaacaatctt 840

116

```

ctatattgaac tgttcacag ccaaagtagt ccactgaggt gacaaagctt tcagaaatac 900
aaagatggga agataaaggt aacactggcc cacttggggc tttgacattg gattgggtgg 960
actgaataaaa cacagcctag gtggcctggg cttgagcctc acttacttct ccttgataca 1020
tagttcctgg tctaccttct gacccttttt ctaaaatagc cagtgtctat ttcactaggc 1080
catttactta caagttccca gcttttaggg aaaaaagagg gaggggggag catctagttt 1140
tgaattagat atacatctta gaagtaatga gctattggca gctgttaa at cagattcagc 1200
cacaaaccag aattccttct tgttgaacaa gaccaatgag ttagatgact ttaataattc 1260
cacttttctc tccctctctt ctctctctcc tgaaatcaga gagatgagaa actactcttt 1320
gaaataacctc cagaggcgtt ttattgtgtt cctttcccct ccaagcagct ccctttatac 1380
aattttgctc aggcaaccaa ggacagagta tcggcagaaa catggagtgc ttttgtatag 1440
gccacctgta cataaaagtg taattattta tttaattttc ccatttgtat catattaaag 1500
ctttgtacag tgttttaagt tctgttttaa aattattttg tattttattt ttataacctt 1560
gtaataaaa attcattccg catgcaaaaa aaaacacaca cacaacccaa acaaccaaaa 1620
acaaacagaa ccaaaagata gaaaccaaac acagcaacag acagacacaa gagaagacga 1680
aaacaaccac acaaacagca cacacaaccg cagcggagaa ccaacaaagc caaacgcaag 1740
acagcacac aagggacaaa acacacacgt agcacaaagc agccgcagaa ccgaacacac 1800
atctaaagac aggcgacaac aacatagcag gccgtagcac cgacaaccac taaaccataa 1860
ctatccagcg gagatcagat cacagaagcc gacacagaaa gaaaagcatg tatgcaacgc 1920
atgacaccgc agggcgata aaaacactcg taggcgggac cgccgcagaa cgatcgaagg 1980
ctaacaaca agctagtaga tcacaagtac gtgaccacgc cctcttatct ataaaggagg 2040
aagagggag 2049

```

&lt;210&gt; 127

&lt;211&gt; 286

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 127

```

acatctgggt gcggagaaag gaaaaacttc tcaaagaaga atttgaagtg agctttaagg 60
gttgaatgga atttttactg ttagaggtag agaaatacaa tatcataaag aaagatgtga 120
tccctacaag aggattacgt ggtaagttga aagacattaa acagtccaac ctggtcattg 180
tcaaaactat atacgttggg cacagaactg aagaccaggt gtcaaaggag gatggctctg 240
tcccctttgt gtccccagtg cctaaagcag tgtttggtgc aagctt 286

```

<210> 128  
<211> 12421  
<212> DNA  
<213> Homo sapien

<400> 128  
agcccacggg atcgcccacg cgtcggggca ggtcaaggag gaggctgaaa gaggctgagc 60  
tgtgccctct ccattccact gctgtggcag ggtcagaaat cttggataga gaaaaccttt 120  
tgcaaacggg aatgtatctt tgtaattcct agcacgaaag actctaacag gtgttgctgt 180  
ggccagttca ccaaccagca tatccccct ctgccaaagt caacaccag caaaaatgaa 240  
gaggaaaaaca aacaggtgga gactcagcct gagaaatggg ctgttgccaa gcacaccaca 300  
gagctaccca acagattcct atggagtctt tgaattccag ggtggcggat attccaataa 360  
agccatgtat atccgtgtat cctatgacac caagccagac tcaactgctcc atctcatggg 420  
gaaagattgg cagctggaac tccccagct cttaatatct gtgcatggag gcctccagaa 480  
ctttgagatg cagcccaagc tgaacaagt ctttgggaaa ggcctgatca aggctgctat 540  
gaccaccggg gcctggatct tcaccggggg tgtcagcaca ggtgttatca gccacgtagg 600  
ggatgccttg aaagaccact cctccaagtc cagaggccgg gtttgtgcta taggaattgc 660  
tccatggggc atcgtggaga ataaggaaaga cctgggttga aaggatgtaa caagagtgtg 720  
ccagaccatg tccaaccctc taagtaagct ctctgtgctc aacaactccc acaccactt 780  
catcctggct gacaatggca ccctgggcaa gtatggcgcc gaggtgaagc tgcgaaggct 840  
gctggaaaag cacatctccc tcagaagat caacacaaga ctggggcagg gcgtgcccct 900  
cgtgggtctc gtggtggagg ggggccctaa cgtggtgtcc atcgtcttgg aatacctgca 960  
agaagagcct cccatccctg tggtgatttg tgatggcagc ggacgtgcct cggacatcct 1020  
gtcctttgcg cacaagtact gtgaagaagg cggaataata aatgagtccc tcaggagca 1080  
gcttctagtt accattcaga aaacatttaa ttataataag gcacaatcac atcagctggt 1140  
tgcaattata atggagtgca tgaagaagaa agaactcgtc actgtgttca gaatgggttc 1200  
tgagggccag caggacatcg agatggcaat tttaactgcc ctgctgaaag gaacaaacgt 1260  
atctgctcca gatcagctga gcttggcact ggcttggaa cgcgtggaca tagcacgaag 1320  
ccagatcttt gtctttgggc cccactggac gccctggga agcctggcac ccccgacgga 1380  
cagcaaagcc acggagaagg agaagaagcc acccatggcc accaccaagg gaggaagagg 1440  
aaaagggaaa ggcaagaaga aagggaaagt gaaagaggaa gtggaggaag aaactgaccc 1500  
ccggaagata gagctgctga actgggtgaa tgctttggag caagcgatgc tagatgcttt 1560



agtcttagat	cgtgtcgact	ttgtgaagct	cctgattgaa	aacggagtga	acatgcaaca	1620
ctttctgacc	attccgaggc	tgaggagct	ctataacaca	agactgggtc	caccaaacac	1680
acttcatctg	ctggtgaggg	atgtgaaaaa	gagcaacctt	ccgcctgatt	accacatcag	1740
cctcatagac	atcgggctcg	tgctggagta	cctcatggga	ggagcctacc	gctgcaacta	1800
cactcggaaa	aactttcgga	ccctttacaa	caacttgttt	ggaccaaaga	ggcctaaagc	1860
tcttaaactt	ctgggaatgg	aagatgatga	gcctccagct	aaaggaaga	aaaaaaaaa	1920
aaagaaaaag	gaggaagaga	tcgacattga	tgtggacgac	cctgccgtga	gtcggttcca	1980
gtatcccttc	cacgagctga	tggtgtgggc	agtgctgatg	aaacgccaga	aaatggcagt	2040
gttcctctgg	cagcgagggg	aagagagcat	ggccaaggcc	ctggtggcct	gcaagctcta	2100
caaggccatg	gcccacgagt	cctccgagag	tgatctgggtg	gatgacatct	cccaggactt	2160
ggataacaat	tccaaagact	tcggccagct	tgctttggag	ttattagacc	agtcctataa	2220
gcatgacgag	cagatcgcta	tgaaactcct	gacctacgag	ctgaaaaact	ggagcaactc	2280
gacctgcctc	aaactggccg	tggcagccaa	acaccgggac	ttcattgctc	acacctgcag	2340
ccagatgctg	ctgaccgata	tgtggatggg	aagactgctg	atgcggaaga	accccgccct	2400
gaaggttatc	atggggattc	ttctaccccc	caccatcttg	tttttggaat	ttcgcacata	2460
tgatgatttc	tcgtatcaaa	catccaagga	aaacgaggat	ggcaaagaaa	aagaagagga	2520
aaatacggat	gcaaatgcag	atgctggctc	aagaaagggg	gatgaggaga	acgagcataa	2580
aaaacagaga	agtattccca	tcggaacaaa	gatctgtgaa	ttctataacg	cgcccattgt	2640
caagttcttg	ttttacacaa	tatcatactt	gggctacctg	ctgctgttta	actacgtcat	2700
cctggtgcgg	atggatggct	ggccgtccct	ccaggagtgg	atcgatcatct	cctacatcgt	2760
gagcctggcg	ttagagaaga	tacgagagat	cctcatgtca	gaaccaggca	aactcagcca	2820
gaaaatcaaa	gtttggcttc	aggagtactg	gaacatcaca	gatctcgtgg	ccatttccac	2880
attcatgatt	ggagcaattc	ttcgcttaca	gaaccagccc	tacatgggct	atggccgggt	2940
gatctactgt	gtggatatca	tcttctggta	catccgtgtc	ctggacatct	ttgggtgcaa	3000
caagtatctg	gggccatacg	tgatgatgat	tggaaagatg	atgatcgaca	tgctgtactt	3060
tgtggtcatc	atgctggctg	tgctcatgag	tttcggagta	gcccgtcaag	ccattctgca	3120
tccagaggag	aagccctctt	ggaaactggc	ccgaaacatc	ttctacatgc	cctactggat	3180
gatctatgga	gaggtgtttg	cagaccagat	agacctctac	gccatggaaa	ttaatccctc	3240
ttgtggtgag	aacctatatg	atgaggaggg	caagcggctt	cctccctgta	tccccggcgc	3300

119

ctggctcact ccagcactca tggcgtgcta tctactggtc gccaacatcc tgctggtgaa 3360  
 cctgctgatt gctgtgttca acaatacctt ctttgaagta aaatcaatat ccaaccaggt 3420  
 gtggaagttc cagcgatatc agctgattat gacatttcat gacaggccag tcttgcccc 3480  
 accgatgatc attttaagcc acatctacat catcattatg cgtotcagcg gccgctgcag 3540  
 gaaaaagaga gaaggggacc aagaggaacg ggatcgtgga ttgaagctct tccttagcga 3600  
 cgaggagcta aagaggctgc atgagttcga ggagcagtcg gtgcaggagc acttccggga 3660  
 gaaggaggat gagcagcagt cgtccagcga cgagcgcata cgggtcactt ctgaaagagt 3720  
 tgaaaatatg tcaatgaggt tggaagaaat caatgaaaga gaaactttta tgaaaacttc 3780  
 cctgcagact gttgaccttc gacttgetca gctagaagaa ttatctaaca gaatggtgaa 3840  
 tgctcttgaa aatcttgctg gaatcgacag gtctgacctg atccaggcac ggtcccgggc 3900  
 ttcttctgaa tgtgaggcaa cgtatcttct cgggcaaagc agcatcaata gcgctgatgg 3960  
 ctacagcttg tatcgatatc attttaacgg agaagagtta ttatttgagg atacatctct 4020  
 ctccacgtca ccagggacag gagtcaggaa aaaaacctgt tccttcgta taaaggaaga 4080  
 gaaggacgtg aaaacgcacc tagtcccaga atgtcagaac agtcttcacc tttcactggg 4140  
 cacaagcaca tcagcaaccc cagatggcag tcaccttgca gtagatgact taaagaacgc 4200  
 tgaagagtca aaattaggtc cagatatagg gatttcaaag gaagatgatg aaagacagac 4260  
 agactctaaa aaagaagaaa ctatttcccc aagtttaaata aaaacagatg tgatacatgg 4320  
 acaggacaaa tcagatgttc aaaacactca gctaacagtg gaaacgacaa atatagaagg 4380  
 cactatttcc tatcccctgg aagaaaccaa aattacacgc tatttccccg atgaaacgat 4440  
 caatgcttgt aaaacaatga agtccagaag ctctgtctat tcccggggaa gaaagctggg 4500  
 cgggtgggggt aaccaggatg tagagtacag ttcaatcacg gaccagcaat tgacgacgga 4560  
 atggcaatgc caagttcaaa agatcacgcg ctctcatagc acagatattc cttacattgt 4620  
 gtcggaagct gcagtgcagg ctgagcaaaa agagcagttt gcagatatgc aagatgaaca 4680  
 ccatgtcgct gaagcaattc ctggaatccc tcgcttgtcc ctaaccatta ctgacagaaa 4740  
 tgggatggaa aacttactgt ctgtgaagcc agatcaaact ttgggattcc catctctcag 4800  
 gtcaaaaagt ttacatggac atcctaggaa tgtgaaatcc attcaggga agttagacag 4860  
 atctggacat gccagtagtg taagcagctt agtaattgtg tctggaatga cagcagaaga 4920  
 aaaaaagggt aagaaagaga aagcttcac agaaactgaa tgctagtctg ttttgttct 4980  
 ttaatttttt ttttttaaca gtcataacca ctaatgggtg tcatcttggc catctaaaca 5040  
 tcatcaattt ctaaaaacat tttccttaa aaattttgga aattcagact tgatttacia 5100

tttaatgcac taaaagtagt attttggttag catatggttag taggcttagt tttttccagt 5160  
tgcagtagta tcaaatgaaa gtgatgatac tgtaacgaag ataaattggc taatcagtat 5220  
acaagattat acaatctctt tattactgag ggccaccaa tagcctagga agtgcctcg 5280  
agcactgaag tcaccattag gtcactcaag aagtaagcaa ctagctgggc tcagtggctt 5340  
atgcctgtaa tcctagcact ttgggaggct gaggtaggcg gattgcttga ggccaggagt 5400  
tcaagaccaa cacggccaat gtggcgaaac cccgtctcta ctgaaaaata caaaattagc 5460  
cgggtgtggt ggtgggtgct tgtagtctca gctacttggg aggtgaagc aagagaattg 5520  
cttgaatcca ggaggaggag gttgcagtga gccagatca tgccactaca ctccagcctg 5580  
ggtgacagag tgaggcactg tctcaaaaaa aaaaaaaaaa aaaaaaaga tactgaacta 5640  
ggcacttgac atccaagatg tccacttggc ctttttctaa gtgtacttca ctttgttttc 5700  
attcctctc taaagctttt taacaaactg tctctcatgt tctaaaaaca aacaaatgtc 5760  
tttcatctca ttttttactc agcattatct atcaaaggga ctggatgtcc catctagttt 5820  
gtacttttagt ttctagctca ttacatagga aatgcaaata aaaaacacaa tgagatacca 5880  
cttcacaccc actaagatgg ccataactta ttttttttaa aaaaaggaaa aggaaaataa 5940  
taagtgttgg tgaggaagtg gacagaaatt ggaattctca tacattgctg gtgggaatgt 6000  
ggaatggttc aactgctgtg gaaaacagtt tgtctgttcc tcaaaaagct aaacatagaa 6060  
ttaacatatg acccagcagt tccactccta gatataacc caagagaatg caaaataggc 6120  
attcaaaca atacaggtac acaaacattc atagcagcac tattcccaat agccaaaagt 6180  
cagaacaac ccaaagtcca tcaatgaatg agtggataaa taaattgtgc tataaacaca 6240  
taatacaatt ttatttggcc ataaaaatga agtggtgata catgctacta tgtaataaaa 6300  
tctcaaaaac ttgtactaag tgaaagaagc cagacacaaa aggtctcata caattcgatt 6360  
tatataaaat agcaagaata gataaaacca tagagacaga aagcagattg gtggttgctg 6420  
ggggtggag gaaggaagga atggagagta tctgcttaat gggatggggg ttccttttag 6480  
aggagaacat tttttttgga actttaataa aaggtgggtg ttatgcaaca ttgttaacaa 6540  
tactaagtgg cactgaactt ctactttta aatagttaat tttatgttat gtgaagtta 6600  
cctcaataaa aaattctta aaaaaaaaaa ctgagtata tccaaccatt aaaaaatata 6660  
agttacatag ctcttatata atcaacttac ttattactgc actatgaggg gcaccagat 6720  
atgtaagaca gagtcccaac ctttggttgt tggaggacta tctaaggata cagagattaa 6780  
taaaaataaa agaactacca cgaaagaagt gccctccaag tacaagaga gttcaaatat 6840

121

gtacatctgg ttgcggagaa aggaaaaact tctcaaagaa gaatttgaag tgagctttaa	6900
gggttgaatg gaattttttac tgttagaggt agagaaatac aatatcataa agaaagatgt	6960
gatccctaca agaggattac gtggttaagtt gaaagacatt aaacagtcca acctggtcac	7020
tgtcaaaaact atatacgttg ggcacagAAC tgaagaccag gtgtcaaagg aggatggctc	7080
tgtccccctt gtgtccccag tgcctaaagc agtgtttggt gcatgcttgg tgattggtaa	7140
atgtcaaaga aaaagataaa agataaaata tagccgggCG cggtggtca agcctgtaac	7200
cccagcactt tgggaggccg agcttaacat tgagaaaaga aaggaaatgc aacaagaaaa	7260
gcagaaagca cttgatgtag aagcaagaaa gcaggttaac aggaagaaag ctttactgac	7320
tcgtgtccag gagattcttg acaatgttca ggtagaaaa gcacctaag ccagtgattt	7380
tgatcagtg gagatggaaa cagtttactc taattcagaa gtcagaaact tgaatgttcc	7440
tgctacattt ccaaatagct ttccaagcca tacggaacac tctactgcag caaagcttga	7500
taagatagct gggattttgc cattggataa tgaggaccaa tgtaaaactg atggaataga	7560
cttagctaga gattcagaag gatttaattc tccgaagcaa tgtgatagtt ccaatattag	7620
tcatgtagaa aatgaagctt ttccaagac ctcttcagca accccacaag aaactcttat	7680
ttctgatggc cccttctcag taaatgaaca acaggatcta ccacttttgg cagaagtcac	7740
cccagatccc tatgtaatga gtcttcagaa tctgatgaaa aagtcaaagg aatatataga	7800
aagagaacaa tctagacgca gtctgagagg tagtatgaac agaattgtta atgagagtca	7860
tttagacaaa gaacatgatg ctggtgaagt ggctgactgt gtaaaagaga aaggccagtt	7920
gacaggcaaa cactgtgtct cagttattcc tgacaaacca agccttaata aatcaaatgt	7980
tcttctccaa ggtgcttcca ctcaagcaag cagcatgagt atgccagttt tagctagctt	8040
ttcgaaagtg gacataccta tacgaactgg ccatccact gttctagagt ctaattctga	8100
ttttaaagtt attcccaact ttgttaccga aaataatgtt atcaaaagtc ttacaggttc	8160
atatgccaaa ttacctagtc cagagccaag tatgagtcct aaaatgcacc gaagacgttc	8220
caggacatca tcagcgtgtc acatacttat aaataaccca ataaatgcct gtgaattaag	8280
ccctaaagga aaagaacagg caatggactt aattattcaa gatactgatg aaaacacaaa	8340
tgtgcccga attatgcaa agttaccaac tgatttagcg ggagtttgtt caagcaaggc	8400
ttatgtgggc aaaaatacat ctgaagtcaa agaagatgtg gttttaggta aatcaaatca	8460
ggatgtgcaa tcttcaggaa atcatttaga aaataaagtt actcatggac ttgttactgt	8520
ggaaggtcag ttaacatccg atgagagagg cgcacacata atgaacagta cctgtgctgc	8580
gatgccaaag ctgcatgaac catatgccag cagtcagtg atagcaagtc caaactttgg	8640

aactgtgagt ggactcaagc cagccagtat gttagagaaa aactgcagtt tgcaaacaga 8700  
actgaataag tcttatgatg taaaaaaccc ttctccttta ttgatgcaaa accagaatac 8760  
gagacagcag atggacacac ctatgggtgc ctgtggaaat gaacaatttt tggataacag 8820  
tttttgagaaa gttaaacgga gacttgattt agatattgat ggtttgcaaa aagaaaactg 8880  
cccttatgtc ataacaagtg gaataactga acaagaaagg caacatttgc cagaaaaaag 8940  
ataccctaag ggatctggct tcgttaacaa gaataaaatg ttaggaacta gttccaaaga 9000  
aagcgaggag ttactaaaaa gcaagatgtt agcttttgaa gaaatgcgga agagactaga 9060  
agaacagcac gccagcaat tatcactact catagctgag caggaaaggg aacaagaaag 9120  
actgcaaaag gtttttagtc tggaaataca agcaaaattt aacaaaataa ctgcagtggc 9180  
aaaaggattt cttactcgta gacttatgca gacagataag ctgaagcaac ttcgacaaac 9240  
tgtaaaattg cgagctgcct tgtacggtat tcatgacata ttctttgtaa tggatgcagc 9300  
tgaaagaatg tctattctac atcatgatcg agaagttcgc aaagagaaaa tgctcaggca 9360  
aatggataaa atgaaaagtc cacgagtggc tctttcagct gcaacacaga agtctcttga 9420  
taggaagaaa tacatgaatg ttgggaatag caggtagcag tggatatact ttctactca 9480  
tactgagctg aacactggag ggcccgttct ggagatgatc cttttccctg tcataggtca 9540  
ccatctcatg aacaaccaca gaccaccacc cccgaatgaa aacatggcgt ctgcagaagg 9600  
tgctgtgcgg ccgctgcggg gcggccagct gcccttcaca aacatggcgg ccgaggggtg 9660  
cggggagtg cggggtaagg atgggaagcc gagcagacgg cccagaaca agcgggtcatg 9720  
tgactgggaa gatggccgtc tttccttggt tattattaag gatattacaa agaatacaga 9780  
tgaacagcca gatgaagagc tacgtagggt cacagagtca aagacaaaga aagtgaaccg 9840  
gaaaggaagc acttcttcca cgtcctctc ctctccagc tccgtggtg acccgctgag 9900  
cagcgtctc gatgggactg acccctctc catgtttgca gccactgctg accccgcagc 9960  
cttggcagct gccatggaca gctccagaag gaaacgtgat agagatgata actccgttgt 10020  
aggatcggat tttgagcctt ggaccaacaa acggggagaa atccttgccc ggtacaccac 10080  
taccgaaaag ctgtctatta atctgtttat gggatctgaa aaaggcaaag ctgggactgc 10140  
cacattggca atgtcagaga aggtgcggac ccggctggag gagctggatg actttgagga 10200  
gggttcccaa aaggagctgt tgaacttgac tcagcaggat tacgtgaacc gcatagagga 10260  
gtcaaccaa tcgctgaagg atgcctgggc ctccagaccag aaagtgaagg ctctaaaaat 10320  
agtcatccag tgttcaaagc ttctttcaga caccagtgtt attcagttct acccaagcaa 10380

123

atttgtcctt atcaccgaca tacttgatac atttggaaag ctcgtgtacg agcgcatctt 10440  
ttccatgtgt gtggatagcc gcagcgtctt accaggatgt tttttagttagt acgtggaggc 10500  
atccatcctg aaatgtaaca aattcctctc caaaacggga atttcagagt gcctgccccg 10560  
gttgacatgc atgatcagag ggatcggaga cccactagtg tcggtgtatg cccgtgccta 10620  
cctgtgccgg gtgggaatgg aagtggcccc acatctcaaa gaaaccctaataaagaactt 10680  
ttttgacttc ctcttacgt tcaaacagat tcatggggat acggtccaga accagctggg 10740  
gggtccaagga gtggagctcc catcttacct ccccttgtag cgcctgcca tggactggat 10800  
cttccagtgc atctcctacc atgccccga ggctctgctg accgagatga tggaaagggtg 10860  
taagaaacta ggaaacaatg ccttgctgtt gaattctgtg atgtctgect tccgggctga 10920  
gttcatcgcc acaaggctta tggatttcat tggcatgatt aaagagtgtg atgaatctgg 10980  
tttccccaag catcttcttt ttcatcact gggattaaac ttggccttg ctgactctcc 11040  
tgagagtgc cgacttcaga ttctcaacga agcttggaat gtcactacta agctgaagaa 11100  
cccacaggac tacattaatt gtgccgaagt gtgggtggaa tacacctgca agcatttcac 11160  
gaaacgagag gtgaataccg ttttggcaga tgtcatcaag cacatgactc cagatcgtgc 11220  
atttgaagat tcctaccccc agcttcagtt aataattaag aaagttattg cccacttcca 11280  
tgacttctca gttctttttt cagtggaaaa atttctgccc tttctggaca tgttccaaaa 11340  
agagagtgtg cgggtggagg tttgcaaatg catcatggac gcctttatca agcatcaaca 11400  
agagcccacc aaggaccggg tcatcttgaa tggccttttg catgtttgca agaccatgca 11460  
tgactctgtg aatgcactca ctcttgagga tgagaaaaga atgctgtcat atttgattaa 11520  
tggatttata aaaatgggtt cctttggccg tgattttgaa caacagctga gtttttatgt 11580  
tgagtccagg tcgatgtttt gcaatctgga gcctgttctt gtgcagttga ttcatgcctg 11640  
tgttgcctac tgcttcatca ccatccccct cctggcgggc atcttcacac gtctcaatct 11700  
ctacctgcat tctggtcagg tggccttggc caaccagtgc ctctcccaag ctgatgcttt 11760  
tttcaaagcc gctataagcc ttgttccgga agttccaaag atgattaata ttgatgggaa 11820  
gatgcggcca tcggaatcgt tccttctgga attcctctgc aatttctttt ctactttatt 11880  
aatagttccg gatcatcctg aacatggggg cctgtttctt gttcgagagc ttctcaacgt 11940  
gatccaggac tacacctggg aggacaacag cgatgagaaa atccgcatct acacctgcgt 12000  
cctgcatctc ctctccgcca tgagccagga gacgtacctt taccacatag acaaagtggg 12060  
ctccaacgac agcctctacg ggggagactc caagttcctg gcagaaaaca acaagctgtg 12120  
tgagacgggtg atggctcaga tcctagagca tctgaaaacc ctggccaagg acgaggccct 12180

124

gaagcgccag agctcggttg gcctttcctt ctttaacagc atcttgcccc atggggacct 12240  
 acgcaacaac aagctcaacc agctctccgt caacctgttg cacctggcac agaggcacgg 12300  
 ctgtgcagac accaggacca tggtgaaaac gctagaatac atcaagaagc aaagcaaaca 12360  
 accagacatg actcatctga cggagctggc cctcagactc cctctgcaaa caaggacctg 12420  
 a 12421

<210> 129  
 <211> 1494  
 <212> DNA  
 <213> Homo sapien

<400> 129  
 cggccgccgg gcaggtacta ggttctgaca tcagtgaagt agcttccatt tcattttctct 60  
 gagtgcttca ctcagcaaga gactatgcga caactacgtg ctgggtgttc cagatgtatt 120  
 gaactctgga caaactgctt gacttcagcc tcttgaacta ttgttaatac acgggcagct 180  
 tgttatatag ctcccatagg tatacaactt gctaattaaa tggaaaatac ccttgggccc 240  
 acgtgccatt gtgcttgtgc tatacaacca tggtaaattc cccaggcatt ttattgggcg 300  
 cagtgtccac atgggccgtg tgttggtatt caacccttgg aagtgtcag gggaagattc 360  
 tgaagaaacc cattccttag tcgccaagc gattggtttg acatgccgc cggtctatt 420  
 ctaacctaac agacagaatt acggaagaca ttttatgtgc ttgttgtgtc cgctatgtgt 480  
 ttgtggctgc ggtgacaaac ccagttgcta aacacatacc ttccaaggcc ttacaccttt 540  
 gcaacgcaat gtggcctttg cacacaagta ctggagaggg aagattaccg aactatatga 600  
 aaaccctct gtgcggaacg gtggcccatg gaacttggct atttggccac atggctagtt 660  
 aaggccacct aaaacggcaa aattttgggt tggctgccta agcgtttggc caaatcagtt 720  
 gccctaatag tggccctttg ggtgcaagg caactttatc cgccgaagtt tccgattcgt 780  
 aatagaatcg tagcatcatg acatgaaacg acacacacac acacaaaaca cactacaata 840  
 gcagcgctca ctgatgcagc gagcggtaaa taaccacct cgcacagaga gggcgggacc 900  
 gaccacaaaa tagagacgca gtgtagagta ctacacacca cccaggttgt tagttgggta 960  
 gtgcagacac aacattcttc ttgtgaatat aaagcattcc cgcgagtgt ccttcctact 1020  
 accagtatta tcatccctac tcatgctatg gctacatcgt gcaacaatta ttcatgcacg 1080  
 tgcgagtgt agcgacacaa acatacgggtg atacatctaa ctagacgcta acgcacatca 1140  
 gcatccaacg agaatatatt atgaacagat ggagcacgac tgaagtcgta ggttgattcg 1200  
 cacatgctgg acgtatgagt atccggagat gtcaactgac aggagtgcac gtgggcacag 1260

125

ggcttacggc agtagtagca ccatacggct gacctagaga tggattggta aatcaaagta 1320  
 gtgagggagc ggcggaatgg gaagcgtgac ggggatgtga tgtagctgt cgaggttgga 1380  
 cggagggagg catgggagga acgtgtgagc aatagagccg gcgaggtgtc tacaggaagg 1440  
 gagagcagag gcgagcacgg agcgatcgct ggagctgcag ctgcccaggc ggcg 1494

<210> 130  
 <211> 1774  
 <212> DNA  
 <213> Homo sapien

<400> 130  
 tgtgagttcc acagaagatt tcagttgaaa agcactatta atgtttccta ctgtggacag 60  
 catttagagg aaacatttta agcagcacgt tcatatttcc tctgttcacg tacttagtca 120  
 acagctcttc attgtgcgct tatcgtgtgc aaggcagtggt tctacatgct atggggtaaa 180  
 caagatgaca aatccctgtc cccttagaaa agagcttgca accacagtgg ctgttgga 240  
 gaagcaacag tgggtgctaaa agacaccagg taaactggaa aggaaaattc atcatatagc 300  
 gtactagggt ctgacatcag tgaagtagct tccatttcat ttcttgaggc ttcacagaa 360  
 gagatatgcg acaatacgtg ctgggtgttc cagatgtatt gaactctgga caaactgctt 420  
 gacttcagcc tcttgaacta ttgttaatac acgggcagct tggtatatag ctcccattgg 480  
 tataacaact gctaattaaa tggaaaatac ccttgggcc cgtgccatt gtgcttgtgc 540  
 tataacaacca tggtaaattc ccaggcatt ttattgggcg cagtgtccac atgggccgtg 600  
 tggttggtatt caacccttgg aagtgtcag gggaagattc tgaagaaacc cattccttag 660  
 tcgccaaagc gattgggttg acatgcccg cggtcttatt ctaacctaac agacagaatt 720  
 acggaagaca ttttatgtgc ttgttgtgtc cgctatgtgt ttgtggctgc ggtgacaaac 780  
 ccagttgcta aacacatacc ttccaaggcc tttacctttt gcaacgcaat gtggcctttg 840  
 cacacaagta ctggagaggg aagattaccg aactatatga aaaccctct gtgcggaacg 900  
 gtggcccatg gaacttggct atttggccac atggctagtt aaggccacct aaaacggcaa 960  
 aattttgggt tggtcgccta agcgtttggt caaatcagtt gccctaattg tggccctttg 1020  
 ggtgcacggt caactttatc cgccgaagtt tccgattcgt aatagaatcg tagcatcatg 1080  
 acatgaaacg acacacacac acacaaaaca cactacaata gcagcgctca ctgatgcagc 1140  
 gagcggtaaa taaccaccct ccgacagaga ggggaggacc gaccacaaaa tagagacgca 1200  
 gtgtagagta ctacacacca ccaggttgt tagttgggta gtgcagacac aacattcttc 1260  
 ttgtgaatat aaagcattcc cgcgagtgat ccttctact accagtatta tcatccctac 1320



126

tcatgctatg gctacatcgt gcaacaatta ttcatgcacg tgcgagtgat agcgacacaa 1380  
 acatacgggtg atacatctaa ctagacgcta acgcacatca gcatccaacg agaatatatt 1440  
 atgaacagat ggagcacgac tgaagtcgta ggttgattcg cacatgctgg acgtatgagt 1500  
 atccggagat gtcaactgac aggagtgcac gtgggcacag ggcttacggc agtagtagca 1560  
 ccatacggct gacctagaga tggattggta aatcaaagta gtgagggagc ggcggaatgg 1620  
 gaagcgtgac ggggatgtga tgtagctgt cggagttgga cggagggagg catgggagga 1680  
 acgtgtgagc aatagagccg gcgaggtgtc tacaggaagg gagagcagag gcgagcacgg 1740  
 agcgatcgct ggagctgcag ctgcccaggc ggcg 1774

<210> 131  
 <211> 531  
 <212> DNA  
 <213> Homo sapien

<400> 131  
 ccgagggtact taattctttg gcaacaaaca gcaagttttt atggtttaat tgtatttcct 60  
 ctctagagat cacaatactc tgggtatttt atatcccttc taaagggtcat ttgggttttc 120  
 aaatgggaag aatagtcaag ctaagctgga ctaaacctaa gtaatatttt atctcatcaa 180  
 aagaagttat taatctaact gggtagcat gagtcattca ttttttagac atgataaatg 240  
 ggaaacatat caaatcatta gataaattct gacctggaat tgaattcccc ctttcttaaa 300  
 atctttttta tttgcttttt tcatagactc agtatggaac tcttaactga taaggagag 360  
 attcttgatc tggaaccgtt ccctgccatt ctctttttt ctctctgtct aggtagctgg 420  
 ttccatagtg ccggtcacga ggggccattt cagtttgatg acattagact gcttacactc 480  
 agctggatgc cttgctgttt gcagcaacat gattttacag tatgcttttc t 531

<210> 132  
 <211> 4309  
 <212> DNA  
 <213> Homo sapien

<400> 132  
 tggggcatga agttctgccca ctaaggcata accagtaccc aagtaggaaa ggattattga 60  
 tccttgaggt aaagattcct agcttgccgg gatctcacta ttgatcccc ggagtaaaga 120  
 ttctagctc gcaggaatct tacttgaca cttaaggaaa ataccagagg gagccactag 180  
 caaccgaaaa atgaaggaaa gatttaattt ctctaccag gtacaaatcc aatgcatagt 240  
 atagtatatg ttatatgcag aaagggcact ggaggtgtga gagccctttg ggtaacagct 300

127

ctgctagttg ttaccttcac acttctcttt cttcttaatc tctggtttct cgtctgaaaa	360
atgagataat tggactagat taatagttct cagccttttc tagaacaaca aattagatta	420
tctctgaagt ccttttccaa aatttcatgc ttccagtctc tccccgtgat tgcattat	480
ccctaggcta attaaaagtg tgctgggttaa tcagtttctt tacttttttt tctctctttt	540
ttttattctg tgttcaggta tcatttgacc aacaacttgc tcttaatctt actgcgatga	600
ctgaaatctc caaagaggag agtatagtag ttataggtct agtaataata atcttgtaaa	660
caattcatta ttttttaaaa cttaatgctg tgtgcctaata cagtgttgag tatgactaaa	720
atgtaaatga gaaccaaata tgacactaac gctggcacta aattttattt ttacttgtgt	780
acttaaagta ctttactggc ctgttgggaa attgatttgt ataagattca cacctggttt	840
tggcagaaac agctttttta agatacaatt aggctgactt aaaaatgttt tttattccac	900
agaatgtatc tttattatgt cattcttacc gtctctctgc cttttttgac catcatgtaa	960
ctacgcagta gtaaatcatg gggcgcaggc tgatgaatta gtagtctttg taaaactaaa	1020
atgtaatgag cataggaaga gacagctctt ctgggtgaaca tggcagtttt ccggaatac	1080
cagccttgat gaataggcta aagacagctg tgtactatgg acattcaact tcaactggatt	1140
gcctggctta gcttttcagt tattgtcttg ccgtgaaaca tgggtgttga ctgtacacat	1200
tttagaatag tggcaagaat gttctttaga actgcagata acccaacaga gaataccata	1260
ccaatatatc gggttctcct gttacataga gatttggtat ttcagtgatg gttatggttt	1320
ttgactcacc tgtgtgtcag tcctgctaga gagacagtat agaatacaaga atttcttgat	1380
gtctttttta aaatagagat tataatggcc ttgctagttg tcctgtgaag tgacagaccc	1440
ttaattagaa atcttttaaat cctgctttcc attttacttc tccaccattt atttttaaca	1500
ttcattctct gaaaatagtt atgattttta gtgtaattgg ctatgtttta gaaattccat	1560
ttcaaagtct taatatgtaa caatcttcat tttttataaa attgaaggac atttttgagg	1620
caaacttact tttatagctc attttctccc tagttaagga gaattctctg gtttcatata	1680
gagaatggct agctctgtga taccacaccc tctttgtggc ctaccagttg ctgttgtgtt	1740
gcttaaaatt gcagatatcc tcataaacat gatgatTTTT ggcacaggcc tttctttgct	1800
attgatttca aaataaagtt gggcaatccg atttgaacta ctttaataaa cataatttag	1860
cattcctgta atgagaaagt attttcaaaa gataaccaga tttatttcta ggattagaga	1920
tggcaaatac caatgatagt atttttccca agagcaatca cagattaatc tataaatatg	1980
agaagtcgca ttattgtact taattctttg gcaacaaaca gcaagttttt attgtttaat	2040
tgtatttcct ctctagagat cacaatactc tgggtatttt atatcccttc taaaggctcat	2100

ttgggttttc	aaatgggaag	aatagtcaag	ctaagctgga	ctaaacctaa	gtaatatattt	2160
ttctcatcaa	aagaagttat	taatctaact	gggttagcat	gagtcattca	tttttttagac	2220
atgataaatg	ggaaacatat	caaatacatta	gataaattct	gacctggaat	tgaattcccc	2280
ctttcttaaa	atcttttttaa	tttgcttttt	tcatagactc	agtatggaac	tcttaactga	2340
taaggagaga	ttcttgatct	ggaaccgttc	cctgccattc	tcctgttttt	ctctctgtct	2400
aggtagctgg	ttccatagtg	cccgtcacga	gggtccattt	cagtttgatg	acattagact	2460
gcttacactc	agctggatgc	cttgctgttt	gcagcaacat	gattttacag	tatgcttttc	2520
tcaaagcttt	gcattcttaa	tggagatata	aaatggtgta	attccaaata	taaatatggt	2580
tatgacacta	atcatatgct	tttaacaata	actttttgat	aacttattgc	cctgtaagtt	2640
aaaccttaca	cggagtgact	gttgccatca	gaaaatcccc	tttcacctgc	tagagagagt	2700
gaaagtagtg	cgtggcctcc	acttttcagt	taacgagtag	caagcttcta	gtaggggctg	2760
cttatctgac	ccatgtgggg	tcttgggcct	tgttactttc	ctgggttcgt	cccttcagct	2820
ggaaaggctg	ttgaaaacac	ttgccaggaa	acagtaaagc	tgtgagagaa	tcttctagtc	2880
ttagatatag	agaaatgagt	accagttgat	gctaacacga	tacttagact	ttgaggggct	2940
tccatccaag	ctttggcatg	aatctgttag	acacggtttt	cttcactcct	ctgataatct	3000
ttttttccag	aatgggtttt	tgttggtgtt	gttggttaaca	aattctaaac	atccagtgtt	3060
actttttgtt	ttgtttgttt	tgttttggtt	tgttttggtt	tgtttgccct	tcaggaaagt	3120
cctttttcga	gtaggtattg	attgttcctt	ggaaactctc	agcagtgtct	gtgcaggctc	3180
tgtgcatgct	ttgtatgagt	tcggcttgaa	caatgcattt	gaagtcacct	gggatgtcca	3240
gttctggcat	gtcttcattg	attgtgtttt	taaacatggt	tcatgtttca	tgtcattttc	3300
caaacctcac	tttacatctt	actcagagaa	gttaatcaag	gaatgaaatt	tctaggggga	3360
tagggatgat	gaggggtggg	tgggggcttg	agtgaagtca	acttggggta	tttgcttttaa	3420
agtgttttct	aaagcagttc	ctaacagtat	ttagagattc	cctgggatgt	ttgtggctca	3480
acttattctg	gacaaagtgt	gtgtgggggt	ggctttactg	agatttgcat	tcttaatgca	3540
ggacaggctc	taaatttcac	ctgtactcta	aatttgatg	tgaatccaag	aagataacag	3600
agacagtgct	cctgttgtaa	tgtttctggc	aagtgtcccc	taaaatgcac	atogaattct	3660
gttttctggg	ccttttctcc	aatggtgcta	ggagataccg	ttgatttctg	cagctcttct	3720
cagtgggtgg	aagaagtctt	tgggattggt	gagcaagggg	cagctggacc	atccactaaa	3780
tttttttgtt	caagacacat	tagagaccct	cctgtatatc	tagtaagtca	taataaagg	3840

129

gcttgggaaa gccttaaatt tgaagacaca tggaggcggt agaaaattaa acttgtaaga 3900  
 ggagaaaaaac atgccattag gtaacgcaga gttgtaacta ctggctaaga ctcaatggaa 3960  
 cttccacttg ctctaaaacc agggaaggga gtgggacgat aagtcttttg aagacatcag 4020  
 ctcactgtgc tgagagaggg accaaactca aggaaacctc tgatctatac attcaactgc 4080  
 tgcatttttt tataaataca tgtaaattgc ctgttgtaat atttgatctt ggaaataaaa 4140  
 acaaaaactt ttcgtagaaa aaacacacac gacaaaaaca aaatttgggg ggccggcgcc 4200  
 aagaagtttc aaccacatgt gtggggccgg ccaggtgaa ggaaatggca agtggccaag 4260  
 aaccggccag aaggggggtt tcccaaaaaa cgcgcgggcg cgcgtttga 4309

<210> 133  
 <211> 730  
 <212> DNA  
 <213> Homo sapien

<400> 133  
 gccgccgggc aggtacaacg tggagatttc cctctgggaa aatcacccag caagtgaat 60  
 ccgaccaga gggggacaca ggagtgtcc cgtgggacag cgtggccacc actgggaggg 120  
 gctctggcag tttttcttgt tttttacgt gcgatgtctg tgaatcttga gagcccagct 180  
 gatgcgttgt aacctcacct gggggcgatg tggaacattc caggcctggc aggggctatg 240  
 cctgccatgc agacctcacc cgagccatct caccctgggt ctgtcagagt ccacgtgct 300  
 gtcgccccctc acccaccccc gacggggcca tgctcctgggt catgctgtga ttcattcatc 360  
 attccatggg caggtgtggg attgtctctg tgtttctgtc tgctttttta agaagatgag 420  
 gtaagcatgg aaaacaaaac aaacgtggta accccatcac tcagacgtgt ccaactgttag 480  
 cattcgggaa caggtgagag cagtctggcg cacaggtttt aaggctggct ggcccagact 540  
 ttggtcttgt gctgtgtgat cttggggaaa tcaactgattt ctgagccttt tcccagctg 600  
 ctttttctct tggggctggt agaaggaata agagagtgag tgtcaaaaaa aaaaaaaaaa 660  
 aaagcttggg gttaatcatt ggcaaatacg ttcccggtta aaattgttcc ggtcaaatcc 720  
 atttgagaaa 730

<210> 134  
 <211> 226  
 <212> DNA  
 <213> Homo sapien

<400> 134  
 gcccgggcag gtactgggtt gcagcaagct atgatgccct gaggttccct gaagacaagt 60  
 aagaacacac tcaacttgtc actcagaaac gcagccctta aaggcttcca gataagaata 120

130

atgactgggt aaagccaggc tgccacctaa gctgaagcta caggtaggtg actaaggaaa 180  
 cactgatgtc aggccagcct aggccaactt ctccatgtgt tctttg 226

<210> 135  
 <211> 937  
 <212> DNA  
 <213> Homo sapien

<400> 135  
 tttttttttg agatggagtc tcgctcaagt gcccaggcta gagacagtgg ctcaatctca 60  
 gctcactgca acctccgctt cctggattca aacgattctc ctgcctcggc cttctgagta 120  
 gctgggatta caggcatgcc ccaccacgcc cggctaattt ttgtattttt ggtagagatg 180  
 gggtttcacc atattgtcca ggctgggtctc aaaccctga cctcagggtga tctggccacc 240  
 tcagcctttc aaagtgtctga gattataggc gtgagccact gtgcccagcc gcagaaaagc 300  
 ttcttacctt gagcaggggc atctctcggg cctgctggat taaaagggtgc atttcgttga 360  
 tctgctgccg cacaaggggc ggtactgggt tgcagcaagc tatgatgcc tgaggttccc 420  
 tgaagacaag taagaacaca ctcaacttgt cactcagaaa cgcagccctt aaaggcttcc 480  
 agataagaat aatgactggg taaagccagg ctgccaccta agctgaagct acaggtaggt 540  
 gactaaggaa aactgatgtc caggccagcc taggccaact tctccatgtg ttctttgcga 600  
 caccaagctt taagtggatc cctcttgagg cctgactccc acaatcaggg agagctgaaa 660  
 gtaagtgcc aagcactgtg gattctcaat tccgcagggg gcaaccaacg ggctgtggat 720  
 tttcattctt gcttatactt caatcaagat cacaaaacgt ttaagatcat gagctgcttt 780  
 aatttggaag aaagtacaga tgacagaatc tgggacattt tcttccttg caagtagatg 840  
 ctataaggct cagagactta aaataaactc aaactaaggc ataatcattg aaatgattcc 900  
 agttcagaag ttttagtgct taaatggcag cctgagg 937

<210> 136  
 <211> 96  
 <212> DNA  
 <213> Homo sapien

<400> 136  
 gcccgggcag gtaccaatca attttgaaaa tgaaaggga aataactatc tttcctatat 60  
 gaattgggaa aataaaagga tatgaaaagg taaata 96

<210> 137  
 <211> 151  
 <212> DNA

131

&lt;213&gt; Homo sapien

&lt;400&gt; 137

```

aaaatgtagg cagcaaaagt ggaagaggag aggcagctgg tgcactaatc caggtgagag      60
gtaaagatgg atgggtaggg ctgaaggatg gtggggcagg tggtgagaag tgacttggtt      120
ctggagacat atgaaggaag atggtcaggc a                                     151

```

&lt;210&gt; 138

&lt;211&gt; 604

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 138

```

cgtggtcgcg gcgaggtagt ttcttagacc agtgtaacct cacacctcag tttggctttt      60
ccaaccctga cttgaaaggc atatttgtat ctttttatta gtgatatga agctgtgaca      120
ctaacccttt atacaaaaga gtaaagaaag aaaaactaca gcgattaaga tgagaacagt      180
tctgcagttg ttgaaactaga tcacagcatt gtaggcagaa taaaaaatgt tcatatctga      240
gaatattcct ttcccatct tttcccaagg ccagacctcc tggaggagca cagttaaag      300
taacattctg ggccttgtaa tcggagggct gtgtctccag ctggcagcct tgttttaata      360
tataatgcag gactgtggaa aacagtggc atagaatatt ttcacctaaa aaagaaagaa      420
aagacataca aaactggatt aattgcaaaa agagaatata gtaaaatacc atataactgg      480
acaaagctag aagaaccttt agaagatttg tctgaaaaca gatttcaaga gtgagctttt      540
atacactgct cactaatttg cttgattact accaactctt cttaaagtta acacgtttaa      600
ataa                                                                604

```

&lt;210&gt; 139

&lt;211&gt; 4461

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 139

```

tgagttttcc cctgttggcc agggatggtc tcgatctcct gacctcgtga tctgtccacc      60
tcggcttccc caagtgctgg gattacaggc atgagccacc gcgccagcc tagccatatt      120
tttatctgca tatatcagaa tgtttctctc ctttgaactt attaaccaaa aaggaacatg      180
cttttcatac ctagagtcct aatttcttca tcatgaaggt tgctattcaa attgatccat      240
cattttaatt ttaccaatgg ctcaaaaatt ctgttcagta aatgtctttg tgactggcca      300
atggcataaa ttatgtttta gattatgaac ttttctgaca gttgcagccc atgttttccc      360
tacgatacca gatttccatc ttggggcata ttggattgtt gtatttaaga ccgtcagaat      420

```

132

aatgatagtg tgtggctctcc agaggtagtc agaatcctgc tattgagttc tttttatatt	480
ttccttttcc attttttatt accattttgt ttgttttagac tacactttgt agggattgag	540
gggcaaatta tctcttgag tggaattcct gtgttttgag ccttacaacc aggaaatatg	600
agctatacta gatagcctca tgatagcatt tacgataaga acttatctcg tgtgttcattg	660
taattttttg agtaggaact gttttatctt gaatattgta gctaactata tatagcagaa	720
ctgcctcagt ctttttaaga aggaaataaa taatatatgt gtatgaattt atatatacat	780
atacactcat agacaaactt aacagttggg gtcattctaa cagttaaac aattgttcca	840
ttgtttaaat ctcagatcct ggtaaaatgt tcttaatttg tctgtgtaca ttttcctttc	900
atggacagac cattggagta cattaatttt cttaatctgc catttggcag ttcatttaatt	960
ataccatttt ttggcaactt ggtaactaag aatcacagcc aaaatttggt aacatcaaag	1020
aaagctctgc catatacccc gttactaaat tattatacat ccagcagatt ctgggatgta	1080
ctaacttagg gttaactttg ttgttggtga taactactaga ttgctccctc ttttaattctt	1140
cttctgggtgc aaggttgctg cttaagttac cctgggaaat actactacaa ggtcaaattt	1200
tctagtatct tacagcctga ttgaagggtga ttcagatctt tgctcaatat aaatggattt	1260
tccaagattc tctgggccat ccttgaccca caggtgatct cgctggagta tattaactta	1320
acttcagtgc cagttgggtt ggtgccatga gatccataat gaatccagaa cttcaccatt	1380
gcttagatat aagagtcctt tggaagaata atgccactga tgatgggggt cagaagggtg	1440
attaactcaa catagagggc ttttagattt ttcttcaaaa aaatttcgag aaaagtattc	1500
ttttaccctc caaacagtta acagctctta gtttctccaa atatgctctt tgatttactt	1560
atttttagtt aaagatggta atttattgaa caatgaaatc cgtaatatat tgatttaagg	1620
acaaaagtga agtttttagaa ttataaaagt acttaaatat tatatatattt ccatttcata	1680
attgttttcc tttctctgtg gctttaaagt ttttgactat tttacaatgt taatcactag	1740
gtaacttgcc atatttctgg ttctatatta agttctatcc tttataatgc tgttattata	1800
aagctgggtt ttagcatttg tctgtagcaa tagaaatttt actaagtctc tgttctccca	1860
gtaagttttt tcttttctca gtaagtcctt aagaaaacat ttgtttgcca ctcttactat	1920
tcccaatctt ggattgttcg agctgaaaaa aaatttgatg agaaacagga ggatcctttt	1980
ctgggtgaata taggttctcg cttaagaat gtggaaatcc attgctttat ataactaata	2040
tacacacaga ttaattaaaa ttgtgagaaa taattcacac atgacaagta ggtaacatgc	2100
atgagttttg aattttttta aaaacccaac tgtttgacaa aatatagaac ccaaattggg	2160
actttcttag accagtgtaa cctcacacct cagttttgct tttccaacct tgacttgaaa	2220

ggcatatttg tatcttttta ttagtgatag tgaagctgtg acactaacct tttatacaaa 2280  
agagtaaaga aagaaaaact acagcgatta agatgagaac agttctgcag ttgttgaact 2340  
agatcacagc attgtaggca gaataaaaaa tggtcatatc tgagaatatt cctttcgcca 2400  
tcttttccca aggccagacc tcctggtgga gcacagttaa aagtaacatt ctgggccttt 2460  
gtaatcggag ggctgtgtct ccagctggca gcctttgttt taatatataa tgcaggactg 2520  
tggaaaacag ttggcataga atattttcac ctaaaaaaga aaaaaagac atacaaaact 2580  
ggattaattg caaaaagaga atacagtaaa ataccatata actggacaaa gctagaagaa 2640  
cctttagaag atttgtctga aaacagattt caagagtgtg cttttataca ctgctcacta 2700  
atttgcttga ttactaccaa ctcttcttaa agttaacacg tttaaataag gtatttctgg 2760  
acttcctagc cttttagcaa gcttagagga actagccatt agctagtgtg gtaaaaatat 2820  
tttggggact gatgccctta aaggttatgc ccttgaaagt tcttaccttt tctctagtga 2880  
tattaaggaa cgagtgggta gtgttctcag ggtgaccagc tgccctaaag tgcctgggat 2940  
tgaggggttc cctggatgcg ggactttccc tggatacaaa acttttagca gagttttgta 3000  
tatatgtgga tttttctgat aagtagcaca tcagaggcct taaccactgc ccaaagcga 3060  
ttctccattg agagtacata tcttgaactt aagaaattca ttgtctctga tttttaatct 3120  
tgtaaagttt ttgctaaact caaaacaagt cccaggcaca ccagaaggag ctgaccacct 3180  
taggtgttct tgtgatttat ccttacttcc ctatgttgct atagttgctt ctaaaactcag 3240  
ctgcactatg gctgtcaaca tttctgatac ttattgggat atgtgccatc cagtcattta 3300  
gtactttgaa tggaacatga gatttataac acaggtaata gctgaaggta ccagtatggt 3360  
ggtgagactc acacttagtg atccagctaa ggtaactgat gttataatgg aacagagaag 3420  
aggccaacta gatagctaag ttcttctgaa cctatgtgta tatgtaagta caaatcatgc 3480  
gtccttatgg ggttaaactt aatctgaaat ttacattttt catagtaaaa ggaaccaat 3540  
tgttgcagat ttcttttctt gtgaggaaat acatggcctt tgatgctctg gcgtctactg 3600  
catttccag tctgttctgc tcgagaagcc agaatgtgtt gttaacattt ttccgtgaat 3660  
gttgtgttaa aatgattaaa tgcacagcc aatggcaagt gaaggaattg ggtgtcctga 3720  
tgcagactga gcagtttctc tcaattgtag cctcactctc ataagggtgt taccagctag 3780  
aacattgagc acgtgagggtg agattttttt tctctgatgg cattaacttt gtaatgcaat 3840  
atgatggatg cagaccctgt tcttgtttcc ctctggaagt ccttagtggc tgcatocttg 3900  
gtgcactgtg atggagatat taaatgtgtt ctttgtgagc tttcgttcta tgattgtcaa 3960



134

aagtacgatg tggttccttt tttattttta ttaaacaatg agctgaggct ttattacagc 4020  
 tggttttcaa gttaaaattg ttgaatactg atgtctttct ccacacctaca ccaaataattt 4080  
 tagtctattt aaagtacaaa aaaagttctg cttaagaaaa cattgcttac atgtcctgtg 4140  
 atttctgggc aatttttata tataatttggtg tgcacatct gtatgtgctt tcacttttta 4200  
 ccttgtttgc tcttacctgt gttaacagcc ctgtcaccgt tgaaagggtg acagttttcc 4260  
 tagcattaaa agaaagccat ttgagttggt taccatgtta ctatgggact aatttttaat 4320  
 tgttttaatt tttatttaaa ctgatctttt tttatatggg attacatttt ggtgttcaact 4380  
 ccctaaatta tatggaaacc aaaaaaagtg attgtatttc acatatggaa aaaaaaaaaa 4440  
 aaaaaaaaaa aatatgcggc c 4461

<210> 140  
 <211> 321  
 <212> DNA  
 <213> Homo sapien

<400> 140  
 cgaccggcgc tttgtgatgg atccgcccg gcaggtactc tggtagccca gtttgcaaga 60  
 gccaggttcc agcagggatg gtagccagcc tgggcacact tttctgtatt gtatttgaac 120  
 ctcatttcct gatgctcatc cagaagttcc tggctgggtg agtaggtgaa cagttcaagg 180  
 ctgtgtggat gaaactctgg catctcttta cagtgtgtc cggcagggca gtgtgaggcc 240  
 actctgtcct cctttgacct ctttcttctt cagcagccaa atggaggctc tctaaagggtg 300  
 atgattaact tggcataaac a 321

<210> 141  
 <211> 1438  
 <212> DNA  
 <213> Homo sapien

<400> 141  
 gggggacaca gcactgcctg aagcagcatc ttgtagggtca gccagttccc gttgacacgc 60  
 agaaagacag tactgctggg gttcattttc tgggaaagcc aggcagagcc tgaggaaagt 120  
 tcatgggaag gcagcatgga acttgagctg agccacggag gatggggaag tgggagaagg 180  
 tcatcgaggt agctggaaag gagagtgttc ccaggagga ttttagaggt ggggaacattc 240  
 aggtgcatag aggtgagagt ggagatgtc caggaggttt gacagcaagc acttggcagt 300  
 gatacagggg caggggtaca gtctgaaagt gctggactgg ggtactctgg tagccaagtt 360  
 ttgcaagagc cagggtttcc agcagggatg gtagccagcc tgggcacact tttctgtatt 420  
 gtatttgaac cccatttcct gatgctcatc cagaagttcc tggctgggtg agtaggtgaa 480

135

```

cagttcaagg ctgtgtggat gaaactctgg catctcttta cagtgtgtgc cggcagggca 540
gtgtgagggc actctgtcct cctttgacct ctttcttctt cagcagccaa atggaggctc 600
tctaaagggtg atgattaact tggcataaac atgccaaagct ttcctgagcg tttgccctga 660
attgggctgt ctcttgctgc tctgagacag ggagactggc tgtctggctg accagccctt 720
ggggctgagg tctggctgtc aagttgcagg ttccaggcaa ccagcaattc ctgggtgtca 780
cctggctcta gagattagag cagcagtgtt gctcactaga actttgtgca gtgatagtgt 840
tctttaatct gcactgtcta gtactgtagc catggggcac ctgtgacttt caagcccttg 900
aaatgtggct accggccagg cacagtggct catgcctgtt atccaggggt gtccaatctt 960
ttggcttccc tggggcacia tggagaaga attgtcttgg gccacacata atatacagta 1020
acactaatga tagctgatga gctttaaaaa aaaaatcaca aaaaatatct cataatgttt 1080
taggaaagtt tacgaatttg tgttgggctg catttgaagt ggtcctgggc cttggtctgc 1140
gggtgggaca aagcttgcta taatcccagc attttgggag gtggaggcag gacgatcact 1200
tggggcccagg agtttgagac caggctgggc aatatggcgg atcccatctc cacaaaaatt 1260
gcaaagttac cgggatggtg tcaggcgcta tagtccagct gcttgggaga ctgagcagga 1320
agaatgctta gctgtagga cagttgcggg cggatacagt atggcccagc caggcaagggt 1380
gaccggtttc aaaaaaacia cattggccgg cttataggtataaaacacia acgatgta 1438

```

```

<210> 142
<211> 368
<212> DNA
<213> Homo sapien

```

```

<400> 142
ggccgagggt agcatttaat ctactggaat aagctgggtg ctgtggctta tacctgtagt 60
cccagatact tgggaggctg aggcaggaga atcacttgag accagcctgg gcaatatagt 120
gagacctcac ctctaaaaaa gttttttata aattttacttg tctaaagtgg ggaaagggaa 180
attattctgt tttcttattc ttgcttcaag actatgacag atttgaaaga gaattctaaa 240
gcagatttag agaacctgct tctcttctta tctcctaate cctaaattgt aatttagctc 300
ttatctgtat tgtgttttgt tttggtaaag ggatgatttt tacattgagt tttaaagtag 360
aataagaa 368

```

```

<210> 143
<211> 540
<212> DNA
<213> Homo sapien

```

<400> 143  
 gccgcccggg caggtaactaa gcatattaca ccagtgtgtg tggcttcaaa tagaagactc 60  
 tctatctctc ggtatcgaaa tggcgaataa gaattgcagc tctgaaaata taatataaac 120  
 acatttttca gatagcatta tacaaaataa aatacttttg gatactagaa tttgggggta 180  
 gagctgactt caataagggg aggaaaaaat atgtgcaaag ggaagggagc tcaatttgga 240  
 ataatatatt tcaaagtatg tggctttgca tttttaaaat gctaaccaaa aaaaatgtga 300  
 gatagagtga cccaaggaa ctttttacag ccagcctctg gataccagat atagcattta 360  
 caactttctga tatgctagac aaattttcca tagttttaat tttcttaaag acatatagtg 420  
 agtgaacacc aacactggga aggaggtagt gttaatttga tcaaataattg atatttcccc 480  
 actgattcag aaagtgcctg ctctttctct aggatatctc aaaacccttc caatttttct 540

<210> 144  
 <211> 1195  
 <212> DNA  
 <213> Homo sapien

<400> 144  
 aaagactgca tctatggccc accttctcat aacctcaaac gcagagtact cattctaaga 60  
 aacacatgca ttcttgccct aactgaggac tgaaatacca aaccaacca aaaataacag 120  
 aacttttaag tgcctgatg gaaatgtaca gtatgagtta catccatcca tctatacaca 180  
 catacagaca ctcatatgta tatacaatat atacatacaa atgataatag ctataccaaa 240  
 aatgtgcata ttaatacag ttttaaaaag ccagtagatc atggtataat acaatttatt 300  
 tccactagtg aatggcacaa atggagaaat gcaaaggagg tgtttcaagt acaatgaagt 360  
 cttttttcac aggtgaaaat aaatagtatt attccagtgt ccaacataat gtattctaca 420  
 aaagtttaaa atgccagaca tttagtactt acagaaatag aaagttaact aagtctgctt 480  
 tatggtctca aaaagacact catagagttt tcaatttttg aaaagggggg gagaaaaaaa 540  
 ttggtggaag caggagggag tgtccaggat agtttcttta gtgtactgaa tgtttacctg 600  
 atgtctaggc aaccaaaaat catgactatg ctaaaatgtt ccatttacca acaaaccctt 660  
 gacctagagt actaagcata ttacaccagt gtgtgtggct tcaaatacaa gactctctat 720  
 ctctagggtat tgaaatggcg aataagaatt gcagctctga aaatataata taaacacatt 780  
 tttcagatag cattatacaa ataaaaatac ttttggatac tagaatttgg ggtagagct 840  
 gacttcaata aggggaggaa aaaatatgtg caaagggag ggagctcaat ttggaataat 900  
 atatttcaaa gtatgtggct ttgcattttt aaaatgctaa ccaaaaaaaaa tgtgagatag 960

137

agtgacccca aggaactttt tacagccagc ctctggatac cagatatagc atttacaact 1020  
tctgatatgc tagacaaatt ttccatagtt ttaattttct taaagacata tagtgagtga 1080  
acaccaacac tggaaggag gtagtgtaa tttgatcaa tattgatatt tccccactga 1140  
ttcagaaagt gcttgcctt tctctaggat atctcaaac ccttccaatt tttct 1195

<210> 145  
<211> 787  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (344)..(634)  
<223> a, c, g or t

<400> 145  
acatttagag aagggtaaaa gaaacagtga gaaatgtaa cattcaaat gataattgaa 60  
tctctcagtt gtggaataa ttatcagaga catgcaactg aaaatgtctc acctttcatc 120  
tttttttctt aattcataaa gttatcttgt agaatttgat gagaccctcc tagtcattct 180  
caactggggc ggtgctgtca ccgaatgggtg tttgagagtg ttggggctag ggcacatttt 240  
tggttgctac agcaactggg gtggcatttg ctgcccagtg ccaggaatag taacattatg 300  
aatgccagga cagtgtgctc agtaaagtct tccatccaaa aggnnnnnnnn nnnnnnnnnn 360  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 420  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 540  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 600  
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnncgaaaa catcccgtaa aaaaaaacac 660  
ccccggttcg cttgtccctt ccccttgtg acaaactttt tcaaattccag aaagctgcgg 720  
gtaatcatgg gcatagggct gtctctgtgg taaaattgtt ttccggccaa tccccaaaac 780  
aaaaaaa 787

<210> 146  
<211> 193  
<212> DNA  
<213> Homo sapien

<400> 146  
tggtcgcggc gaggtacagg ccgcctactt actgcctgc ctgaccacag attcttagga 60  
ggggaaagtg ctatccctgg ggccaggcag ggagccacag ccaactcactg cattctcaga 120

attctatcct accaccccaa agattgacct gaaagagact ccccttcctc agtcatgtag 180  
aagtccttta cat 193

<210> 147  
<211> 661  
<212> DNA  
<213> Homo sapien

<400> 147  
tcatgccgag cgcgcgcatg agtgatggat tggtcgcggc cgagggtacag agtcctgtta 60  
tttttctctt tggccctatt tggctgctta tattaatgca tcagaacttt atgtataatc 120  
atatggattt atacgtaaat taagaaaaaa tgtocatttc attcagttca tatgttctaa 180  
acgtattgct gatcattctt aaatgagact ccagggtttac attcttacat aaagtgcagg 240  
gatcccgaag ttagccccaa agatcccctt gcctttttca gacttgctca aatgttacct 300  
tatcagtggg gcctttcctg accacacttt aaaaacctca acaccaccc atgggccttg 360  
tcctccttcc cggcttcatt ttttggcata tacttatcaa atgtgaacat atgatgcatt 420  
tgctttatth atcatcgatc ttcactcact ggcatgtaag ctctgtgagt gcaaagatth 480  
tcatctagct aatcttccag aacagtgtct ggcacagaga aggagctcta tgaatatgtg 540  
ttgaatgaat gactatctth gccttgtaaa ccccatgcta ttggctctct cttcagggtg 600  
ctgaccactg caccacaggg catgctggaa agacaggagt cccaagccct cccttctgct 660  
c 661

<210> 148  
<211> 1897  
<212> DNA  
<213> Homo sapien

<400> 148  
agttttgcgt tgcgccttgt tgcttgctc cgctgcttgt ttgcctgtgg cttctgccgt 60  
ctttttgtgg gctcgccgtt gcccgctgct gccgctgtca cccttggcgc ccgcctgggt 120  
gctgggggtcc gcgattgcag tcctttgata gtgttagtga ggggggctgt cgtgcgtgth 180  
gtgtatggtc cgcatggggg agtcattagc atgttgagth gactgtctcc cggtcctgth 240  
aacgtgcgtc tggaagggtac atttttgtaa atcaagtagt tggaactaaa tccaacactg 300  
ataattgcc a tttcaaacac tgatctgaaa agtgaattag aagctgtaca atatcatcat 360  
tagaaattct gcatatggct aataaatatt ccttttaaaa ttaatagagt ctaaagtctt 420  
ccacatgatc ttacagata gagtgggaca ctatagaatt ctgattatat gatttagatt 480

139

```

ttagggatgt tttaacattt tcaaaccact agaaggacat tgggaacaga aagtaataga 540
gccaacgtca cgtggtaatg atcaatagtc cagttctacg aggagaacaa ttttaagctc 600
ttcactgagg ccaattctgc tgtattctaa ttccttttag gttcttggtg gtagagtaat 660
gagctatgac catctctgga atactggtga ggaaaatggc agcagtaaag aaatgaggaa 720
aatattacct aattaatgat aaagttaggt ccagtacaga gtccctgttat ttttctcttt 780
ggccctattt ggctgctttt attaatgcat cagaacttta tgtataatca tatggattta 840
tacgtaaatt aagaaaaaat gtccatttca ttcagttcat atgttctaaa cgtattgctg 900
atcattctta aatgagactc caggtttaca ttcttacata aagtgcaggg atccccgaagt 960
tagcccaaaa gatccccctg cctttttcag acttgctcaa atgttacctt atcagtgggg 1020
cctttctctga ccacacttta aaaacctcaa caccaccca tgggccttgt cctccttccc 1080
ggcttcattt tttggcatat acttatcaaa tgtgaacata tgatgcattt gctttattta 1140
tcatogatct tcaactactg gcatgtaagc tctgtgagtg caaagatttt catctagcta 1200
tcttcagaa cagtgtctgg cacagagaag gagctctatg aatatgtgtt gaatgaatga 1260
ctatctttgc cttgtaaacc ccatgctatt ggctctctct tcagggtggct gaccactgca 1320
ccccagggca tgctggaaag gacaggagtc ccaagccctc ccttctgctc tactccaagc 1380
ttttcttctt ggggtgcattg actcaagtca ggtagtactt ctctatgtct gagcacagac 1440
gggctgtgtt catgtatttg tacatatgtg tgaatagaca gagaaactag tagcatgggt 1500
atgtggggga atccatcttt tagggagaga tttatctact gtttttgtgt ttagtctcac 1560
ctcagaccag gttaagctgg ccagggtcca tagttttcaa agagcaacag aaaaaatctg 1620
tttagcttac attctaagca tgttctcttt atctttcctg aaagctatcc acttttaatt 1680
tcatctcata ctacagagaa aatattatth gaaactgata gctttccaga aggttactga 1740
aatcacttat ttttcagtgt cttcactggc accattcata gtagctaaca ttagccactt 1800
tccgtgggcc tgggtgctgtg ttaaagtgtt ttacatatat tatttctttt aatccgcaca 1860
atgatccttt caagtaggta ctgttattat tcccaat 1897

```

&lt;210&gt; 149

&lt;211&gt; 254

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 149

```

ccgaggtacc catctagctt ctggggctcc actgacagct gaggacagtc cacacccgac 60

```

```

ctggacccca cccacccctg ggtctgtcca tctcagtcct ggcctgagcc tctgggcaaa 120

```

140

agccacctct tctgagcagg caggcagagc gaaagactgg gagcagcaga caggggcaga 180  
gcacggccca tgagcccacc ctccacttcc cagattgggtc agagttacat ggtcaccttc 240  
cctgcacctg cacc 254

<210> 150  
<211> 1993  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1822)..(1822)  
<223> a, c, g or t

<400> 150  
aaggatcctt aattaaatta atcccccccc ccgggggcgg ccagcggat cgtgcccgcg 60  
cggccgagcg cagctacagg aggggtgtcca gaagccacaa gccatggctg tggggaacat 120  
caacgagctg ccgagaaca tcctgctgga gctgttcacg cacgtgcccg ccgcccagct 180  
gctgtgaac tgccgcctgg tctgcagcct ctggcgggac ctcacgacc tcgtgacct 240  
ctggaaacgc aagtgcctgc gagagggctt catcactgag gactgggacc agcccgtggc 300  
cgactggaag atcttctact tcttacggag cctgcacagg aacctcctgc acaaccctg 360  
cgctgaagag ggggttcgagt tctggagcct ggatgtgaat ggaggcgatg agtggaaagt 420  
ggaggatctc tctcgagacc agaggaagga attccccaat gaccaggttc gcagccaggc 480  
cagattgcgg gtccaagtac cagctgtgcg ttcagctcct gtcgtccgcg cacgcgcctc 540  
tggggacctt ccagccagac ccggcgacca tccagcagaa gagc gatgcc aagtggaggg 600  
aggtctccca cacattctcc aactaccgc ccggcgctcg ctacatctgg tttcagcacg 660  
gcggcgtgga cactcattac tgggccggct ggtacggccc gaggtcacc aacagcagca 720  
tcaccatcgg gcccccgctg ccctgacacc ccctgagccc ccatctgctg aaccctgact 780  
ggtaaacaac tgctgtcaga aaagggtgg gcttgggaag gggaggtgga ggccaggtgt 840  
ccccagacct ctaacccttg ccctagcag cctcttcttt gtggagcctc tcagtgtggg 900  
cagccctcgc atgctggggg cgggccagct cccccgaaa ggtcttgacc tgaatgatgg 960  
ccggggaagc ctgctgtgtc cccttcaga gacggagcac ctgagatgtg ggaggtgcag 1020  
catgttcccc tggggccctc agaaagtcca gcttggaggc cagcctggat ctgtctctcc 1080  
cttccccctc tgggaccatt ctacctgtgt tctttgacce tcggagcagg gacaggcaag 1140  
acaactggca agcttgacg tgccctgatg gtgcaggtgc agggaggtga ccatgtaact 1200

141

ctgaccaatc tgggaagtgg aggggtgggct catggggccgt gctctgcccc tgtctgctgc 1260  
 tcccagtctt tcgctctgcc tgcctgctca gaagaggtgg ctttggccca gaggtcagg 1320  
 ccgggactga gatggacaga cccaggggtg ggtgggggtcc aggtcgggtg tggactgtcc 1380  
 tcactgtcag tggagcccca gaagctagat gggtagcagg tggggtagg tccccagagg 1440  
 actgagggaa tcctgtacag gatgtcccag ggtagatggg gagcaggatt gggacctgct 1500  
 ctgacagctg gacacatgag ccctggatga gtatggtagg gggtttgaag aatccccctgt 1560  
 ccacctccca aatccaggcc cggccccctc tggcttggag agcattccaa gccccaccc 1620  
 caccctaga actgccattc ccaagacctc tgtctcccag ccaaccaccc ttggaacttg 1680  
 cctcttgtcc tgctggaaag atagcagtgt tctcctgact tcgccctact gcatgcagcc 1740  
 aaataaaagg tgtgcccagt ctaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1800  
 aaaaaaaaaa aaaaaaaaaa anaaaaaaaa aaacaaaaac tattgcttgt gtttccgttt 1860  
 ggattggctt tgcgtatcta ctttcagtgc tttcgtcatt tccttcttcc tagctgttta 1920  
 tcatgcgata ggctacactg tgctccttcc tcaattttac ccagttctaa tgggaatggt 1980  
 gtgttttagat ttt 1993

<210> 151  
 <211> 170  
 <212> DNA  
 <213> Homo sapien

<400> 151  
 gcgtggcgcg gccgaggtac atactcatat ttataaggac ttcctcacta ggagagattc 60  
 ctgggttcta cagaataaaa ttcttggtta cttgtcttat agctctgaac agacttattt 120  
 tcccagagag tatgtttatt atgtaatagc gagtgcctg accccccaaa 170

<210> 152  
 <211> 1394  
 <212> DNA  
 <213> Homo sapien

<400> 152  
 taggtctgta tagaatacga ctgaaagatt ttgactgttg atttcctttg aagagattct 60  
 cctgttctcc tcttcagagg aaagagagag gagagagggg gagaggagag aaaagagaga 120  
 agagaggggtg acttttcatt atatgcctt gtaatattha atctcctccc ttttctcacc 180  
 cccttgagca tgtatgcttt tcaacaatta aaaagattaa aaagctctta aatagataag 240  
 aatttcttag agcaactagt aagtacacta actgccaatt gttttgaaat gtagacattc 300  
 tgaaaaatca aaatgattgt gccgaatgta ttttaaaagg ctaaaatatt atagcatttc 360



142

```

aaagtacata ctcataattta taaggacttc ctactagga agattcctgg gttctacaga 420
ataaaattct tggctacttg tcttatagct ctgaacagac ttattttccc agagagtatg 480
tttattatgt aatagcgagt tgcctgaccc cccaaaaagc tgtgttctat catattaaaa 540
taaggcaaaa tgattacttt cagattaaga aattgtggga ctctagatct tgttatatag 600
tgaagttctt taaaaaactg aggtcttggg tctgaataat agtgggttta cattaattta 660
tttagaattg tcattggggg tatctctgac ctatttttat aaaataatct caatttttaa 720
aataggagta aatgctcat tggcataago cagtaataat aatttagtat tttccaagt 780
atttatagtc aatgtgttgc catgaacttt ttaaagggat gtttttaatt ttagaagtgc 840
tttaaaaagc aatatggcat ctggctctgt agaagtagaa aacatggtaa cttcaatgtg 900
atataattgc ttttttcccc tcttaggtct ttggggtaaa aaaaatccaa agtttactca 960
attttatttc tacatatatt acctacaaat tatagagggtg agacctgctt gctgcctgtt 1020
catacctgtc agtgatacta atacctcccg tctgtacagt gtttcatagt ttccaaaggg 1080
ttctcgcagt gttcctcact tgagcctggg gaggaataac ctgtaaacat gggtagaagt 1140
tttagtcctt tgtaaaactc tgggtataata tcaaaaccag gaaattgttc acagattcta 1200
aggattgggg aaaagagaaa aataaacaaa ttgctcagga gtagaattga aaaaaagaaa 1260
aaaaaaaaaa aaaatttggg ggcgggccga aatttaaaaca gttggggggg ccagggtgaa 1320
tggaagggca ggaaacggga gatggtgttc caaaaagcg gggcgggtga aaaagggcgg 1380
gggggtacga ggggt

```

```

<210> 153
<211> 368
<212> DNA
<213> Homo sapien

```

```

<400> 153
gcactgagaa aggatatgga caagtcagtc agcattcaca attaagagaa aaacatctgt 60
gctttggaaa atgttcttca aggatagaga attgtgccct atgtccacca aatttgcagt 120
agatctttat aagattagac agccagtgga taaggccctt tatctttctt catggatggc 180
tgaggaaatt ctccgccttc cctgacatca gctgcataac tgtatttctg cctcgtggaa 240
ataaagtaga tgatcaggca cttgcggttt gttcttaata caagaaagac aatttgattt 300
ttaaaagttt tgattttag aataatgtaa gacaatatgt ttctttctac tttgggtttt 360
ccattcaa

```

143

<210> 154  
 <211> 864  
 <212> DNA  
 <213> Homo sapien

<400> 154  
 ttgatataatt gcattcttga gcattaggct tctaggatgat ttgttaaact catagcaggt 60  
 ttttagtacac agtgctgttt atgacagaaa aaaattttat cctacctctg aaataattgt 120  
 actttctgtg attcagataa aaactttata gaaactccct aatgaaaata ttgaagcatt 180  
 aaccagaaaa tgagtcagct ttttgtttcc aaaatgatgc aacaggaaaa cctttaacta 240  
 cttataatcc cgtatagtca ccatcaccac aaagtattga aaatctgttt tctcttttac 300  
 taagtgtctg cacggtcact tatgtatacc caaagccaga aagatatttt tatctcaggg 360  
 aaattccaga aatggaaaca tttttgtgta atattgattc atttctgtct caccaaagat 420  
 gtgttttcca cgtagcaaag aacatcagcc ccacgttata gggaacaagc gagtcccaaa 480  
 tcgtaccatc tgctgagcac tgagaaagga tatggacaag tcagtcagca ttcacaatta 540  
 agagaaaaac atctgtgctt tggaaaatgt tcttcaagga tagagaattg tgccctatgt 600  
 ccaccaaatt tgcatgagat ctttataaga ttagacagcc agtggataag gcccttatac 660  
 tttcttcatt gatggctgag gaaattctcc gccttccctg acatcagctg cataactgta 720  
 tttctgcctc gtggaaataa agtagatgat caggcacttg cggtttggtt ttaatacaag 780  
 aaagacaatt tgatttttaa aagttttgat ttgtagaata atgtaagaca atatgtttct 840  
 ttctactttg gtttttccat tcaa 864

<210> 155  
 <211> 179  
 <212> DNA  
 <213> Homo sapien

<400> 155  
 gcggcgcggt gttatggagt agcgtgggtc gcggccgagg tacatgtttt taaaaaatga 60  
 ctacatgttt cacctggctc tatttttgtc atttggacca tacttttaag atgaattgat 120  
 cttacataca tgtaagtct gatttatctc cccacatttt taaacactaa atgaagctt 179

<210> 156  
 <211> 1849  
 <212> DNA  
 <213> Homo sapien

<400> 156  
 gcttgatacg ctcctaagga atttgcctc gagcaagcaa ttcggcacga ggctcgaacc 60  
 cctgacctca agtgatcagc ccgcctcagc ttcccagagt gctgggatta caggtgtgat 120

ccactgcacc cggccggcat tatgattttg tgtactcttg aaatggttat ctttgtggat	180
gattttttttt ttttaagctg aaacttacct catgaataac ttgattaaag tagtaggtga	240
ttaaaatttc aatagaatca aatgagacaa aaattttaaa ctgactcatt tgagtttcaa	300
ctttacagtc attgaccata aagcacacta aaaatgtaag ttatttttaa atacatctga	360
aataaaaata cttactaaaa aggaagaagc cgaagatgta tatttagacc agcacacaat	420
tttgatttca attagcctta ttctaattt tagcttttag atctttcata cacattttca	480
cgtactttgc aattgagacc agaaagactt gtaggtcttt ctgcagaatg agtgggtcct	540
tgcaaagtga gtgggaaact tactcctaga tcagaaatgt ttgcctctct gagtaaaatg	600
tttcttttcag atgagccata gagggggcac cttttactca acttttcttt gttttgaaac	660
tttgtttccc atactgtttt cagccttttg tttataatta gaaattgtga gaagcttcat	720
ttagtgttta aaaatgtggg gagataaatc agacttaaca tgtatgtaag atcaattcac	780
ttaaaagtat ggtccaaata gcaaaaatag gaccagggtga aacatgtagt cattttttaa	840
aaacatgtac ttggtctttt gtgtgtgtct gttttattcc attagaataa atgtgtcctt	900
gatgtaaagt caaagcattt cttcctgatt aaattgtaga tgtagacttt acaatataat	960
tcaataataa aaagtaatta acctctaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaacac	1020
ttgttgggcg cggcggggc cgggagaaaa gtttttaaaa cccttcgtat ggcgcgagga	1080
ggggccccag gtaggggaac ggaacacagg ggccacggcg gtgtagcaag agggaaaacc	1140
cgggtggcgaa gaaaaagggc gtggattctc acccaataaa aagcgcgccg ggggggaacc	1200
ggaaggcggt tgggaaacaa gactctcaga aagagggaga ggcgtcagcg gaggcgcaca	1260
ataaaggggg gactcctcac aacaccgggg aggagctccc gaagaggaga cgccccgaaa	1320
tagacaacaa ttacagcccc cggcgcgcc gggggcagat accagaagac gaagcacgag	1380
acgaagtagc acaagaagaa aggacagaca gaagcgagac gagaggacag aaggaggag	1440
agagagggcg aggcgagggc gaaaacaagg ggacgacagc aacgagaaga gaaagaaaaa	1500
cacgacggag gaacggggcg gaaaaaggac gagaaagccg agagcaggcg ggcgggggca	1560
cacgggggaa acgaagagca aggaaagaag acaacaggag aggaggggag ggaagcgagc	1620
gaagagcgta gagacccga gcaacaagaa gctagagaca gcagtagaca cggacagaca	1680
gacacggtga tggtagccgg ggcgggggga catcttgggc gcgaatgctt cgccggggaa	1740
cagacagcgc agggcgagca gagcgaggaa acgcagggaa cgacgcgaca gacaggaggt	1800
cagaagaagg gaagatgagt gcagcgggaa gaccaacgga gaaggagag	1849

145

<210> 157  
 <211> 903  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (139)..(139)  
 <223> a, c, g or t

<400> 157  
 ttgtttgttt tttttctttt ttctacatttt tttttttttg tggacgaaac attcacacag 60  
  
 aaacagctag gaccagatta cgccagcttc atgagacctc tcctatctgg gcacgttgag 120  
  
 ttggctgact ctgggagcnc aggctgttgc tttccagtct ggtgggtgaat cctccatggt 180  
  
 ctgggtgagt ccttttcaac tagtttttgt gttgtttttt gaacctcaag tctactgactc 240  
  
 cttcagcagt ggtttaagga agtatcttaa tttttaaatc acatgttgac catgcagcca 300  
  
 attgttggcc cgtagagtga acaaaaccag accacaagat tgagggcctg gagctggaga 360  
  
 aagggaaaag aaaaagcagg ctgtgactct ctggggaaag aactgaaaga tgacactagg 420  
  
 aattctcaaa gcgagaggaa aaggaaaggc cttttttcgg aaatgacctc tgataaacac 480  
  
 accctccagg gttacacctg ccactgtgtc ttccacggac agacaagctg cacttttagca 540  
  
 gtcctgaata cctagagact tccttaacag agagtgggga atctcgtcat cttgcatggg 600  
  
 gatgggagct cgaagggaga acctcagcct tccagaagggt tatataaaac cagttgagaa 660  
  
 tttccctaag aatggagcag tggacaaaca attgttattg taatccaaat acatgagtct 720  
  
 acctacataa tggagaaatg ctaacttaca gaaagcgtca ggcttggtgt tctcgaactg 780  
  
 gttttaattt ccttttataa aattacagcg aattatacaa ttacattgat taattgtaat 840  
  
 cagttctgag tctagataac aaaacacaac acacacaaac aaacaaacaa cctctcctca 900  
  
 aac 903

<210> 158  
 <211> 368  
 <212> DNA  
 <213> Homo sapien

<400> 158  
 gcggcgcccg ggcaggtaca gtggcaacag cattagacta agtggaaacat cccagcaggc 60  
  
 tgcttttagaa tccgctcatt tgactagata cgatgtaatt ggctgtcttt aaaaaacgcy 120  
  
 cacacacaca caatctgata ggcatatctc atgcccattc aatatggaat gttcttcgct 180  
  
 tgctgaattt aagcctgtat tttaagggtt gtggttcctc ggccacaatg ggtgatgtca 240

146

ctgatagaac gaagctgagt ttccaagggg tggggctgtg caagagtaaa cactagagct	300
tgagttgtta tccagctggc aagcacggaa gtctttgaag aatgtaatgt aaaaagggaa	360
aagaatgt	368

<210> 159  
 <211> 1548  
 <212> DNA  
 <213> Homo sapien

<400> 159	
gtcgcggccg aggtacatag acacaggaca attaataatt tggaaaacaa aagacttact	60
tatctccata tctgctaatt gtctcccaat ctcttataaa tgcacttatt agcaatcatt	120
tttcaccacc catttaccca aacaacagga caaagactca atttcttatt ttatacaaaa	180
catgataagt cagccaagta ggttctggac cggacaacaa gggagatatt aaattatagt	240
atztatataa aagtggccca ttcgtgtgat acaaacgctc tcattatgtg gaccaagaaa	300
catataaaat atatcaatat ataagttgga aaaaataaca aaaaagcaca cacattaata	360
aataatcata ttacacacac ccacatctat attctcttat atacacgcac acacaactgt	420
gtgtcttaac aacaaactct ccattttata aaatatctca ctgtatctct ttataaccac	480
aagaaagatg gaaacacaat aaacacccaa aacaaagaca cacagaaatc atttgtgcgc	540
ctatatataa taatcacact cagtatatctt aaaccaactc tccccccca tatcatctaa	600
tttatgtagt actctataat gtatcatcta gtatattatg tagaaaagtg gcgcccata	660
tattatacag ccgggcgccc acgtgtatat caaacaacag ctgttgtcgt tctgcccggg	720
gagcacaaaa ggtgtataac aacaaatgat tatattcttc acccgaggaa gaagataatg	780
agaagggagt aataataacc agcgaagaag gggcgggggg acataataac accgctaac	840
aacaccaaag aacgcggggc aaacgaaaca acaacacaaa cgagatgttg tgccacacct	900
cagtaacacc tacatgtcag cgcgcagcga caaaacaagg gcatgaccag aagaaacctg	960
aaaaaactgc ggcaaagga accacaccac cgacacacac accccaatga ggaaagagaa	1020
taaaaaacac atagttgagg acaccaaaaa aaggacagga ggaaaaaacac actgtgggg	1080
gtgcaaaaca cacgttgtcg taacaacacc gcaggagatc acaaaagaaa acaccccaag	1140
acacaacaaa atataagcga acaccacaac aacacaacaa cgaaacaaaa caagaaaaaa	1200
caaaacacac aaccgaaaca aacaacccaa acgaccacca gaagcacaca acacgagacc	1260
aggacaacac cagacgcaga cagacacgag atgatgcaca cgcgcacatcg ccgagccagc	1320
aaacggcacg ccaacaagca agacggccag cggagaacac gagcatgtcg aagtaggaca	1380

147

gcccgcgaag acgacaaaaa accgaggaga agagaggaag aacacagaaa ccgcgaggaa 1440  
 aggacaacgc aggaggcgag ataacggcgg acaagcgcaa gaagggagca gagaagacag 1500  
 aaggcaagac acgaaacaaa aacacacaac gaacaaacac gcgagagg 1548

<210> 160  
 <211> 552  
 <212> DNA  
 <213> Homo sapien

<400> 160  
 agaagactga ctcatatagg gcgatggtca ctagatcatg ccgagcggcg ccattgtgat 60  
 ggatctagct ttggctactg ccggtagtgg acaatatggc acatggaaat taaaaagtcc 120  
 ataaacgtgc cctcctaaca cgagaataag aaaggtggct gaagtagata atttcagtga 180  
 cggaggggat gaaatatttt ttggttaatt gatgtaatga tgactcacta tgccttattt 240  
 cctattttta aaaacacaga atgagcaagt cattcctgaa caaaaattta ctgtgtgtat 300  
 aacatacacc tcaaaatgaa ttttaagga acatattact aatcaaataa cacagtttat 360  
 gctttttcaa tttccacaaa ttgttaatta tgatacttaa gggaaccctt acaatatata 420  
 acaagtcatt tcaatattat tcatcactct taacttctga aagtttggtt tatgttatct 480  
 tatctagaaa gaaaactact tacaaatctc attttccac aaaattaatt caacatccaa 540  
 ccttaaaaat aa 552

<210> 161  
 <211> 3937  
 <212> DNA  
 <213> Homo sapien

<400> 161  
 tgtagctggg attacaggca tacaccacca caccagcta tttttttgta tttttgttag 60  
 agacaggttt ctccatgttg gtcaggctgg tctcgaactc ccgacctcag gtgatccgcc 120  
 cacctcggcc tcccaaagtg atgattttat ttttattttt aattgtatta atctgcactc 180  
 agataatgac tttgtgaagg gtgtgtgttg tgtgcaaac ttaagggtatt ggttgagagt 240  
 taaatacatt atttttataa tatgttgggt atagtctagt tactaatgat tttttttaag 300  
 tacttttata aaaagtcat ttttaaaatt gtttgttttt aaaagccaat atacgttgca 360  
 gaattaggaa cagtatttat atttatttac acaagacatt gtgccatagc atcctagtaa 420  
 aacaccttca tgaatgagta atgttatctc ccagaattac attaaaatta tttctaaaaa 480  
 gtagcaaagt cattaccttt tgcttttaat gaccacacc tcaccagctc ctggtctttt 540

148

cttcactggt gcccttattt tgaggcaatt tttcttaaaa tatgactttt atgcaccaca	600
tttagtagag gcagtgacat cagtgatctc agtaccatc agctgtcccc ctccctctgcc	660
cttcttcac cttctacct tgtgaccatt tcccttaccg gttcatgttc tccttttatct	720
ctgcttttct ttcttagcca ggatacttcc ctccacaactc tcaactccaa attcttttag	780
atatacattt ttctggatat tggctgctga aatctgaagc tctggtaaag ttccctagtat	840
cagagatcaa tcctggagga ggcctagttc actattagat tacaaagact cctcacaag	900
taaaggaaaa tcaccttcaa aaccacaacc ctttatgttg tcaagtctaa tatgagtgtt	960
tttacgaagt atttctttct acccattgtt caagaatgta aatgtaaaaa aaaatacaag	1020
agagttaggt agatatgcat gcttgaggaa acttgctttt actgttttcc tacttgatct	1080
cccagttcag ttgaatttac aaggacctac aagatggtca tgtttgtctt ggtatgtgct	1140
acccaattt tagtgtttct ttctttattt taaatcagta attattcagt tgattgttta	1200
tactatataa tgaagtaaca aaaacatttt gggttgatg ttttaagtaa cagttgtgca	1260
aattcctctt gtttgtagg tgcctctt gaatatgtt tgaactgtgt cagagggaga	1320
ggggtggtgg ctaggagag ggtcagaaag aagctagagg gaggtcagga gaagggtaac	1380
agggaggatg caaagcagac atctaccctg gtcacccag gatcaggata tctgtccttg	1440
tttcatgttg aattcaaaaa ttggatctca cttaggcttt gaaggtgaca gccatctctg	1500
atagctgagc ataagtaaag aaaggtggag tgccgatgca gaaaggaaaa tattcagctt	1560
tcctctotta gatcgactt tgaagatggc cttttggaga caatctgaca ggttaaaaca	1620
ggaactgttg gaattattct agctgtaact acctattggc tatgtgttga ttgatcctag	1680
aaagaaaaaa taatttttca ttttagatct tgattgaatt taagatgtat ttatatgcct	1740
acaaaagggtc tgtcttgtaa ctgttgata aaataaacct aatctatggt ttcattttta	1800
atctaaaaaa agttgtgcct taacaatagg gcattgtatg ttaataaggg aaaacaacct	1860
ttttagtaga tgggggaaaa taggaacttt ttgccattaa aacttaagtt cttttgatgt	1920
ttttaatatt atagtgggg gagattcatt aaaattaaat tgaaataaaa ttatttttgc	1980
ataacctagc atttacaact aaagtatgtt tttataaga actggcatct tgatgtatat	2040
aggtctgaaa taatatttca tcttttgatt ttttaattta ataatttag accaggatag	2100
atcacagttt tacaaatctt agttttaaat aaattatttc agtgtgtgt tagtcctcta	2160
cagtcatttt ggtttaaaaa gtgactattt atttatggta gcataatcaat aatttattaa	2220
tgtaaaaaaa tactgtgtat gacattacaa accagaacag ttcctggggg agaggattct	2280
aattgattgg cagttctgag agggcaagaa gaatggaact ttatacttca aaaggaggtt	2340

ttgggttttac cagggtactgc ttatgtaaat cgttttatttt tatttcatca aagcctggca 2400  
agtatatgca ttccaattta ccattggcaa agctttatttt atttttaagg ttggatgttg 2460  
aattaatttt gtgggaaaat gagatttgta agtagttttc tttctagata agataacata 2520  
aaccaaactt tcagaagtta aggatgatga ataatttga aatgacttgt tatatatattgt 2580  
aaggggtccc ttaagtatca taattaacaa tttgtggaaa ttgaaaaagc ataaactgtg 2640  
ttatttgatt agtaatatgt tcccttaaaa ttcattttga ggtgtatgtt atacacacag 2700  
taaatttttg ttcaggaatg acttgcctcat tctgtgtttt taaaaatagg aaataaggca 2760  
tagtgagtca tcattacatc aattaaccaa aaaatatttc atccccctcg tcaactgaaat 2820  
tatctatttc agccaccttt cttattctcg tgttaggagg gcacgtttat ggacttttta 2880  
atttccatgt gccatattgt ccactaccgg cagtagccaa agctagctgt ttcagtccca 2940  
cagaagagac agtgctctgc catgatgaca gggcactgct agggctgggt tttcttgttt 3000  
ttcccttttg gcagtgtgga cttcaggaac tagatgtata tgcacaaggg attgagttta 3060  
cactaaaact aggaaatgga gttttcaatc tatgttcttg cctcttcata cttttattta 3120  
ttttttgtca tcctgcctta tactgggcta acaatgagat aaaataaaaa tacctttgaa 3180  
tactcttttc ctttcatgc atttaaagcc atggaggaac tagaccatta gctgttgccg 3240  
tcacatgctt agacaccagt ttacttagcg tgttatgacc ttccctcacc atactacca 3300  
atttaaattg gtcccgactt caccctctgg aaggaagtaa actcttctct ccccatgggt 3360  
tcagagcagt ttttacctgc aagcaccatc tctgtatgtg ctcttactag attatacagt 3420  
tcttgagagg gattgcatct tgggtgtttt gtatttccac ctcccccga gcacatagcc 3480  
cagtctcttg cacaaattaa gtacttaatg tgtgttgagc taaattgaat aaaggattat 3540  
tagcattagc atattttgtg ccttggttgt ataagctggg tgtttgtttt gttaccttg 3600  
caaatattta tgattatcac cccccacat actaaattgt ttttaaaagt tttgcctttc 3660  
cttcagatac taccocaggc aatttgctgt agataatgtg attgcttcca atgacataat 3720  
tatcccaaac tctctgcccc ggatatactt tgccaaacga aatttgaatt ctctgaataa 3780  
attggtcatg tctaaaaaaa aaaaaaaaaa aaaattgggg gcggggcgaaa aattttaaac 3840  
atgtgggggg gggcaatgaa agaaggcagg tccaagacgg ggaagggggg cacaaaaagc 3900  
gggggggtga aaaggggggg tggatatagg aacgggg 3937

&lt;210&gt; 162

&lt;211&gt; 852

&lt;212&gt; DNA



150

&lt;213&gt; Homo sapien

&lt;400&gt; 162

```

cggccgcccc ggcaggtacc accatgcccc gctaattttt atatttttag tagagatggg      60
gttttgccat attggccagg ctggtctcaa actcctgaac tcaagtgata acaccacact      120
tggcctccca aagtgctggg attacaggtg tgagccacca cactgggcca atgcttaata      180
ttttaatgta tctcaacaat aaaaccaaga agaaacaaag ccttttgact tgtagaatg      240
tattaagtag tattttaaag aaactttata gttgtgacat tgaaagactg ttgggggtggg      300
gggaggaaaa tttttacttt ccatcttaat gtaaccttat gctattctgt atttttactg      360
tatattgctt ttacaataaa tataaaatga aaatgtttat gttgacaaaa agaacaaaaa      420
acaacaaaca acaaaaaaca aaaggctggg ggtgtcacac ctgtgggcca aaagctgggt      480
tccctggggg tggacatttg gttttatccc ggccccacaa ttccccaccc aaatattacc      540
gggagacaac gggaagaacg acacaacaca caaaaagaca caacacacaa aaccaccaca      600
cagcaacgcc cgctcatcgg aggcagcgca caagacgaga gcagaaggaa aagggacaac      660
aaaaaaaaagc aagtagcacg atcacaacac agagccacga caagaagaga aggacaatga      720
cgaaaacgag cagcagcaca agacacagac aagacaaaag caagaaagac agaacacgac      780
agaagacaac aagagacgaa acaaccaaaa agccacacaa aaaagcgagc gaaaacaaga      840
accaactaac ac                                                                852

```

&lt;210&gt; 163

&lt;211&gt; 685

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 163

```

caccgatgat taaccagtac agacgctggt ccactagatc atggcgagcg gttcgcagtg      60
ttatagtagt gcgcggctga catacttcat ctgcttttta ttgttggtgt tgtgtttttt      120
aaccaaaatg gcatttggtt ggctgtcatt gtcgagtata tatttattgt gttttacaaa      180
catgagtata tatgtatgta tatgtataaa ccaaacttat atatatagaa gtcaagggca      240
tgtatactag atatttttaa gagttattta tcaagggaaa aagatgtgtg ttataaagta      300
aacagagtct atattttcta tataatgtag atagtcaaac atagcttata aattatagga      360
ggttttgggt ttctttttta ttattaaagg aaaaaaagaa gaaaaaaaaa gacaatgaat      420
gcaactgttc ttagtgtttt taaggccaaa ctactgtgga agctgggagg cgccctccc      480
tgccggcctc cagcagccct gtgcctgccg ctaggagctc cagagctgat gcccgttgtg      540
atctctgcga tgctcgatgc tcggagccag cggtcagcat cactcagcca gctggcctgt      600

```

151

gccgctctga cgtggccttc agctgttctc cgcaatttgc attgggtggga taaaggaatg 660  
 aaaaggataa ataaagattt aaaag 685

<210> 164  
 <211> 2396  
 <212> DNA  
 <213> Homo sapien

<400> 164  
 cggccactga attcccttgc ggccgcagaa tttttttttt ttttttttgt attttctttt 60  
 aaatctttat ttatcctttt cattccttta tcccaccaat gcaaattgcg gagaacagct 120  
 ggaagccacg tcagagcggc acaggccagc tggctgagtg atgctgaccg ctggctccga 180  
 gcatcgagca tcgcagagat cacaacgggc atcagctctg gagctcctag cggcaggcac 240  
 agggctgctg gaggcccgcg gggagggccg cctcccagct tccacagtag tttggcctta 300  
 aaaacactaa gaacagttgc attcattgtc ttttttttct ttcttttttt cctttaataa 360  
 taaaaaagaa aacccaaaacc tctataatt tataagctat gtttgactat ctacattata 420  
 tagaaaatat agactctgtt tactttataa cacacatctt tttcccttga taaataactc 480  
 tttaaaatat ctagtataca tgccttgact tcttatatat ataagtgttg ttttatacat 540  
 atacatacat atatactcat gtttgtaaaa cacaataaat atatactcga caatgacagc 600  
 caaaciaaatg ccatttttgg taaaaaacac aacaacaaca ataaaaagca gatgaagtac 660  
 tataaaagca ccaggcagca gacagaaagc cacatttgct agaaacttct ccctcccctg 720  
 ggcaaggcac agggcagaat actaaatacg tccaggtgcc tgaaagagaa ggaaggcagc 780  
 aaaggaatgg gtcagatcac aagcttttgt tttgtttctt agcctgggat tagaccaaga 840  
 atcacaagta agtcattgcg tttataagga aaaaccaagg ggctcattca acagcttagc 900  
 ccttggtgtg gctgcagggg acagtagaga cctggaaggg gaaggagaga gacagtgacc 960  
 tggtgacaac tccatgacta ttgtctagcc cctgcctaca tctgcccagg caagcttttg 1020  
 attgccacac taagcatcaa gccattgcat ataatatgtt cttttcatga ctctattcac 1080  
 tgctggtgta aacagaaagg agtattcagt agtgcaacac tttgggaggc tgaatgagag 1140  
 ccacagtttc ggtggccccc tcaagggctc cagcaaatgg ggactgtgac gtgggggaga 1200  
 aaaaggccag tgggccattg ccttcactc ctgagacagt accggcttca cctccagatg 1260  
 ccactgggaa cactgagccc atcacctttt aaagaagcgc aggaggtctt gactcttcct 1320  
 atgagaagtc ccagaagccc cagtcagtct ggggtggggg tcccctgaaa ctgagagcac 1380  
 gctccagctg ctggctcctg tgctggcgg ggagaagggtg gagaggcggg catgcctgcc 1440

152

```

gctgagaaag acataataac gctccagctg cacacccctt ttcttccacg gccctcctct 1500
ttctcccca aaggaaacta aaatgtgggg ttctgatcat tgatttttaa acaagctccc 1560
caatgtcatg gcctctgctc tgtaaactcc aaggctctga tggccaaaaa cgtaggcgggt 1620
ggtaggagcag taggcgggtg caaggctaga tttgtattaa tatctaggag tgggggtgggg 1680
atgcagggtg aggggtgagcc aagtagacca agcctcagga aatcccagag gtgaagattt 1740
gatgcacatc ccccatcctt gccaaataaa atacaagtta gaggtcattg ttcacattac 1800
agtcacaatg ggacatttta aacagctcgt ttcttgagta cattcaagac ataattgaat 1860
ttatttttaa aaatggattt cccggctggg cacggtggat cagcctgtc atcccagcac 1920
tttgggaggt caaggaagcc ccttcttcac aggacatcct ggtgttcctc actgggcagg 1980
aggagatcga agccatgagc aagacgtgcc gagacattgc aaagcacctc ccagacgggt 2040
gccctgcgat gctggtcctt cctctgtacg cctccctgcc ctatgcacag cagctccgag 2100
tcttccaagg ggccccaag ggctatcgca aagtgatcat ttcaaccaac atcgctgaaa 2160
cctccataac cattacagga ataaaatat tagttgacac gggcatggtt aaagcaaaga 2220
agtataacc tgacagtggg cttgaggtgt tagcagtgc ggggtatcg aagacgcagg 2280
cttggcagcg cacagggagg gctggcagag aggacagtgg catctgctac cggctctaca 2340
cggaggacga gtttgagaag tttgataaga tgaccgtgcc agagatccag aggtag 2396

```

```

<210> 165
<211> 11
<212> PRT
<213> Homo sapien

```

```

<400> 165

```

```

Met Arg Tyr Leu Pro Gly Leu Ser Ala Arg Ile
1           5           10

```

```

<210> 166
<211> 45
<212> PRT
<213> Homo sapien

```

```

<400> 166

```

```

Met Ser Ile Pro Arg Ala Glu Ile Ser Leu Leu Glu Ser Phe Gln Leu
1           5           10           15

```

```

Thr Ser Thr Val Ala Thr Ser Glu Ser His Lys Ser Asn Gly Ser Cys
          20           25           30

```

153

Arg Lys Pro His Leu Leu His Cys Pro Arg Ile Asn Gln  
35 40 45

<210> 167  
<211> 37  
<212> PRT  
<213> Homo sapien

<400> 167

Met Ile Leu Gly Ser Asp Asn Gly Ile Arg Arg Ile Lys Tyr Leu Gly  
1 5 10 15

Ile Gln Tyr Tyr Ala Cys Ser Phe Phe Gln Ile Val His Gly Gly Gly  
20 25 30

Gly Cys Val Ser Gly  
35

<210> 168  
<211> 82  
<212> PRT  
<213> Homo sapien

<400> 168

Ser Leu Ser Val Ala Gln Ala Arg Val Gln Trp Arg Asp Pro Gly Ser  
1 5 10 15

Leu Gln Pro Leu Pro Pro Gly Phe Lys Arg Phe Leu Ser Leu Ser Leu  
20 25 30

Pro Ser Ser Ala Gly Tyr Arg Arg Ala Pro Pro Pro Cys Pro Ala Leu  
35 40 45

Leu Tyr Phe Ala Val Glu Thr Gly Phe His His Val Gly Gln Ala Gly  
50 55 60

Leu Glu Leu Leu Thr Ser Gly Asn Pro Ala Pro Pro Arg Pro Pro Lys  
65 70 75 80

Val Leu

<210> 169  
<211> 103  
<212> PRT  
<213> Homo sapien

154

&lt;400&gt; 169

Met Ala Ile Phe Ser Ala Leu Ser Gln Leu Leu Glu His Gly Leu Asp  
1 5 10 15

Leu Glu Thr Ser Asn Lys Asp Phe Thr Ser Ile Pro Ala Ala Cys Trp  
20 25 30

Trp Val Ile Ile Ser Met Thr Thr Val Gly Tyr Gly Asp Met Tyr Pro  
35 40 45

Ile Thr Val Pro Gly Arg Ile Leu Gly Gly Val Cys Val Val Ser Gly  
50 55 60

Ile Val Leu Leu Ala Leu Pro Ile Thr Phe Ile Tyr His Ser Phe Val  
65 70 75 80

Gln Cys Tyr His Glu Leu Lys Phe Arg Ser Ala Arg Tyr Ser Arg Ser  
85 90 95

Leu Ser Thr Glu Phe Leu Asn  
100

&lt;210&gt; 170

&lt;211&gt; 131

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 170

Arg Thr Ala Arg His Asp Tyr Ala Ser Cys Arg His Leu Met Val Phe  
1 5 10 15

Ser Thr Arg Leu Thr Leu Lys Arg Cys Tyr Arg Glu Met Val Met Leu  
20 25 30

Leu Val Phe Ile Cys Val Ala Met Ala Ile Phe Ser Ala Leu Ser Gln  
35 40 45

Leu Leu Glu His Gly Leu Asp Leu Glu Thr Ser Asn Lys Asp Phe Thr  
50 55 60

Ser Ile Pro Ala Ala Leu Leu Trp Val Ile Ile Ser Met Thr Thr Val  
65 70 75 80

Gly Tyr Gly Asp Met Tyr Pro Ile Thr Val Pro Gly Arg Ile Leu Gly

155

85

90

95

Gly Val Cys Val Val Ser Gly Ile Val Leu Leu Ala Leu Pro Ile Thr  
 100 105 110

Phe Ile Tyr His Ser Phe Val Gln Cys Tyr His Glu Leu Lys Phe Arg  
 115 120 125

Ser Ala Arg  
 130

<210> 171  
 <211> 23  
 <212> PRT  
 <213> Homo sapien

<400> 171

Met Val Ala His Cys Ser Leu Pro Val Pro Val Thr Leu Pro Asn Cys  
 1 5 10 15

Pro Val Ala Cys Arg Leu Ala  
 20

<210> 172  
 <211> 57  
 <212> PRT  
 <213> Homo sapien

<400> 172

Met Asn Gly Arg Gly Leu Ala Arg Gln Gly Cys Glu Ser Gly Asn Ala  
 1 5 10 15

Phe Phe Thr Pro Met Asn Phe Cys Leu Ile Leu Thr Thr Glu Gln Glu  
 20 25 30

Cys Ser Glu Thr Glu Val Gly Val Thr Asn Ile His Phe Pro Phe Ser  
 35 40 45

Ser Cys Ser Asn Gln Tyr Phe Lys Lys  
 50 55

<210> 173  
 <211> 50  
 <212> PRT  
 <213> Homo sapien

<400> 173

156

Met Ser Gly Glu Arg Thr Asp Tyr Ala Pro Leu Asn Asn Lys Leu Cys  
 1 5 10 15

Ser Arg Val Arg Ala Val Ser Ser Glu Ala Leu Leu Thr Glu Thr Ala  
 20 25 30

Thr Phe Lys Pro Asn Gln Arg Lys Tyr Leu Trp Asn Ser Leu Pro Gln  
 35 40 45

Phe Gly  
 50

<210> 174  
 <211> 31  
 <212> PRT  
 <213> Homo sapien

<400> 174

Met Val Thr Asn Leu Leu Thr Ala Gln Cys Gly Trp Met Val Ala Ala  
 1 5 10 15

Arg Cys Phe Cys Cys Leu Asn Leu Leu Asn Cys Leu Ile Phe Ser  
 20 25 30

<210> 175  
 <211> 456  
 <212> PRT  
 <213> Homo sapien

<400> 175

Met Glu Pro Arg Cys Pro Pro Pro Cys Gly Cys Cys Glu Arg Leu Val  
 1 5 10 15

Leu Asn Val Ala Gly Leu Arg Phe Glu Thr Arg Ala Arg Thr Leu Gly  
 20 25 30

Arg Phe Pro Asp Thr Leu Leu Gly Asp Pro Ala Arg Arg Gly Arg Phe  
 35 40 45

Tyr Asp Asp Ala Arg Arg Glu Tyr Phe Phe Asp Arg His Arg Pro Ser  
 50 55 60

Phe Asp Ala Val Leu Tyr Tyr Tyr Gln Ser Gly Gly Arg Leu Arg Arg  
 65 70 75 80

157

Pro Ala His Val Pro Leu Asp Val Phe Leu Glu Glu Val Ala Phe Tyr  
                     85                    90                    95

Gly Leu Gly Ala Ala Ala Leu Ala Arg Leu Arg Glu Asp Glu Gly Cys  
                     100                    105                    110

Pro Val Pro Pro Glu Arg Pro Leu Pro Arg Arg Ala Phe Ala Arg Gln  
                     115                    120                    125

Leu Trp Leu Leu Phe Glu Phe Pro Glu Ser Ser Gln Ala Ala Arg Val  
                     130                    135                    140

Leu Ala Val Val Ser Val Leu Val Ile Leu Val Ser Ile Val Val Phe  
                     145                    150                    155                    160

Cys Leu Glu Thr Leu Pro Asp Phe Arg Asp Asp Arg Asp Gly Thr Gly  
                     165                    170                    175

Leu Ala Ala Ala Ala Ala Ala Gly Pro Phe Pro Ala Pro Leu Asn Gly  
                     180                    185                    190

Ser Ser Gln Met Pro Gly Asn Pro Pro Arg Leu Pro Phe Asn Asp Pro  
                     195                    200                    205

Phe Phe Val Val Glu Thr Leu Cys Ile Cys Trp Phe Ser Phe Glu Leu  
                     210                    215                    220

Leu Val Arg Leu Leu Val Cys Pro Ser Lys Ala Ile Phe Phe Lys Asn  
                     225                    230                    235                    240

Val Met Asn Leu Ile Asp Phe Val Ala Ile Leu Pro Tyr Phe Val Ala  
                     245                    250                    255

Leu Gly Thr Glu Leu Ala Arg Gln Arg Gly Val Gly Gln Gln Ala Met  
                     260                    265                    270

Ser Leu Ala Ile Leu Arg Val Ile Arg Leu Val Arg Val Phe Arg Ile  
                     275                    280                    285

Phe Lys Leu Ser Arg His Ser Lys Gly Leu Gln Ile Leu Gly Gln Thr  
                     290                    295                    300

Leu Arg Ala Ser Met Arg Glu Leu Gly Leu Leu Ile Phe Phe Leu Phe  
                     305                    310                    315                    320



158

Ile Gly Val Val Leu Phe Ser Ser Ala Val Tyr Phe Ala Glu Val Asp  
325 330 335

Arg Val Asp Ser His Phe Thr Ser Ile Pro Glu Ser Phe Trp Trp Ala  
340 345 350

Val Val Thr Met Thr Thr Val Gly Tyr Gly Asp Met Ala Pro Val Thr  
355 360 365

Val Gly Gly Lys Ile Val Gly Ser Leu Cys Ala Ile Ala Gly Val Leu  
370 375 380

Thr Ile Ser Leu Pro Val Pro Val Ile Val Ser Asn Phe Ser Tyr Phe  
385 390 395 400

Tyr His Arg Glu Thr Glu Gly Glu Glu Ala Gly Met Phe Ser His Val  
405 410 415

Asp Met Gln Pro Cys Gly Pro Leu Glu Gly Lys Ala Asn Gly Gly Leu  
420 425 430

Val Asp Gly Glu Val Pro Glu Leu Pro Pro Pro Leu Trp Ala Pro Pro  
435 440 445

Gly Lys His Leu Val Thr Glu Val  
450 455

```
<210> 176
<211> 28
<212> PRT
<213> Homo sapien
```

<400> 176

Met Ser Tyr Asn Ser Lys Leu Glu Ser Ile Arg Leu Lys Arg Val Ser  
1 5 10 15

Met Lys Thr Ile Pro Lys Ile Pro Phe Thr Gln Asn  
20 25

```
<210> 177
<211> 91
<212> PRT
<213> Homo sapien
```

<400> 177

159

Met Ala Leu Gly Ser Met Tyr Leu Val Leu Thr Leu Ile Val Ala Glu  
 1 5 10 15

Val Leu Arg Gly Ala Glu Pro Cys Cys Gly Pro Leu Lys Tyr Arg Val  
 20 25 30

Leu Arg Pro Cys Pro Leu Pro Val His Cys Ala Pro Pro His His Gln  
 35 40 45

Pro Ser Arg Gly Asn Pro Val Ala Cys Leu Pro Thr Tyr Lys Val Val  
 50 55 60

Tyr Gln Ala Ala Val Leu Ala Thr Ala Phe Lys Phe Gln Cys Asp Leu  
 65 70 75 80

Pro Gly Arg Ser Ile Thr Leu Arg Arg Ser Ala  
 85 90

<210> 178  
 <211> 54  
 <212> PRT  
 <213> Homo sapien

<400> 178

Met Lys Phe Ser Ser Ala Phe Val Gln Ser Lys Pro Leu Ser Ser Cys  
 1 5 10 15

Arg Ala Glu Thr Leu Tyr Met Lys Thr Val Ser Glu Leu Val Leu Ala  
 20 25 30

Ser Ile His Glu Asn Cys Leu Ser Cys Met Leu Ala Lys Thr Ser Ser  
 35 40 45

Glu Thr Lys Lys Leu Lys  
 50

<210> 179  
 <211> 88  
 <212> PRT  
 <213> Homo sapien

<400> 179

Gly Arg Val Arg Phe Val Val Glu Leu Ala Asp Pro Lys Leu Glu Val  
 1 5 10 15

Lys Trp Tyr Lys Asn Gly Gln Glu Ile Arg Pro Ser Thr Lys Tyr Ile

160

20

25

30

Phe Glu His Lys Gly Cys Gln Arg Ile Leu Phe Ile Asn Asn Cys Gln  
                   35                                  40                                  45

Met Thr Asp Asp Ser Glu Tyr Tyr Val Thr Ala Gly Asp Ala Lys Cys  
           50                                  55                                  60

Ser Thr Glu Leu Phe Val Arg Glu Pro Pro Phe Met Val Pro Ser Ser  
   65                                  70                                  75                                  80

Trp Ile Glu Thr Pro Ala Asp Cys  
                                   85

<210> 180  
 <211> 26  
 <212> PRT  
 <213> Homo sapien

<400> 180

Met Val Leu Tyr Ser Glu Gly His Gln His Gly Pro His Leu Leu Asn  
   1                                  5                                  10                                  15

Met Glu Asn Gln Asn Leu Asn Glu Tyr Asn  
                                   20                                  25

<210> 181  
 <211> 57  
 <212> PRT  
 <213> Homo sapien

<400> 181

Met Thr Glu Arg Ala Asp Gly Lys Ser Gln Ser Cys Ile Glu Glu Ile  
   1                                  5                                  10                                  15

Ser Met Val Ala Leu Lys Leu Leu Lys Pro Asp Val Ser Ser Ala Ser  
                                   20                                  25                                  30

His Trp Lys Met Asp Arg Trp Ala Asn His His Leu Thr Ser Gln Arg  
           35                                  40                                  45

Glu Gly Gln Cys Ala Lys Val Phe Lys  
   50                                  55

<210> 182  
 <211> 67

161

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 182

Met Asn Thr Lys Ala Leu Pro Thr Thr Pro Ala Gln Thr Ala Ile Ser  
1 5 10 15

Pro Pro Glu Gly Gln Cys Ser Ser Ser Ile Gly Leu Glu Thr Ile Pro  
20 25 30

Glu Ser Pro Cys Phe Arg Thr Pro Glu Ser Ser Asn Ser Pro Ser Leu  
35 40 45

Arg Arg Asp Leu Leu Ala Ala Lys Arg Val Lys Leu Ile Val Leu Gln  
50 55 60

Ser Ser Ala  
65

&lt;210&gt; 183

&lt;211&gt; 91

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 183

Asp Val Gly Gly Ala Gln Val Leu Ala Thr Gly Lys Thr Pro Gly Ala  
1 5 10 15

Glu Ile Asp Phe Lys Tyr Ala Leu Ile Gly Thr Ala Val Gly Val Ala  
20 25 30

Ile Ser Ala Gly Phe Leu Ala Leu Lys Ile Cys Met Ile Arg Arg His  
35 40 45

Leu Phe Asp Asp Asp Ser Ser Asp Leu Lys Ser Thr Pro Gly Gly Leu  
50 55 60

Ser Asp Thr Ile Pro Leu Lys Lys Arg Ala Pro Arg Arg Asn His Asn  
65 70 75 80

Phe Ser Lys Arg Asp Ala Gln Val Ile Glu Leu  
85 90

&lt;210&gt; 184

&lt;211&gt; 101

&lt;212&gt; PRT

162

&lt;213&gt; Homo sapien

&lt;400&gt; 184

Met Arg Pro Gly Arg Tyr Gln Ala Pro Arg Pro Phe Leu Tyr His Gly  
 1 5 10 15

Cys Trp Val Thr Ser Gly Ser His His Leu Phe Pro Ser Leu Phe Pro  
 20 25 30

Ile Ser Gln Met Trp Gly His Gly Leu Asp Asp Gly Leu His Arg Ser  
 35 40 45

Phe His Leu Cys Glu Ser Lys Ser Gly Gln Ser Ala Arg Thr His Leu  
 50 55 60

Cys Pro Gly Ser Ala Pro Gln Asn Gln Pro Pro Ala Ser Leu Lys Gln  
 65 70 75 80

Lys Pro His Leu Lys Gly Cys Ser Glu Glu Ser Thr Phe Ser Met Ser  
 85 90 95

Cys Cys Trp Lys Ile  
 100

&lt;210&gt; 185

&lt;211&gt; 489

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 185

Gly Trp Thr Val Ile Gln Asn Arg Gln Asp Gly Ser Val Asp Phe Gly  
 1 5 10 15

Arg Lys Trp Asp Pro Tyr Lys Gln Gly Phe Gly Asn Val Ala Thr Asn  
 20 25 30

Thr Asp Gly Lys Asn Tyr Cys Gly Leu Pro Gly Asn Glu Gln Ala Cys  
 35 40 45

Lys Ile Lys Ser Phe Tyr Leu Lys Trp Asp Phe Phe Ala Leu Lys Asn  
 50 55 60

Ile His Cys Trp Lys Pro Val Leu Gly Ser Ala Glu Glu Phe Pro Asp  
 65 70 75 80

163

Lys Asn Val Glu Ala Lys Asp Lys Gly Arg Lys Ala Val Phe Ser Phe  
                     85                    90                    95

Pro Lys Phe Tyr Phe Trp Ala Glu Ile Leu Phe Cys Phe Ser Phe Gly  
                     100                    105                    110

Glu Tyr Trp Leu Gly Asn Asp Lys Ile Ser Gln Leu Thr Arg Met Gly  
                     115                    120                    125

Pro Thr Glu Leu Leu Ile Glu Met Glu Asp Trp Lys Gly Asp Lys Val  
                     130                    135                    140

Lys Ala His Tyr Gly Gly Phe Thr Val Gln Asn Glu Ala Asn Lys Tyr  
                     145                    150                    155                    160

Gln Ile Ser Val Asn Lys Tyr Arg Gly Thr Ala Gly Asn Ala Leu Met  
                     165                    170                    175

Asp Gly Ala Ser Gln Leu Met Gly Glu Asn Arg Thr Met Thr Ile His  
                     180                    185                    190

Asn Gly Met Phe Phe Ser Thr Tyr Asp Arg Asp Asn Asp Gly Trp Tyr  
                     195                    200                    205

Val Trp His Ser Leu Leu Leu Leu Ala Lys Ser His Ala Tyr His Tyr  
                     210                    215                    220

Ser Glu Ser Leu Thr Ile Phe Leu Ile Ala Thr Thr Ser Trp Ala Leu  
                     225                    230                    235                    240

Thr Val Ser His Cys Pro Lys Leu Phe Met His His Ser Lys Ala Phe  
                     245                    250                    255

Gln Leu Ala Gly Arg His Ser Tyr Ser His Phe Thr Asp Glu Ile Ala  
                     260                    265                    270

Arg Asp Tyr Val Ile Cys Pro Met Ser His Asn Tyr Pro Glu Ile Lys  
                     275                    280                    285

Leu Glu Phe Glu His Ser Tyr Phe Leu Asn Asn Glu His Leu Asp Lys  
                     290                    295                    300

Tyr Leu Tyr Leu Tyr Ile Leu Lys Cys Val Ala Lys Leu Ser Phe Ser  
                     305                    310                    315                    320

Phe Pro Gly Phe Ser Asp Thr Lys Gly Cys Lys Ser Tyr Tyr Ser Ser  
325 330 335

Ile Lys Ala Gln Thr Gln Ser Leu Asp Gly Leu Pro Gln Arg Pro Ser  
340 345 350

Tyr Leu Ser Phe Leu Leu Ala Gly Thr Gly Gly Leu Trp Cys Ile Ser  
355 360 365

Val Thr Leu Cys Ile Ala Pro Lys Gly Lys Thr Thr Val His Thr Ser  
370 375 380

Val Ala Val Phe Tyr Gly Ala Ser Ala Lys Arg Asn Leu Thr Thr Val  
385 390 395 400

Val Leu Phe Leu Ile Thr Pro Asn Thr Phe Ser Phe Arg Leu Thr Ser  
405 410 415

Asp Pro Arg Lys Gln Cys Ser Lys Glu Asp Gly Gly Gly Trp Trp Tyr  
420 425 430

Asn Arg Cys His Ala Ala Asn Pro Asn Gly Arg Tyr Tyr Trp Gly Gly  
435 440 445

Gln Tyr Thr Trp Asp Met Ala Lys His Gly Thr Asp Asp Gly Val Val  
450 455 460

Trp Met Asn Trp Lys Gly Ser Trp Tyr Ser Met Arg Lys Met Ser Met  
465 470 475 480

Lys Ile Arg Pro Phe Phe Pro Gln Gln  
485

```
<210> 186
<211> 33
<212> PRT
<213> Homo sapien
```

<400> 186

Met Val Thr Glu Ser Leu Ser Ser Pro His Ser Glu Ser Ile Pro Leu  
1 5 10 15

Gly Arg Val Asn Pro Gly Ser Gly Leu Pro Pro His Ser Thr Arg Pro  
20 25 30

165

Phe

&lt;210&gt; 187

&lt;211&gt; 149

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 187

Pro Gly Asn Leu Asp Thr Ser Ser Arg Gly Ser Ser Gly Ser Pro Ala  
 1 5 10 15

His Ala Glu Ser Tyr Ser Ser Gly Gly Gly Gly Gln Gln Lys Phe Arg  
 20 25 30

Val Asp Met Pro Gly Ser Gly Ser Ala Phe Ile Pro Thr Ile Asn Ala  
 35 40 45

Ile Thr Thr Ser Gln Asp Leu Gln Trp Met Val Gln Pro Thr Val Ile  
 50 55 60

Thr Ser Met Ser Asn Pro Tyr Pro Arg Ser His Pro Tyr Ser Pro Leu  
 65 70 75 80

Pro Gly Leu Ala Ser Val Ala Gly His Met Ala Leu Pro Arg Pro Gly  
 85 90 95

Val Ile Lys Thr Ile Gly Thr Thr Val Gly Arg Arg Arg Arg Asp Glu  
 100 105 110

Gln Leu Ser Pro Glu Glu Glu Glu Lys Arg Arg Ile Arg Arg Glu Arg  
 115 120 125

Asn Lys Leu Ala Ala Ala Lys Cys Arg Asn Arg Arg Arg Glu Leu Thr  
 130 135 140

Glu Lys Leu Gln Ala  
 145

&lt;210&gt; 188

&lt;211&gt; 41

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 188



166

Met Thr Val Pro Leu His Thr Ser Leu Ser Tyr Arg Gly Arg Ser Gln  
 1 5 10 15

Leu Leu Lys Thr Lys Thr Thr Ile Asn Ile Tyr Lys Asn His Asn Ile  
 20 25 30

Lys Gly Phe Met Leu Arg Lys Asn Pro  
 35 40

<210> 189  
 <211> 45  
 <212> PRT  
 <213> Homo sapien

<400> 189

Met Tyr Thr Asn Lys Tyr Ala Gln Asp Leu Glu Ser Tyr Ile Lys Met  
 1 5 10 15

Tyr Leu Thr Trp Leu Glu Cys Val Cys Val Phe Pro Arg Leu Ser Lys  
 20 25 30

Ile Arg Lys Pro Glu Ser Gln Ala Thr Lys Lys Lys Asn  
 35 40 45

<210> 190  
 <211> 91  
 <212> PRT  
 <213> Homo sapien

<400> 190

Met Phe Leu Cys Asn Val Leu Arg Val Thr Trp Ala Ser Pro Thr Tyr  
 1 5 10 15

Ala Ser Thr Val Cys Cys Val Thr Phe Arg Gln Leu His Thr Pro Pro  
 20 25 30

Ala Pro Leu Pro Ser Pro Pro Ser Ser His Thr Val Ser Ala Gly Cys  
 35 40 45

Gly Ser Pro Thr Ser Val Met Ser Gly Ile Met Leu Leu Leu Ser Leu  
 50 55 60

Leu Phe Ser Leu Phe Phe Phe Val Ile Gln Val Leu Leu Thr Ser  
 65 70 75 80

Ser Leu Ile His Gln Asn Ala Arg Ser Ser Tyr

167

85

90

<210> 191  
 <211> 100  
 <212> PRT  
 <213> Homo sapien

<400> 191

Ala Asp Asn Asp Ile Gly Ala Val Ser Thr Thr Gly His Gly Glu Ser  
 1 5 10 15

Ile Leu Lys Val Asn Leu Ala Arg Leu Thr Leu Phe His Ile Glu Gln  
 20 25 30

Gly Lys Thr Val Glu Glu Ala Ala Asp Leu Ser Leu Gly Tyr Met Lys  
 35 40 45

Ser Arg Val Lys Gly Leu Gly Gly Leu Ile Val Val Ser Lys Thr Gly  
 50 55 60

Asp Trp Val Ala Lys Trp Thr Ser Thr Ser Met Pro Trp Ala Ala Ala  
 65 70 75 80

Lys Asp Gly Lys Leu His Phe Gly Ile Asp Pro Asp Asp Thr Thr Ile  
 85 90 95

Thr Asp Leu Pro  
 100

<210> 192  
 <211> 54  
 <212> PRT  
 <213> Homo sapien

<400> 192

Met Glu Glu Gln Glu Glu Ala Leu Cys Ser His His Ile Pro Val Ala  
 1 5 10 15

Arg Ser Trp Leu Gln Gly Ser Ser Gly Asn Arg Ile Pro Arg Ser His  
 20 25 30

Glu Thr Ser Pro Asn Ser Ala Val Thr Glu Ser Thr Arg Gln Trp Leu  
 35 40 45

Lys Asp Gly Glu Thr Ser  
 50

168

<210> 193  
 <211> 63  
 <212> PRT  
 <213> Homo sapien

<400> 193

Met Ile Ile Leu Lys Tyr Arg Trp Lys Asp Thr Asn Ala Arg Lys Arg  
 1 5 10 15

Glu Ser Asn Gln Pro Arg Phe Gly Gly Trp Gly Thr Glu Asp Gly Ala  
 20 25 30

Thr Phe Pro Pro Tyr Leu Leu Phe Phe Tyr Ile Pro Ile Cys Thr Leu  
 35 40 45

Arg Ile His Leu Arg Ser Ser Phe Lys Arg Glu Lys Leu Asp Thr  
 50 55 60

<210> 194  
 <211> 211  
 <212> PRT  
 <213> Homo sapien

<400> 194

Met Val Phe Leu Lys Phe Phe Cys Met Ser Phe Phe Cys His Leu Cys  
 1 5 10 15

Gln Gly Tyr Phe Asp Gly Pro Leu Tyr Pro Glu Met Ser Asn Gly Thr  
 20 25 30

Leu His His Tyr Phe Val Pro Asp Gly Asp Tyr Glu Glu Asn Asp Asp  
 35 40 45

Pro Glu Lys Cys Gln Leu Leu Phe Arg Val Ser Asp His Arg Arg Cys  
 50 55 60

Ser Gln Gly Glu Gly Ser Gln Val Gly Ser Leu Leu Ser Leu Thr Leu  
 65 70 75 80

Arg Glu Glu Phe Thr Val Leu Gly Arg Gln Val Glu Asp Ala Gly Arg  
 85 90 95

Val Leu Glu Gly Ile Ser Lys Ser Ile Ser Tyr Asp Leu Asp Gly Glu  
 100 105 110

169

Glu Ser Tyr Gly Lys Tyr Leu Arg Arg Glu Ser His Gln Ile Gly Asp  
 115 120 125

Ala Tyr Ser Asn Ser Asp Lys Ser Leu Thr Glu Leu Glu Ser Lys Phe  
 130 135 140

Lys Gln Gly Gln Glu Gln Asp Ser Arg Gln Glu Ser Arg Leu Asn Glu  
 145 150 155 160

Asp Phe Leu Gly Met Leu Val His Thr Arg Ser Leu Leu Lys Glu Thr  
 165 170 175

Leu Asp Ile Ser Val Gly Leu Arg Asp Lys Tyr Glu Leu Leu Ala Leu  
 180 185 190

Thr Ile Arg Ser His Gly Thr Arg Leu Gly Arg Leu Lys Asn Asp Tyr  
 195 200 205

Leu Lys Val  
 210

<210> 195  
 <211> 54  
 <212> PRT  
 <213> Homo sapien

<400> 195

Met Asp Asp Ser Lys Leu Gln Lys Lys Lys Asp Val Asp Lys His Cys  
 1 5 10 15

Leu Thr Glu His Phe Ile Phe Ser Gln Leu Phe Trp Phe Leu Leu Ile  
 20 25 30

Thr Met Thr Lys Met Leu Asp Ser Glu Leu Cys Arg Tyr Phe Ser Lys  
 35 40 45

Phe Tyr Asp Phe Lys Ser  
 50

<210> 196  
 <211> 88  
 <212> PRT  
 <213> Homo sapien

<400> 196

170

Met Leu Gly Leu Gln Thr Leu Ser Arg Phe Leu Ser Gly His Pro Gly  
 1 5 10 15

Phe Leu Thr His Cys Leu Lys Ser Arg Trp Gln Val Pro Ser Leu Asn  
 20 25 30

His Ser Cys Ala Pro Glu Asp Ser Gly Pro Lys Leu Pro Ser Ser Ala  
 35 40 45

Cys His Ser Leu Leu Ile Ile Ser Ser Ser Asp Gln Val Cys Val Met  
 50 55 60

His Leu Ala Gln Ala Gln Gly Val Pro Arg Arg Asp His Asp Pro Ser  
 65 70 75 80

His Cys Ala Arg Ser Ser Ser Ile  
 85

<210> 197  
 <211> 48  
 <212> PRT  
 <213> Homo sapien

<400> 197

Met Thr Glu Met Thr Gln Ser Lys Gly Arg Ile Gly Thr Glu Asp Ala  
 1 5 10 15

Asn Thr Gly Ser Tyr Lys Ile Gln Arg Glu Leu Ser Gly Gly Lys Thr  
 20 25 30

Gln Glu Pro Asn Ser Thr His Leu Ile Pro Leu Val Asp Gln Leu Asn  
 35 40 45

<210> 198  
 <211> 121  
 <212> PRT  
 <213> Homo sapien

<400> 198

Phe Phe Ala Asp Glu Val Ser Arg Leu Ser Pro Gly Leu Glu Cys Ser  
 1 5 10 15

Gly Val Ile Ser Ala His Cys Asn Phe His Leu Leu Gly Ser Ser Ser  
 20 25 30

Ser Pro Ala Ser Ala Ser Gln Val Ala Glu Ile Thr Gly Ala Cys His

171

35

40

45

Pro Thr Trp Leu Ile Phe Val Ile Leu Val Glu Thr Gly Phe His His  
 50 55 60

Val Gly Gln Ala Asp Ala Leu Leu Thr Ser Gly Asp Pro Pro Phe Ser  
 65 70 75 80

Ala Ser Gln Ser Ala Gly Ile Thr Gly Val Ser His Arg Ala Arg Pro  
 85 90 95

Ala Asn Thr Phe Ala Leu Thr Thr Leu Gly Leu Leu Tyr Lys Ile Val  
 100 105 110

Met Ile Ala Met Glu Val Leu Pro Pro  
 115 120

<210> 199  
 <211> 162  
 <212> PRT  
 <213> Homo sapien

<400> 199

Met Asp Ala Ala Gly Gln Val Leu Gly Pro Glu Arg Gly Gly Tyr Leu  
 1 5 10 15

Pro His Trp Val Ala Ser Ser Ala Ala Pro His Leu Ser Leu Phe Ser  
 20 25 30

Pro Lys Leu Val Phe Leu Thr Ile Ile Val Val Gly Gly Gly Gln Met  
 35 40 45

Leu Lys Val Glu Ala Asp Leu Glu Lys Glu Thr His Gly Val Thr Val  
 50 55 60

Ala Lys Asp Ser Trp Lys Arg Asn Ser Ile Thr Ser Ser Leu Ala Thr  
 65 70 75 80

Thr Arg His Pro Arg Pro Trp His Ser Gln Arg Leu Cys Ala Val Ala  
 85 90 95

Lys Pro Leu Asn Leu Phe Trp Pro Cys Val Leu Gln Arg Ser Leu Cys  
 100 105 110

Cys Lys Thr Val Asp Ser Phe Asp Glu Val Leu Lys Asn Ala Thr Arg

172

115

120

125

Gly Gly Gly Val Trp Leu Ala Val Trp Pro Ser Ser Glu Lys Val Ala  
 130 135 140

Glu Ile Arg Gly Gln Gly Cys His Ser Pro Arg Leu Ser Ser Gly Ser  
 145 150 155 160

Gln Ser

<210> 200  
 <211> 594  
 <212> PRT  
 <213> Homo sapien

<400> 200

Val Pro Gly Arg Lys Leu His Arg Ser Arg Leu Gln Ala Ala Ala Pro  
 1 5 10 15

Arg Pro Ser Thr Cys Ala Gln Ser Leu Cys Trp Ser Arg Pro Pro Ala  
 20 25 30

Ala Gly Thr Gly Thr Gly Asp Pro Ser Gln Ser Lys Ala Pro Thr Met  
 35 40 45

Ala Met Gly Leu Phe Arg Val Cys Leu Val Val Val Thr Ala Ile Ile  
 50 55 60

Asn His Pro Leu Leu Phe Pro Arg Glu Asn Ala Thr Val Pro Glu Asn  
 65 70 75 80

Glu Glu Glu Ile Ile Arg Lys Met Gln Ala His Gln Glu Lys Leu Gln  
 85 90 95

Leu Glu Gln Leu Arg Leu Glu Glu Glu Val Ala Arg Leu Ala Ala Glu  
 100 105 110

Lys Glu Ala Leu Glu Gln Val Ala Glu Glu Gly Arg Gln Gln Asn Glu  
 115 120 125

Thr Arg Val Ala Trp Asp Leu Trp Ser Thr Leu Cys Met Ile Leu Phe  
 130 135 140

Leu Met Ile Glu Val Trp Arg Gln Asp His Gln Glu Gly Pro Ser Pro

173

145		150		155		160
Glu Cys Leu Gly Gly Glu Glu Asp Glu Leu Pro Gly Leu Gly Gly Ala	165		170		175	
Pro Leu Gln Gly Leu Thr Leu Pro Asn Lys Ala Thr Leu Gly His Phe	180		185		190	
Tyr Glu Arg Cys Ile Arg Gly Ala Thr Ala Asp Ala Ala Arg Thr Arg	195		200		205	
Glu Phe Leu Glu Gly Phe Val Asp Asp Leu Leu Glu Ala Leu Arg Ser	210		215		220	
Leu Cys Asn Arg Asp Thr Asp Met Glu Val Glu Asp Phe Ile Gly Val	225		230		235	240
Asp Ser Met Tyr Glu Asn Trp Gln Val Asp Arg Pro Leu Leu Cys His	245		250		255	
Leu Phe Val Pro Phe Thr Pro Pro Glu Pro Tyr Arg Phe His Pro Glu	260		265		270	
Leu Trp Cys Ser Gly Arg Ser Val Pro Leu Asp Arg Gln Gly Tyr Gly	275		280		285	
Gln Ile Lys Val Val Arg Ala Asp Gly Asp Thr Leu Ser Cys Ile Cys	290		295		300	
Gly Lys Thr Lys Leu Gly Glu Asp Met Leu Cys Leu Leu His Gly Arg	305		310		315	320
Asn Ser Met Ala Pro Pro Cys Gly Asp Met Glu Asn Leu Leu Cys Ala	325		330		335	
Thr Asp Ser Leu Tyr Leu Asp Thr Met Gln Val Met Lys Trp Phe Gln	340		345		350	
Thr Ala Leu Thr Arg Ala Trp Lys Gly Ile Ala His Lys Tyr Glu Phe	355		360		365	
Asp Leu Ala Phe Gly Gln Leu Asp Ser Pro Gly Ser Leu Lys Ile Lys	370		375		380	



174

Phe Arg Ser Gly Lys Phe Met Pro Phe Asn Leu Ile Pro Val Ile Gln  
 385 390 395 400

Cys Asp Asp Ser Asp Leu Tyr Phe Val Ser His Leu Pro Arg Glu Pro  
 405 410 415

Ser Glu Gly Thr Pro Ala Ser Ser Thr Asp Trp Leu Leu Ser Phe Ala  
 420 425 430

Val Tyr Glu Arg His Phe Leu Arg Thr Thr Leu Lys Ala Leu Pro Glu  
 435 440 445

Gly Ala Cys His Leu Ser Cys Leu Gln Ile Ala Ser Phe Leu Leu Ser  
 450 455 460

Lys Gln Ser Arg Leu Thr Gly Pro Ser Gly Leu Ser Ser Tyr His Leu  
 465 470 475 480

Lys Thr Ala Leu Leu His Leu Leu Leu Leu Arg Gln Ala Ala Asp Trp  
 485 490 495

Lys Ala Gly Gln Leu Asp Ala Arg Leu His Glu Leu Leu Cys Phe Leu  
 500 505 510

Glu Lys Ser Leu Leu Gln Lys Lys Leu His His Phe Phe Ile Gly Asn  
 515 520 525

Arg Lys Val Pro Glu Ala Met Gly Leu Pro Glu Ala Val Leu Arg Ala  
 530 535 540

Glu Pro Leu Asn Leu Phe Arg Pro Phe Val Leu Gln Arg Ser Leu Tyr  
 545 550 555 560

Arg Lys Thr Leu Asp Ser Phe Tyr Glu Met Leu Lys Asn Ala Pro Ala  
 565 570 575

Leu Ile Ser Glu Tyr Ser Leu His Val Pro Ser Asp Gln Pro Thr Pro  
 580 585 590

Lys Ser

<210> 201

<211> 38

<212> PRT

175

&lt;213&gt; Homo sapien

&lt;400&gt; 201

Met Ser Leu His Ala Glu Val Gly Gly Ala Leu Lys Pro Val Ile Tyr  
1 5 10 15

Ala Val Lys Thr Lys Trp Val Cys Tyr Leu Ile Ser Trp Gly Ile His  
20 25 30

Gly Leu Ala Val Pro Gly  
35

&lt;210&gt; 202

&lt;211&gt; 16

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 202

Met Glu Arg Ile Gly Thr Phe Tyr Ser Gly Asn Thr Gln Pro Ala Thr  
1 5 10 15

&lt;210&gt; 203

&lt;211&gt; 87

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 203

Met Ala Glu Gly Val Gly Ala Gly Thr Leu Glu Ala Pro Pro Leu Leu  
1 5 10 15

Ser Leu Pro Ser Ala Ser Pro Val Pro Pro Ala Ala Leu Val Thr Val  
20 25 30

Ser Asp Gly Tyr Leu Pro Gly Phe Val Ala Ser Leu Ser Val Phe Ser  
35 40 45

Cys Ser Asp Pro Leu Ala Gly Trp Leu Arg Lys Lys Lys Met Cys Phe  
50 55 60

Arg Cys His Cys Asn Pro Gly His Gln Gly Asn Pro Ser Phe Pro Phe  
65 70 75 80

Leu Ile Cys Ser Pro Arg Thr  
85

&lt;210&gt; 204

176

&lt;211&gt; 252

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 204

Met Ser Ile Tyr Lys Glu Pro Pro Pro Gly Met Phe Val Val Pro Asp  
 1 5 10 15

Thr Val Asp Met Thr Lys Ile His Ala Leu Ile Thr Gly Pro Phe Asp  
 20 25 30

Thr Pro Tyr Glu Gly Gly Phe Phe Leu Phe Val Phe Arg Cys Pro Pro  
 35 40 45

Asp Tyr Pro Ile His Pro Pro Arg Val Lys Leu Met Thr Thr Gly Asn  
 50 55 60

Asn Thr Val Arg Phe Asn Pro Asn Phe Tyr Arg Asn Gly Lys Val Cys  
 65 70 75 80

Leu Ser Ile Leu Gly Thr Trp Thr Gly Pro Ala Trp Ser Pro Ala Gln  
 85 90 95

Ser Ile Ser Ser Val Leu Ile Ser Ile Gln Ser Leu Met Thr Glu Asn  
 100 105 110

Pro Tyr His Asn Glu Pro Gly Phe Glu Gln Glu Arg His Pro Gly Asp  
 115 120 125

Ser Lys Asn Tyr Asn Glu Cys Ile Arg His Glu Thr Ile Arg Val Ala  
 130 135 140

Val Cys Asp Met Met Glu Gly Lys Cys Pro Cys Pro Glu Pro Leu Arg  
 145 150 155 160

Gly Val Met Glu Lys Ser Phe Leu Glu Tyr Tyr Asp Phe Tyr Glu Val  
 165 170 175

Ala Cys Lys Asp Arg Leu His Leu Gln Gly Gln Thr Met Gln Asp Pro  
 180 185 190

Phe Gly Glu Lys Arg Gly His Phe Asp Tyr Gln Ser Leu Leu Met Arg  
 195 200 205

Leu Gly Leu Ile Arg Gln Lys Val Leu Glu Arg Leu His Asn Glu Asn

177

210

215

220

Ala Glu Met Asp Ser Asp Ser Ser Ser Ser Gly Thr Glu Thr Asp Leu  
 225 230 235 240

His Gly Ser Leu Arg Val His Gly Ser Leu Arg Val  
 245 250

&lt;210&gt; 205

&lt;211&gt; 91

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 205

Met Leu Thr Pro Ala Arg Pro Ser Cys His Thr Leu Ser Gly Arg Ser  
 1 5 10 15

Met Ala Tyr Arg Met Lys Arg Gly Thr Arg Asn Pro Cys Gly Arg Gly  
 20 25 30

Leu Asp Leu Lys Gln Cys Pro Leu Trp Leu Leu Leu Pro Trp Leu Thr  
 35 40 45

Gly Phe Leu Asp His Val His Phe Thr Gly Pro Trp Asp Leu His Leu  
 50 55 60

Leu Ala Ser Pro Ala Gly Leu Ile Pro Ala Arg Ala Pro Ser Phe Leu  
 65 70 75 80

Leu Met Val Phe Arg Trp Pro Asp His Gly Lys  
 85 90

&lt;210&gt; 206

&lt;211&gt; 213

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 206

Ser Pro His Gln Ala Ala Ala Pro Val Asp Gln Thr Pro Arg Thr Leu  
 1 5 10 15

Ala Thr Met Gly Gln Arg Ala Leu Pro Ser Ser Leu Ala Leu Leu Ser  
 20 25 30

Arg Pro Leu Ser Pro Pro Pro Ala Ala Cys Ser Gly Asp Pro Gly Cys  
 35 40 45

178

Gly Ser Gly Ala Gly Leu Pro Ser Ala Ser Ala Ala Ala Gly Ile Ala  
 50 55 60

Ser Ser Ala Val Glu Ala Val Cys Gly Asp Ala Ala Pro Ala Cys Leu  
 65 70 75 80

Leu Arg Thr Pro Leu Arg Gly Leu Leu Lys Pro Thr Gly Pro Arg Ser  
 85 90 95

Thr Met Glu Cys Pro Pro Ala Leu Ile Val His Pro Pro Thr Gly Gly  
 100 105 110

Met Ala Arg Arg Ala Ala Ser Gln Pro Trp Ala Ala Ala Ser Ala Thr  
 115 120 125

Pro Met Leu Ser Ser Lys Ala Ser Leu Cys Ile Pro Thr Glu Arg Pro  
 130 135 140

Pro Pro Gln Pro Leu Met Arg Thr Pro Ala Ala Arg Ser His Trp Pro  
 145 150 155 160

Ile Pro His Pro Ala Ser Thr Ala Cys Pro Ala Pro Leu Pro Val Val  
 165 170 175

Leu Val Ala Pro Arg Ser Thr Ile Leu Ser Met Ser Arg Thr Trp Thr  
 180 185 190

Cys Arg Arg Trp Ala Val Ala Pro Cys Arg Ala Glu Lys Leu Met Cys  
 195 200 205

Ser Ser Ser Arg Ser  
 210

<210> 207  
 <211> 92  
 <212> PRT  
 <213> Homo sapien

<400> 207

Met Tyr Lys Gly Ala Ala Trp Arg Gly Lys Glu His Asn Lys Thr Pro  
 1 5 10 15

Leu Glu Val Phe Gln Arg Val Val Ser Gln Ile Ser Leu Ile Gln Glu  
 20 25 30

179

Glu Asp Asp Glu Arg Glu Arg Thr Trp Asn Tyr Leu Lys Ser Ser Asn  
                   35                                  40                                  45

Ser Leu Val Leu Phe Asn Lys Lys Glu Phe Trp Phe Val Ala Glu Ser  
           50                                  55                                  60

Asp Leu Thr Ala Ala Asn Ser Ser Leu Leu Leu Arg Cys Ile Ser Asn  
   65                                  70                                  75                                  80

Ser Lys Leu Asp Ala Pro Pro Ser Leu Phe Phe Pro  
                                   85                                  90

<210> 208  
 <211> 130  
 <212> PRT  
 <213> Homo sapien

<400> 208

Met Val Cys Glu Asp Ala Pro Ser Phe Gln Met Ala Trp Glu Ser Gln  
   1                                  5                                  10                                  15

Met Ala Trp Glu Arg Gly Pro Ala Leu Leu Cys Cys Val Leu Ser Ala  
                   20                                  25                                  30

Ser Gln Leu Ser Ser Gln Asp Gln Asp Pro Leu Gly His Ile Lys Ser  
           35                                  40                                  45

Leu Leu Tyr Pro Phe Gly Phe Pro Val Glu Leu Pro Arg Pro Gly Pro  
   50                                  55                                  60

Thr Gly Ala Tyr Lys Lys Val Lys Asn Gln Asn Gln Thr Thr Ser Ser  
   65                                  70                                  75                                  80

Glu Leu Leu Arg Lys Gln Thr Ser His Phe Asn Gln Arg Gly His Arg  
                                   85                                  90                                  95

Ala Arg Ser Lys Leu Leu Ala Ser Arg Gln Ile Pro Asp Arg Thr Phe  
                   100                                  105                                  110

Lys Cys Gly Lys Trp Leu Pro Gln Val Pro Ser Pro Val Val Pro Ser  
           115                                  120                                  125

Pro Val  
   130

180

<210> 209  
<211> 63  
<212> PRT  
<213> Homo sapien

<400> 209

Met Asn Asp Tyr Gly Leu Gly Leu Gly Phe Ile Thr Asn Pro Ile Ile  
1 5 10 15

Asp His Leu Phe Pro Ala Leu Gly Ile Thr Ala Lys Pro Asn Gly Ser  
20 25 30

Phe Ser Ile Thr Ala Ser Tyr Asn Phe His Ile Phe Leu Leu Phe Leu  
35 40 45

Thr Gly Leu Gln Val Leu Ser Asn Val Leu Lys Leu Phe Asn Val  
50 55 60

<210> 210  
<211> 451  
<212> PRT  
<213> Homo sapien

<400> 210

Ala Thr Lys Thr Lys Ala Pro Asp Asp Leu Val Ala Pro Val Val Lys  
1 5 10 15

Lys Pro His Ile Tyr Tyr Gly Ser Leu Glu Glu Lys Glu Arg Glu Arg  
20 25 30

Leu Ala Lys Gly Glu Ser Gly Ile Leu Gly Lys Asp Gly Leu Lys Ala  
35 40 45

Gly Ile Glu Ala Gly Asn Ile Asn Ile Thr Ser Gly Glu Val Phe Glu  
50 55 60

Ile Glu Glu His Ile Ser Glu Arg Gln Ala Glu Val Leu Ala Glu Phe  
65 70 75 80

Glu Arg Arg Lys Arg Ala Arg Gln Ile Asn Val Ser Thr Asp Asp Ser  
85 90 95

Glu Val Lys Ala Cys Leu Arg Ala Leu Gly Glu Pro Ile Thr Leu Phe  
100 105 110

181

Gly Glu Gly Pro Ala Glu Arg Arg Glu Arg Leu Arg Asn Ile Leu Ser  
 115 120 125

Val Val Gly Thr Asp Ala Leu Lys Lys Thr Lys Lys Asp Asp Glu Lys  
 130 135 140

Ser Lys Lys Ser Lys Glu Glu Tyr Gln Gln Thr Trp Tyr His Glu Gly  
 145 150 155 160

Pro Asn Ser Leu Lys Val Ala Arg Leu Trp Ile Ala Asn Tyr Ser Leu  
 165 170 175

Pro Arg Ala Met Lys Arg Leu Glu Glu Ala Arg Leu His Lys Glu Ile  
 180 185 190

Pro Glu Thr Thr Arg Thr Ser Gln Met Gln Glu Leu His Lys Ser Leu  
 195 200 205

Arg Ser Leu Asn Asn Phe Cys Ser Gln Ile Gly Asp Asp Arg Pro Ile  
 210 215 220

Ser Tyr Cys His Phe Ser Pro Asn Ser Lys Met Leu Ala Thr Ala Cys  
 225 230 235 240

Cys Asp Glu Pro Val Ala Asp Ile Glu Gly His Thr Val Arg Val Ala  
 245 250 255

Arg Val Met Trp His Pro Ser Gly Arg Phe Leu Gly Thr Thr Cys Tyr  
 260 265 270

Asp Arg Ser Trp Arg Leu Trp Asp Leu Glu Ala Gln Glu Glu Ile Leu  
 275 280 285

His Gln Glu Gly His Ser Met Gly Val Tyr Asp Ile Ala Phe His Gln  
 290 295 300

Asp Gly Ser Leu Ala Gly Thr Gly Gly Leu Asp Ala Phe Gly Arg Val  
 305 310 315 320

Trp Asp Leu Arg Thr Gly Arg Cys Ile Met Phe Leu Glu Gly His Leu  
 325 330 335

Lys Glu Ile Tyr Gly Ile Asn Phe Ser Pro Asn Gly Tyr His Ile Ala  
 340 345 350



182

Thr Gly Ser Gly Asp Asn Thr Cys Lys Val Trp Asp Leu Arg Gln Arg  
 355 360 365

Arg Cys Val Tyr Thr Ile Pro Ala His Gln Asn Leu Val Thr Gly Val  
 370 375 380

Lys Phe Glu Pro Ile His Gly Asn Phe Leu Leu Thr Gly Ala Tyr Asp  
 385 390 395 400

Asn Thr Ala Lys Ile Trp Thr His Pro Gly Trp Ser Pro Leu Lys Thr  
 405 410 415

Leu Ala Gly His Glu Gly Lys Val Met Gly Leu Asp Ile Ser Ser Asp  
 420 425 430

Gly Gln Leu Ile Ala Thr Cys Ser Tyr Asp Arg Thr Phe Lys Leu Trp  
 435 440 445

Met Ala Glu  
 450

<210> 211  
 <211> 34  
 <212> PRT  
 <213> Homo sapien

<400> 211

Met Glu Ala Gln Gly Cys His Asp Gly Ser Val Val Ile Arg Glu Gly  
 1 5 10 15

Ala Pro Phe Ile Leu Leu Pro Thr Pro Leu Leu Cys Pro Phe Leu Pro  
 20 25 30

Leu Ile

<210> 212  
 <211> 610  
 <212> PRT  
 <213> Homo sapien

<400> 212

Gly Lys Ala Phe Ile Thr Cys Arg Thr Leu Leu Asn His Lys Ser Ile  
 1 5 10 15

183

His Phe Gly Asp Lys Pro Tyr Lys Cys Asp Glu Cys Glu Lys Ser Phe  
                   20                  25                  30

Asn Tyr Ser Ser Leu Leu Ile Gln His Lys Val Ile His Thr Gly Glu  
                   35                  40                  45

Lys Pro Tyr Glu Cys Asp Glu Cys Gly Lys Ala Phe Arg Asn Ser Ser  
                   50                  55                  60

Gly Leu Ile Val His Lys Arg Ile His Thr Gly Glu Lys Pro Tyr Lys  
                   65                  70                  75                  80

Cys Asp Val Cys Gly Lys Ala Phe Ser Tyr Ser Ser Gly Leu Ala Val  
                   85                  90                  95

His Lys Ser Ile His Pro Gly Lys Lys Ala His Glu Cys Lys Glu Cys  
                   100                  105                  110

Gly Lys Ser Phe Ser Tyr Asn Ser Leu Leu Leu Gln His Arg Thr Ile  
                   115                  120                  125

His Thr Gly Glu Arg Pro Tyr Val Cys Asp Val Cys Gly Lys Thr Phe  
                   130                  135                  140

Arg Asn Asn Ala Gly Leu Lys Val His Arg Arg Leu His Thr Gly Glu  
                   145                  150                  155                  160

Lys Pro Tyr Lys Cys Asp Val Cys Gly Lys Ala Tyr Ile Ser Arg Ser  
                   165                  170                  175

Ser Leu Lys Asn His Lys Gly Ile His Leu Gly Glu Lys Pro Tyr Lys  
                   180                  185                  190

Cys Ser Tyr Cys Glu Lys Ser Phe Asn Tyr Ser Ser Ala Leu Glu Gln  
                   195                  200                  205

His Lys Arg Ile His Thr Arg Glu Lys Pro Phe Gly Cys Asp Glu Cys  
                   210                  215                  220

Gly Lys Ala Phe Arg Asn Asn Ser Gly Leu Lys Val His Lys Arg Ile  
                   225                  230                  235                  240

His Thr Gly Glu Arg Pro Tyr Lys Cys Glu Glu Cys Gly Lys Ala Tyr  
                   245                  250                  255

184

Ile Ser Leu Ser Ser Leu Ile Asn His Lys Ser Val His Pro Gly Glu  
 260 265 270

Lys Pro Phe Lys Cys Asp Glu Cys Glu Lys Ala Phe Ile Thr Tyr Arg  
 275 280 285

Thr Leu Thr Asn His Lys Lys Val His Leu Gly Glu Lys Pro Tyr Lys  
 290 295 300

Cys Asp Val Cys Glu Lys Ser Phe Asn Tyr Thr Ser Leu Leu Ser Gln  
 305 310 315 320

His Arg Arg Val His Thr Arg Glu Lys Pro Tyr Glu Cys Asp Arg Cys  
 325 330 335

Glu Lys Val Phe Arg Asn Asn Ser Ser Leu Lys Val His Lys Arg Ile  
 340 345 350

His Thr Gly Glu Arg Pro Tyr Glu Cys Asp Val Cys Gly Lys Ala Tyr  
 355 360 365

Ile Ser His Ser Ser Leu Ile Asn His Lys Ser Thr His Pro Gly Lys  
 370 375 380

Thr Pro His Thr Cys Asp Glu Cys Gly Lys Ala Phe Phe Ser Ser Arg  
 385 390 395 400

Thr Leu Ile Ser His Lys Arg Val His Leu Gly Glu Lys Pro Phe Lys  
 405 410 415

Cys Val Glu Cys Gly Lys Ser Phe Ser Tyr Ser Ser Leu Leu Ser Gln  
 420 425 430

His Lys Arg Ile His Thr Gly Glu Lys Pro Tyr Val Cys Asp Arg Cys  
 435 440 445

Gly Lys Ala Phe Arg Asn Ser Ser Gly Leu Thr Val His Lys Arg Ile  
 450 455 460

His Thr Gly Glu Lys Pro Tyr Glu Cys Asp Glu Cys Gly Lys Ala Tyr  
 465 470 475 480

Ile Ser His Ser Ser Leu Ile Asn His Lys Ser Val His Gln Gly Lys

185

485                      490                      495

Gln Pro Tyr Asn Cys Glu Cys Gly Lys Ser Phe Asn Tyr Arg Ser Val  
                     500                      505                      510

Leu Asp Gln His Lys Arg Ile His Thr Gly Lys Lys Pro Tyr Arg Cys  
                     515                      520                      525

Asn Glu Cys Ala His Ile Pro Asn Ala Thr Ala Asp Leu Met Lys Val  
                     530                      535                      540

Asp His Glu Glu Glu Pro Gln Leu Ser Glu Pro Tyr Leu Ser Lys Gln  
 545                      550                      555                      560

Lys Lys Leu Met Ala Lys Ile Leu Glu His Asp Asp Val Ser Tyr Leu  
                     565                      570                      575

Lys Lys Ile Leu Gly Glu Leu Ala Met Val Leu Asp Gln Ile Glu Ala  
                     580                      585                      590

Glu Leu Glu Lys Arg Lys Leu Glu Asn Glu Ala Leu Ser Gln Trp Lys  
                     595                      600                      605

Glu Phe  
 610

<210> 213  
 <211> 47  
 <212> PRT  
 <213> Homo sapien

<400> 213

Met Cys Ala Lys Trp Gly Glu Ile Gly Ala Gly Lys Pro Ile Pro His  
 1                      5                      10                      15

Arg Gly Pro Ala Leu Ala Pro Gly Ser Pro His Ala Phe Phe Val Phe  
                     20                      25                      30

Phe Phe Phe Phe Ala Ser Asp Gln Phe Thr Thr Val Ser Trp Thr  
                     35                      40                      45

<210> 214  
 <211> 25  
 <212> PRT  
 <213> Homo sapien

186

&lt;400&gt; 214

Met Glu Thr Pro Ser Leu Glu Gly Thr Pro Arg Lys Pro Cys His Gly  
 1 5 10 15

Leu Leu Ser Leu Ser Ser Leu Leu Leu  
 20 25

&lt;210&gt; 215

&lt;211&gt; 29

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 215

Met Ser Ser Tyr Gly Met Gln Gly Thr Val Gly Ser Arg Val Ser Ile  
 1 5 10 15

Leu Pro Thr Arg Ala Gln Gly Gln Ala Gly Glu Val Arg  
 20 25

&lt;210&gt; 216

&lt;211&gt; 64

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 216

Met Val Thr Leu Asp Leu Leu Glu Arg Ala Gln Cys Asp Gly Ser Trp  
 1 5 10 15

Ser Arg Arg Gly Thr Pro Leu Leu Phe Tyr Phe Phe Cys Lys Val Leu  
 20 25 30

Thr Leu Glu Gly Tyr Ser Ile Gln Ser Leu Asn Met Phe Phe Lys Arg  
 35 40 45

Asn Lys Glu Gln Ala Thr Ala Leu Leu Glu Ile Thr Asn Arg Phe Leu  
 50 55 60

&lt;210&gt; 217

&lt;211&gt; 50

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 217

Met Glu Pro His Ile Met Lys Phe Asn Ser His Val Lys Thr Phe Cys  
 1 5 10 15

187

Ile Val Gly Cys Gln Lys Tyr Phe Pro Asn Phe Arg Leu Thr Cys Arg  
                   20                  25                  30

Val Gly Asp Gly Leu Pro Pro Tyr Asn Phe Lys Phe Val Ser Gln Ser  
           35                  40                  45

Leu Ala  
       50

<210> 218  
 <211> 785  
 <212> PRT  
 <213> Homo sapien

<400> 218

Lys Ala Lys Ile Ser Trp Glu Ala Pro Val Glu Lys Lys Thr Glu Cys  
   1                  5                  10                  15

Ile Gln Lys Gly Lys Asn Asn Gln Val Gly Ala Trp Thr Leu Leu Leu  
           20                  25                  30

Val Leu Pro Ser Pro Gln Asp Val Ser Ser His Ser Gly Pro Arg Ala  
           35                  40                  45

Leu Thr Asn Arg Thr Pro Phe Cys Pro Gln Thr Glu Cys Phe Asn Phe  
       50                  55                  60

Ile Arg Phe Leu Gln Pro Tyr Asn Ala Ser His Leu Tyr Val Cys Gly  
   65                  70                  75                  80

Thr Tyr Ala Phe Gln Pro Lys Cys Thr Tyr Val Asn Met Leu Thr Phe  
           85                  90                  95

Thr Leu Glu His Gly Glu Phe Glu Asp Gly Lys Gly Lys Cys Pro Tyr  
           100                  105                  110

Asp Pro Ala Lys Gly His Ala Gly Leu Leu Val Asp Gly Glu Leu Tyr  
           115                  120                  125

Ser Ala Thr Leu Asn Asn Phe Leu Gly Thr Glu Pro Ile Ile Leu Arg  
       130                  135                  140

Asn Met Gly Pro His His Ser Met Lys Thr Glu Tyr Leu Ala Phe Trp  
   145                  150                  155                  160

Leu	Asn	Glu	Pro	His	Phe	Val	Gly	Ser	Ala	Tyr	Val	Pro	Glu	Ser	Val
				165						170		175			
Gly	Ser	Phe	Thr	Gly	Asp	Asp	Asp	Lys	Val	Tyr	Phe	Phe	Phe	Arg	Glu
				180						185		190			
Arg	Ala	Val	Glu	Ser	Asp	Cys	Tyr	Ala	Glu	Gln	Val	Val	Ala	Arg	Val
				195						200		205			
Ala	Arg	Val	Cys	Lys	Gly	Asp	Met	Gly	Gly	Ala	Arg	Thr	Leu	Gln	Arg
				210						215		220			
Lys	Trp	Thr	Thr	Phe	Leu	Lys	Ala	Arg	Leu	Ala	Cys	Ser	Ala	Pro	Asn
				225						230		235			
Trp	Gln	Leu	Tyr	Phe	Asn	Gln	Leu	Gln	Ala	Met	His	Thr	Leu	Gln	Asp
				245						250		255			
Thr	Ser	Trp	His	Asn	Thr	Thr	Phe	Phe	Gly	Val	Phe	Gln	Ala	Gln	Trp
				260						265		270			
Gly	Asp	Met	Tyr	Leu	Ser	Ala	Ile	Cys	Glu	Tyr	Gln	Leu	Glu	Glu	Ile
				275						280		285			
Gln	Arg	Val	Phe	Glu	Gly	Pro	Tyr	Lys	Glu	Tyr	His	Glu	Glu	Ala	Gln
				290						295		300			
Lys	Trp	Asp	Arg	Tyr	Thr	Asp	Pro	Val	Pro	Ser	Pro	Arg	Pro	Gly	Ser
				305						310		315			
Cys	Ile	Asn	Asn	Trp	His	Arg	Arg	His	Gly	Tyr	Thr	Ser	Ser	Leu	Glu
				325						330		335			
Leu	Pro	Asp	Asn	Ile	Leu	Asn	Phe	Val	Lys	Lys	His	Pro	Leu	Met	Glu
				340						345		350			
Glu	Gln	Val	Gly	Pro	Arg	Trp	Ser	Arg	Pro	Leu	Leu	Val	Lys	Lys	Gly
				355						360		365			
Thr	Asn	Phe	Thr	His	Leu	Val	Ala	Asp	Arg	Val	Thr	Gly	Leu	Asp	Gly
				370						375		380			
Ala	Thr	Tyr	Thr	Val	Leu	Phe	Ile	Gly	Thr	Gly	Asp	Gly	Trp	Leu	Leu
				385						390		395			
												400			

189

Lys Ala Val Ser Leu Gly Pro Trp Val His Leu Ile Glu Glu Leu Gln  
 405 410 415

Leu Phe Asp Gln Glu Pro Met Arg Ser Leu Val Leu Ser Gln Ser Lys  
 420 425 430

Val Lys Leu Leu Phe Ala Gly Ser Arg Ser Gln Leu Val Gln Leu Pro  
 435 440 445

Val Ala Asp Cys Met Lys Tyr Arg Ser Cys Ala Asp Cys Val Leu Ala  
 450 455 460

Arg Asp Pro Tyr Cys Ala Trp Ser Val Asn Thr Ser Arg Cys Val Ala  
 465 470 475 480

Val Gly Gly His Ser Gly Ser Leu Leu Ile Gln His Val Met Thr Ser  
 485 490 495

Asp Thr Ser Gly Ile Cys Asn Leu Arg Gly Ser Lys Lys Val Arg Pro  
 500 505 510

Thr Pro Lys Asn Ile Thr Val Val Ala Gly Thr Asp Leu Val Leu Pro  
 515 520 525

Cys His Leu Ser Ser Asn Leu Ala His Ala Arg Trp Thr Phe Gly Gly  
 530 535 540

Arg Asp Leu Pro Ala Glu Gln Pro Gly Ser Phe Leu Tyr Asp Ala Arg  
 545 550 555 560

Leu Gln Ala Leu Val Val Met Ala Ala Gln Pro Arg His Ala Gly Ala  
 565 570 575

Tyr His Cys Phe Ser Glu Glu Gln Gly Ala Arg Leu Ala Ala Glu Gly  
 580 585 590

Tyr Leu Val Ala Val Val Ala Gly Pro Ser Val Thr Leu Glu Ala Arg  
 595 600 605

Ala Pro Leu Glu Asn Leu Gly Leu Val Trp Leu Ala Val Val Ala Leu  
 610 615 620

Gly Ala Val Cys Leu Val Leu Leu Leu Val Leu Ser Leu Arg Arg  
 625 630 635 640



190

Arg Leu Arg Glu Glu Leu Glu Lys Gly Ala Lys Ala Thr Glu Arg Thr  
645 650 655

Leu Val Tyr Pro Leu Glu Leu Pro Lys Glu Pro Thr Ser Pro Pro Phe  
660 665 670

Arg Pro Cys Pro Glu Pro Asp Glu Lys Leu Trp Asp Pro Val Gly Tyr  
675 680 685

Tyr Tyr Ser Asp Gly Ser Leu Lys Ile Val Pro Gly His Ala Arg Cys  
690 695 700

Gln Pro Gly Gly Gly Pro Pro Ser Pro Pro Pro Gly Ile Pro Gly Gln  
705 710 715 720

Pro Leu Pro Ser Pro Thr Arg Leu His Leu Gly Gly Gly Arg Asn Ser  
725 730 735

Asn Ala Asn Gly Tyr Val Arg Leu Gln Leu Gly Gly Glu Asp Arg Gly  
740 745 750

Gly Leu Gly His Pro Leu Pro Glu Leu Ala Asp Glu Leu Arg Arg Lys  
755 760 765

Leu Gln Gln Arg Gln Pro Leu Pro Asp Ser Asn Pro Glu Glu Ser Ser  
770 775 780

Val  
785

<210> 219  
<211> 66  
<212> PRT  
<213> Homo sapien

<400> 219

Met Lys Met Arg Ala Lys Ile Leu His Gln Asn Gly Asn Asp Pro Ile  
1 5 10 15

Ser Pro Val Lys Ala Glu Trp Val Glu Trp Gly Leu Arg Val Trp Ile  
20 25 30

Gln Cys Phe Glu Leu His Ser Ser Arg Glu Ala Val Gln Lys Gly Gly  
35 40 45

191

Ile Leu Gly Asn Leu Arg Lys Ile Val Gly Glu Thr Ser Phe Leu Leu  
 50 55 60

Val Ser  
 65

<210> 220  
 <211> 128  
 <212> PRT  
 <213> Homo sapien

<400> 220

Glu Val Glu Gly Arg Ser Ala Cys Met Ala Met Gly Leu Phe Phe Ile  
 1 5 10 15

Pro Phe Leu Asn Cys Thr Gln Gln Gln Trp Phe Leu Leu Gly Leu Leu  
 20 25 30

Lys Thr Ala Gly Ile Trp Glu Lys Glu His His Arg Leu Ser Gln His  
 35 40 45

Gly Asn Ile Asn Leu Ile Pro Glu Lys Gly Arg Ser Pro Gln Arg Tyr  
 50 55 60

Val Arg Phe Asn Ser Phe Ser Ser Gly Pro Gly Ser Ser Phe Ser Cys  
 65 70 75 80

Ser Gly Leu Asn Arg Asp Ala Leu Ile Ser Leu Gly Ile Leu Leu Leu  
 85 90 95

Val Leu Ser Leu Thr Ser Gly Ala Lys Ile Arg Arg Pro Glu Phe Gln  
 100 105 110

Ile Tyr Ser Val Thr Gln Ser Leu Leu Gln Ser Leu Arg Asp Val Val  
 115 120 125

<210> 221  
 <211> 64  
 <212> PRT  
 <213> Homo sapien

<400> 221

Met Gly Ile Leu Glu Pro Gln Asp Val Arg Ala Gly Arg Asp Ala Ile  
 1 5 10 15

Pro Val Tyr Thr Arg Gly Asn Ser Ser Arg Leu Trp Glu Gly Arg Arg  
20 25 30

Ser Cys Leu Pro Ser Ala Ile Phe Leu Pro Ile Asn Leu Cys Tyr Val  
50 55 60

**<400>    222**

Cys Lys Leu Phe Gly Arg Val Gly Asp Ala Val Ser Phe Cys His Pro  
1 5 10 15

Gly Trp Ser Ala Val Ala Arg Ser Gln Leu Thr Ala Thr Ser Ala Leu  
20 25 30

Gln Gly Ser Gly Asn Ser Ala Ser Val Ser Ala Val Ala Gly Ile Thr  
35 40 45

Gly Met Arg His His Thr Arg Leu Ile Phe Val Phe Leu Val Glu Thr  
50 55 60

Arg Phe His His Val Gly Gln Asp Gly Leu Glu Pro Leu Thr Ser Gly  
65 70 75 80

Asp Leu Pro Ile Ser Ala Ser Gln Ser Ala Gly Ile Thr Ser Val Ser  
85 90 95

His Arg Ala Arg Pro Ala Asn Phe Phe  
100 105

**<400> 223**

Met Met Trp Leu Ser Val Gly Gly Gly Gly Arg Glu Trp Ser Glu Met  
1 5 10 15

193

Leu Gly Val Val Trp Trp Trp Gly Gly Val Gly Val Trp Val Gly Val  
                   20                  25                  30

Gly Val Cys Gly Cys Val Trp Trp Val Val Val Gly Val Trp Trp Trp  
                   35                  40                  45

Arg Cys Val Gly Cys Gly Cys Val Val Trp Trp Gly Gly Val Val Gly  
                   50                  55                  60

Val Gly Gly Cys Trp Gly Gly Cys Val Cys Val Val Gly Val Cys Val  
                   65                  70                  75                  80

Cys Val Gly Gly Gly Val Val Gly Arg Val Val Gly Gly Ala Gly Val  
                                   85                  90                  95

Cys Gly Gly Arg Cys Gly Cys Cys Val Val Trp Trp Cys  
                   100                  105

<210> 224  
 <211> 196  
 <212> PRT  
 <213> Homo sapien

<400> 224

Thr Arg Pro Gln Ser His Thr Thr Thr Glu His Pro Pro Pro Pro Pro  
   1                  5                  10                  15

Thr Thr Ile His Ile Thr Gln Thr Leu His Lys Lys Thr Asn Thr Thr  
                   20                  25                  30

Asn Thr Gln Gln Lys Lys His Thr Asn Thr Gln Ile Thr Ile Thr Gln  
                   35                  40                  45

Gln His Thr Pro Gln His Thr Thr Thr Pro Pro Thr Pro His His Ser  
                   50                  55                  60

Thr Pro Pro His Asn Thr Thr Thr Pro Ala Pro Pro Pro His Thr Pro Ala  
   65                  70                  75                  80

Pro Pro Thr Thr Arg Pro Thr Thr Pro Pro Pro Thr His Thr His Thr  
                   85                  90                  95

Pro Thr Thr His Thr His Pro Pro Gln His Pro Pro Thr Pro Thr Thr  
                   100                  105                  110

194

Thr Thr Pro Pro His His Ala Pro Thr Pro His Thr Pro Pro Pro Thr  
 115 120 125

Thr Pro Pro Arg Pro Pro Thr Thr His Thr His Thr Pro Pro His Pro  
 130 135 140

Pro Thr Pro Pro Pro Leu Pro Thr Thr Thr Pro His Pro Thr Ser His  
 145 150 155 160

Ser Thr Leu Ser Pro His His Pro His Ser Thr Thr Ser Ser Leu Pro  
 165 170 175

Ser Thr His Asn Asn Ile Thr Asn Thr Pro Pro Ala His Thr Leu Thr  
 180 185 190

Pro His Thr Ser  
 195

<210> 225  
 <211> 92  
 <212> PRT  
 <213> Homo sapien

<400> 225

Met Thr Ser Leu Pro Glu Gly Pro Arg Ala Ser Glu Asp Gly Ala Thr  
 1 5 10 15

Pro Glu Ala Gly Gly Phe Thr Asn Ser Ser His Leu Tyr Arg Arg Pro  
 20 25 30

Ala Arg Cys Gln Ala Cys Trp Gln Ala Gln Gly Lys Ala His Ser Thr  
 35 40 45

Ser Arg His Gly Pro Cys Ser His Gly Ala Tyr Ser Leu Ala Arg Gln  
 50 55 60

Thr Arg Asn Lys Lys Leu Gln Ser Ser Val Glu Val Cys Arg Val Val  
 65 70 75 80

Gly Tyr Ser Asp Leu Ala Leu Tyr Thr His Phe Ala  
 85 90

<210> 226  
 <211> 42  
 <212> PRT  
 <213> Homo sapien

195

&lt;400&gt; 226

Met Lys Ile Tyr Gly Ser Val Phe Gln Asn Asp Glu Glu Phe Gln Asp  
1 5 10 15

Gly Gly Ser Gly Lys Ile Leu Leu Gln Glu Lys Ser Val Leu Gly Pro  
20 25 30

Met Cys Lys His Leu Leu Arg Asn Leu Glu  
35 40

&lt;210&gt; 227

&lt;211&gt; 57

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 227

Met Leu Ser Gln Arg Tyr Arg Lys Val Leu Leu Gly Pro Ser Val Thr  
1 5 10 15

Leu Ser Phe His Ile Pro Thr Leu His Arg Pro Ser Leu Gln Leu Pro  
20 25 30

Ala Pro Ala Pro His Cys Arg Ser Pro Gly Phe Cys Leu Glu Leu Asn  
35 40 45

Glu Glu Met Gly Pro Leu Ala Leu Ala  
50 55

&lt;210&gt; 228

&lt;211&gt; 205

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 228

Gln Gln Gly Lys Leu Val Ala Asp Ser Ala Lys His Leu Gly Leu Lys  
1 5 10 15

His Val Val Tyr Ser Gly Leu Glu Asn Val Lys Arg Leu Thr Asp Gly  
20 25 30

Lys Leu Glu Val Pro His Phe Asp Ser Lys Gly Glu Val Glu Glu Tyr  
35 40 45

Phe Trp Ser Ile Gly Ile Pro Met Thr Ser Val Arg Val Ala Ala Tyr  
50 55 60

196

Phe Glu Asn Phe Leu Ala Ala Trp Arg Pro Val Lys Ala Ser Asp Gly  
65 70 75 80

Asp Tyr Tyr Thr Leu Ala Val Pro Met Gly Asp Val Pro Met Asp Gly  
85 90 95

Ile Ser Val Ala Asp Ile Gly Ala Ala Val Ser Ser Ile Phe Asn Ser  
100 105 110

Pro Glu Glu Phe Leu Gly Lys Ala Val Gly Leu Ser Ala Glu Ala Leu  
115 120 125

Thr Ile Gln Gln Tyr Ala Asp Val Leu Ser Lys Ala Leu Gly Lys Glu  
130 135 140

Val Arg Asp Ala Lys Ile Thr Pro Glu Ala Phe Glu Lys Leu Gly Phe  
145 150 155 160

Pro Ala Ala Lys Glu Ile Ala Asn Met Cys Arg Phe Tyr Glu Met Lys  
165 170 175

Pro Asp Arg Asp Val Asn Leu Thr His Gln Leu Asn Pro Lys Val Lys  
180 185 190

Ser Phe Ser Gln Phe Ile Ser Glu Asn Gln Gly Ala Phe  
195 200 205

<210> 229  
<211> 46  
<212> PRT  
<213> Homo sapien

<400> 229

Met Lys Lys Lys Val Leu Ser Ile Ile Cys Ile Ile Gly Ile His Met  
1 5 10 15

Ser Leu His Lys Met Phe Asn Leu Lys Glu Ile Pro Leu Ile Leu Tyr  
20 25 30

Val Leu Leu Ser Val Val Cys Phe Ser Phe Leu Ile Leu Ser  
35 40 45

<210> 230  
<211> 53

197

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 230

Val Ala Gln Ala Gly Val Gln Trp Arg Asn Ala Asn Ser Leu Gln Pro  
1 5 10 15

Ala Pro Ser Trp Leu Lys Gln Ala Leu His Leu Ser Pro Leu Ser Ser  
20 25 30

Ala His Tyr Arg His Thr Pro Pro His Pro Ala Asn Phe Phe Glu Phe  
35 40 45

Leu Glu Thr Gly Phe  
50

&lt;210&gt; 231

&lt;211&gt; 30

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 231

Met Gly Gln Val Gly Val Arg Gly Pro Gly Glu Val Arg Ala Leu Ser  
1 5 10 15

Ser Lys Leu Ser Tyr Cys His Val Phe Val Pro Arg Arg Asp  
20 25 30

&lt;210&gt; 232

&lt;211&gt; 39

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 232

Met Val Phe Leu Gly Glu Leu Lys Thr Phe Ser Leu Val Ser Val Asn  
1 5 10 15

Gln Arg Ala Phe Ser Leu Phe Leu Leu Ile Pro Ser Ser Pro Val  
20 25 30

Asn Tyr Phe Ser Phe His Trp  
35

&lt;210&gt; 233

&lt;211&gt; 107

&lt;212&gt; PRT

&lt;213&gt; Homo sapien



198

&lt;400&gt; 233

Phe Phe Phe Phe Leu Leu Leu Phe Cys Asp Ser Leu Ala Leu Ser Pro  
1 5 10 15

Arg Leu Gln Cys Ser Gly Thr Ile Ser Ala His Cys Asn Leu Cys Leu  
20 25 30

Leu Gly Ser Ser Asn Ser Pro Val Ser Ala Ser Trp Val Ala Gly Thr  
35 40 45

Thr Gly Ala Cys His His Ala Trp Leu Thr Phe Val Phe Leu Val Glu  
50 55 60

Thr Gly Phe His His Val Gly Gln Ala Gly Leu Glu Phe Leu Thr Ser  
65 70 75 80

Gly Asp Pro Pro Ala Leu Ala Ser Gln Ser Ala Glu Ile Thr Gly Val  
85 90 95

Ser His Arg Ala Trp Pro Val Cys Phe Phe Asn  
100 105

&lt;210&gt; 234

&lt;211&gt; 57

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 234

Met Cys Ile Ile Leu Ser Ala His Ala Val Leu Gln Ala Ser Val Pro  
1 5 10 15

Leu Ala Val His Val Ser Pro His Ala Arg Ala Gly Pro Ser Trp Ser  
20 25 30

Ala Leu Val Ser Lys Trp Val Tyr Ala Glu Ala Asp Phe Gln Ser Val  
35 40 45

Ser Cys Pro Pro Ile Gln His Ser Arg  
50 55

&lt;210&gt; 235

&lt;211&gt; 50

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

199

&lt;400&gt; 235

Met Lys Val Pro Ala Tyr Ile Asn His Leu Ala Arg Trp Trp Glu Ile  
 1 5 10 15

Leu Cys Ser Ser Asn Val Leu Leu Val Leu Gly Arg Asp Gly Ala His  
 20 25 30

Ser Gly Ala Lys Glu Asp Lys Lys Ser Met Gln Asn Leu Ser Leu Leu  
 35 40 45

Met Ala  
 50

&lt;210&gt; 236

&lt;211&gt; 44

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 236

Met His Asn Trp Asp Cys Trp Asn Gly Pro Arg His Thr Thr Ala Gly  
 1 5 10 15

His Cys His Gln Glu Gly Ala Cys Val Leu Glu Gly Ser Gly Gln His  
 20 25 30

Arg Leu Ala Asn Leu Glu Gly Ser Gln Arg Asp Ser  
 35 40

&lt;210&gt; 237

&lt;211&gt; 146

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 237

Met Gly Ala Arg Val Pro His Ala Ala Asp Gly Pro Ser Gln Val Glu  
 1 5 10 15

Leu Pro Gly Val Gln Ser Gly Ser Pro Leu Ala Asp Leu Met Leu Ser  
 20 25 30

Asp Arg Trp Asp Lys Phe Phe Cys His Ser Ala Gly Leu Cys Pro Glu  
 35 40 45

Ala Ser Leu Leu Ala Gly Cys Ala His Ala Trp Glu Lys Ala Trp Ala  
 50 55 60

200

Val Asn Tyr Gly His Thr Cys Ser Leu Cys Gly His Cys Ser Pro Ala  
65 70 75 80

Pro Ile Pro Ile Pro Pro His Pro Thr His Pro Asn Thr His Thr Pro  
85 90 95

Arg Pro Gln Thr Pro Thr Pro Thr Thr Pro His Pro Pro Thr Pro Thr  
100 105 110

Pro Pro His Pro Pro Gln His Pro His Pro Arg Pro Pro Pro Thr Ser  
115 120 125

Thr His Pro Pro Thr His Asn Thr Pro His Thr Thr His His Gln His  
130 135 140

His His  
145

<210> 238  
<211> 47  
<212> PRT  
<213> Homo sapien

<400> 238

Met Tyr Arg Gln Tyr Gly Pro Trp Cys Thr Asn Ala Ala Ser Gly Arg  
1 5 10 15

Arg Asp Val Met Asp Gly Arg Gly Arg Gly Thr Phe Asn Pro Ser Ser  
20 25 30

Pro Phe Pro Pro Ser Gly Ala Ser Tyr Glu Ile Ser Val His Phe  
35 40 45

<210> 239  
<211> 91  
<212> PRT  
<213> Homo sapien

<400> 239

Met Val Lys Ile Ser Phe Gln Pro Ala Val Ala Gly Ile Lys Gly Asp  
1 5 10 15

Lys Ala Asp Lys Ala Ser Ala Ser Ala Pro Ala Pro Ala Ser Ala Thr  
20 25 30

201

Glu Ile Leu Leu Thr Pro Ala Arg Glu Glu Gln Pro Pro Gln His Arg  
           35                  40                  45

Ser Lys Arg Gly Gly Ser Val Gly Gly Val Cys Tyr Leu Ser Met Gly  
       50                  55                  60

Met Val Val Leu Leu Met Gly Leu Val Phe Ala Ser Val Tyr Ile Tyr  
   65                  70                  75                  80

Arg Tyr Phe Phe Leu Ala Gln Leu Ala Arg Asp  
                   85                  90

&lt;210&gt; 240

&lt;211&gt; 188

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 240

Met Arg Leu Val Gly Gly Val Gly Ser Phe Arg Leu Gly Gly Val Gly  
   1                  5                  10                  15

Cys Gly Gly Gly Gly Gly Gly Ala Gly Ala Gly Ser Trp Val Trp Met  
           20                  25                  30

Gly Gly Trp Gly Gly Gly Ala Gly Ala Leu Trp Val Ala Val Val Gly  
       35                  40                  45

Gly Ala Arg Trp Trp Gly Gly Ala Gly Trp Gly Ser Cys Gly Arg Val  
       50                  55                  60

Leu Val Gly Gly Arg Ala Val Val Val Gly Arg Val Gly Val Val Gly  
   65                  70                  75                  80

Trp Gly Trp Trp Arg Val Val Val Ala Gly Cys Val Cys Gly Gly Gly  
           85                  90                  95

Trp Arg Trp Trp Arg Ala Gly Val Gly Gly Gly Gly Gly Ala Val Ser  
           100                  105                  110

Gly Pro Ser Gly Ala Gly Pro Gly Arg Arg Cys Ser Met Val Glu Arg  
       115                  120                  125

Arg Arg Gly His Val Gly Ser Gly Gly Trp Ala Gly Arg Pro Gly Val  
       130                  135                  140

202

Val Gly Val Trp Ala Arg Cys Val Leu Val Ala Gly Ala Val Trp Arg  
 145 150 155 160

Arg Gly Gly Ala Val Trp Glu Trp Arg Gly Leu Gly Cys Gly Ala Trp  
 165 170 175

Cys Val Gly Arg Ser Trp Gly Glu Cys Gly Gly Arg  
 180 185

<210> 241  
 <211> 110  
 <212> PRT  
 <213> Homo sapien

<400> 241

Met Lys Leu Thr Leu Ser Glu Val Lys Met Glu Val Ile Gly Val Pro  
 1 5 10 15

Trp Arg Asn Gly Ser His Cys Phe Ile Ser Ile Thr Pro Gln Leu Lys  
 20 25 30

Phe Thr Pro Val Ser Gly His Lys Asn Met Arg Lys Glu Pro Cys Cys  
 35 40 45

Phe His Lys Gly Asn His Ser Ser Leu Ser Pro Leu Leu Ile Asn Leu  
 50 55 60

Lys Ser Trp Thr Pro Ser Phe Leu His Trp Pro Arg Pro Thr Leu Thr  
 65 70 75 80

His Leu Glu Pro Leu Phe Arg Ala Glu Trp His Glu Tyr Val Tyr Leu  
 85 90 95

Gly Arg Asp Gln Ser Ile Thr Gln Arg Arg Leu Glu Gln His  
 100 105 110

<210> 242  
 <211> 102  
 <212> PRT  
 <213> Homo sapien

<400> 242

Met Pro Ser Leu Pro Thr Arg Ser Leu Leu Ser Pro Cys Val Leu Glu  
 1 5 10 15

Leu Glu Glu Leu Thr Cys Ala Leu Cys Thr Trp Ala Phe Leu Leu Leu

203

20

25

30

Cys Leu Ala Leu Val Ala Asp Cys Pro Gly Leu Arg Gln Val Ile Pro  
 35 40 45

Gly Lys Gln Val Phe Val Leu Phe Ser Met Ser Gly Gly Arg Phe Ile  
 50 55 60

Leu Leu Ser Val Ser Ser His Phe Pro Ile Pro Phe Lys Lys Leu Trp  
 65 70 75 80

Pro Ala Gln Gly Arg Ala Leu Ser Cys Cys Ile Thr Ala Glu Pro Thr  
 85 90 95

Cys Pro His Ala Leu Leu  
 100

<210> 243  
 <211> 86  
 <212> PRT  
 <213> Homo sapien

<400> 243

Leu Ala Val Ser Leu Cys His Gln Ala Gly Val Gln Trp Cys Asn Pro  
 1 5 10 15

Gly Ser Leu Gln Pro Pro Pro Pro Gly Phe Lys Arg Phe Phe Cys Leu  
 20 25 30

Cys Leu Pro Ser Ser Trp Gly Tyr Arg His Thr Pro Pro Arg Pro Ala  
 35 40 45

Asn Phe Cys Val Phe Gly Arg Asp Gly Val Ser Pro Cys Trp Pro Gly  
 50 55 60

Trp Ser Leu Ser Leu Asp Val Ile Cys Asp Pro Pro Arg Gln Pro Pro  
 65 70 75 80

Lys Val Leu Gly Leu Gln  
 85

<210> 244  
 <211> 53  
 <212> PRT  
 <213> Homo sapien

204

&lt;400&gt; 244

Met Leu Leu Pro Phe Ala Val Arg Gly Leu Leu Thr Met Ala Arg Gly  
 1 5 10 15

Asp Val Ser Glu Ile Gln Val Val Val Ala Ser Trp Ser Thr Gln Leu  
 20 25 30

Ala His Met Gln Glu Glu Gly Leu Trp Pro Leu Ser Arg Ala Gly Gly  
 35 40 45

Leu Leu Pro Gln Ala  
 50

&lt;210&gt; 245

&lt;211&gt; 183

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 245

Leu Thr Pro Ala Gly Val Pro Trp Cys His Leu Gly Ser Leu Gln Pro  
 1 5 10 15

Leu Pro Pro Arg Phe Lys Ala Val Phe Ser Arg Leu Ala Pro Ser Leu  
 20 25 30

Glu Tyr Ala Trp Asp Tyr Arg Ala Pro Thr Ser His Ala Arg Leu Ile  
 35 40 45

Ser Leu Ala Phe Leu Val Glu Thr Gly Phe Ser Pro Thr Val Ala Arg  
 50 55 60

Leu Val Ser Asn Ser Trp Pro Pro Val Val Arg Pro Pro Leu Pro Ser  
 65 70 75 80

Gln Ser Ala Gly Ile Thr Gly Val Gly Pro Pro Cys Leu Ala Arg Pro  
 85 90 95

Ile Leu Pro Pro His Pro Phe Phe Phe Phe Phe Asp Met Glu Ser His  
 100 105 110

Ala Ile Thr Gln Ala Gly Val Gln Trp Arg His Leu Gly Ser Leu Gln  
 115 120 125

Pro Pro Pro Pro Met Phe Lys Ala Ser Ser Cys Leu Ser Leu Leu Ser  
 130 135 140

205

Ser Trp Asp Tyr Arg Arg Pro Pro Pro Arg Pro Ala Ile Phe Cys Ile  
 145 150 155 160

Phe Ser Arg Asp Gly Val Ser Pro Cys Ala Pro Gly Trp Ser Arg Ser  
 165 170 175

Pro Asp Leu Thr Pro Asp Leu  
 180

<210> 246  
 <211> 12  
 <212> PRT  
 <213> Homo sapien

<400> 246

Met Ala Pro Asp Thr Asn Thr Phe Leu His Pro Phe  
 1 5 10

<210> 247  
 <211> 240  
 <212> PRT  
 <213> Homo sapien

<400> 247

Met Gly Asn Cys Gln Ala Gly His Asn Leu His Leu Cys Leu Ala His  
 1 5 10 15

His Pro Pro Leu Val Cys Ala Thr Leu Ile Leu Leu Leu Leu Gly Leu  
 20 25 30

Ser Gly Leu Gly Leu Gly Ser Phe Leu Leu Thr His Arg Thr Gly Leu  
 35 40 45

Arg Ser Pro Asp Ile Pro Gln Asp Trp Val Ser Phe Leu Arg Ser Phe  
 50 55 60

Gly Gln Leu Thr Leu Cys Pro Arg Asn Gly Thr Val Thr Gly Lys Trp  
 65 70 75 80

Arg Gly Ser His Val Val Gly Leu Leu Thr Thr Leu Asn Phe Gly Asp  
 85 90 95

Gly Pro Asp Arg Asn Lys Thr Arg Thr Phe Gln Ala Thr Val Leu Gly  
 100 105 110



206

Ser Gln Met Gly Leu Lys Gly Ser Ser Ala Gly Gln Leu Val Leu Ile  
 115 120 125

Thr Ala Arg Val Thr Thr Glu Arg Thr Ala Gly Thr Cys Leu Tyr Phe  
 130 135 140

Ser Ala Val Pro Gly Ile Leu Pro Ser Ser Gln Pro Pro Ile Ser Cys  
 145 150 155 160

Ser Glu Glu Gly Ala Gly Asn Ala Thr Leu Ser Pro Arg Met Gly Glu  
 165 170 175

Glu Cys Val Ser Val Trp Ser His Glu Gly Leu Val Leu Thr Lys Leu  
 180 185 190

Leu Thr Ser Glu Glu Leu Ala Leu Cys Gly Ser Arg Leu Leu Val Leu  
 195 200 205

Gly Ser Phe Leu Leu Leu Phe Cys Gly Leu Leu Cys Cys Val Thr Ala  
 210 215 220

Met Cys Phe His Pro Arg Arg Glu Ser His Trp Ser Arg Thr Arg Leu  
 225 230 235 240

<210> 248  
 <211> 75  
 <212> PRT  
 <213> Homo sapien

<400> 248

Met Arg Arg Ala Val Ala Ser Val Met Tyr Arg Trp Ser Arg Pro Arg  
 1 5 10 15

Tyr Thr Gln Glu Ala Arg Arg Tyr Phe Phe Phe Ser Glu Leu Ser Pro  
 20 25 30

Gly Ser Lys Gly Glu Ala Met Gly Asp Pro Gly Met Val Leu Ala Ser  
 35 40 45

Gly Gly Cys Phe Leu Val Thr Gly Val Ser Ser Lys Gln Asn Gly Ile  
 50 55 60

Arg Met Lys Arg Gly Lys Gly Met Gly His Lys  
 65 70 75

207

<210> 249  
 <211> 594  
 <212> PRT  
 <213> Homo sapien

<400> 249

Val Pro Gly Arg Lys Leu His Arg Ser Arg Leu Gln Ala Ala Ala Pro  
 1 5 10 15

Arg Pro Ser Thr Cys Ala Gln Ser Leu Cys Trp Ser Arg Pro Pro Ala  
 20 25 30

Ala Gly Thr Gly Thr Gly Asp Pro Ser Gln Ser Lys Ala Pro Thr Met  
 35 40 45

Ala Met Gly Leu Phe Arg Val Cys Leu Val Val Val Thr Ala Ile Ile  
 50 55 60

Asn His Pro Leu Leu Phe Pro Arg Glu Asn Ala Thr Val Pro Glu Asn  
 65 70 75 80

Glu Glu Glu Ile Ile Arg Lys Met Gln Ala His Gln Glu Lys Leu Gln  
 85 90 95

Leu Glu Gln Leu Arg Leu Glu Glu Glu Val Ala Arg Leu Ala Ala Glu  
 100 105 110

Lys Glu Ala Leu Glu Gln Val Ala Glu Glu Gly Arg Gln Gln Asn Glu  
 115 120 125

Thr Arg Val Ala Trp Asp Leu Trp Ser Thr Leu Cys Met Ile Leu Phe  
 130 135 140

Leu Met Ile Glu Val Trp Arg Gln Asp His Gln Glu Gly Pro Ser Pro  
 145 150 155 160

Glu Cys Leu Gly Gly Glu Glu Asp Glu Leu Pro Gly Leu Gly Gly Ala  
 165 170 175

Pro Leu Gln Gly Leu Thr Leu Pro Asn Lys Ala Thr Leu Gly His Phe  
 180 185 190

Tyr Glu Arg Cys Ile Arg Gly Ala Thr Ala Asp Ala Ala Arg Thr Arg  
 195 200 205

208

Glu Phe Leu Glu Gly Phe Val Asp Asp Leu Leu Glu Ala Leu Arg Ser  
 210 215 220  
 Leu Cys Asn Arg Asp Thr Asp Met Glu Val Glu Asp Phe Ile Gly Val  
 225 230 235 240  
 Asp Ser Met Tyr Glu Asn Trp Gln Val Asp Arg Pro Leu Leu Cys His  
 245 250 255  
 Leu Phe Val Pro Phe Thr Pro Pro Glu Pro Tyr Arg Phe His Pro Glu  
 260 265 270  
 Leu Trp Cys Ser Gly Arg Ser Val Pro Leu Asp Arg Gln Gly Tyr Gly  
 275 280 285  
 Gln Ile Lys Val Val Arg Ala Asp Gly Asp Thr Leu Ser Cys Ile Cys  
 290 295 300  
 Gly Lys Thr Lys Leu Gly Glu Asp Met Leu Cys Leu Leu His Gly Arg  
 305 310 315 320  
 Asn Ser Met Ala Pro Pro Cys Gly Asp Met Glu Asn Leu Leu Cys Ala  
 325 330 335  
 Thr Asp Ser Leu Tyr Leu Asp Thr Met Gln Val Met Lys Trp Phe Gln  
 340 345 350  
 Thr Ala Leu Thr Arg Ala Trp Lys Gly Ile Ala His Lys Tyr Glu Phe  
 355 360 365  
 Asp Leu Ala Phe Gly Gln Leu Asp Ser Pro Gly Ser Leu Lys Ile Lys  
 370 375 380  
 Phe Arg Ser Gly Lys Phe Met Pro Phe Asn Leu Ile Pro Val Ile Gln  
 385 390 395 400  
 Cys Asp Asp Ser Asp Leu Tyr Phe Val Ser His Leu Pro Arg Glu Pro  
 405 410 415  
 Ser Glu Gly Thr Pro Ala Ser Ser Thr Asp Trp Leu Leu Ser Phe Ala  
 420 425 430  
 Val Tyr Glu Arg His Phe Leu Arg Thr Thr Leu Lys Ala Leu Pro Glu  
 435 440 445

209

Gly Ala Cys His Leu Ser Cys Leu Gln Ile Ala Ser Phe Leu Leu Ser  
 450 455 460

Lys Gln Ser Arg Leu Thr Gly Pro Ser Gly Leu Ser Ser Tyr His Leu  
 465 470 475 480

Lys Thr Ala Leu Leu His Leu Leu Leu Leu Arg Gln Ala Ala Asp Trp  
 485 490 495

Lys Ala Gly Gln Leu Asp Ala Arg Leu His Glu Leu Leu Cys Phe Leu  
 500 505 510

Glu Lys Ser Leu Leu Gln Lys Lys Leu His His Phe Phe Ile Gly Asn  
 515 520 525

Arg Lys Val Pro Glu Ala Met Gly Leu Pro Glu Ala Val Leu Arg Ala  
 530 535 540

Glu Pro Leu Asn Leu Phe Arg Pro Phe Val Leu Gln Arg Ser Leu Tyr  
 545 550 555 560

Arg Lys Thr Leu Asp Ser Phe Tyr Glu Met Leu Lys Asn Ala Pro Ala  
 565 570 575

Leu Ile Ser Glu Tyr Ser Leu His Val Pro Ser Asp Gln Pro Thr Pro  
 580 585 590

Lys Ser

<210> 250  
 <211> 23  
 <212> PRT  
 <213> Homo sapien

<400> 250

Met Tyr Cys Ile Gly Gly Trp Ala Gly Pro Thr Leu Cys Tyr Val Lys  
 1 5 10 15

Glu Leu Val Leu Val Leu Gly  
 20

<210> 251  
 <211> 213

210

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 251

Ser Pro His Gln Ala Ala Ala Pro Val Asp Gln Thr Pro Arg Thr Leu  
 1 5 10 15

Ala Thr Met Gly Gln Arg Ala Leu Pro Ser Ser Leu Ala Leu Leu Ser  
 20 25 30

Arg Pro Leu Ser Pro Pro Pro Ala Ala Cys Ser Gly Asp Pro Gly Cys  
 35 40 45

Gly Ser Gly Ala Gly Leu Pro Ser Ala Ser Ala Ala Ala Gly Ile Ala  
 50 55 60

Ser Ser Ala Val Glu Ala Val Cys Gly Asp Ala Ala Pro Ala Cys Leu  
 65 70 75 80

Leu Arg Thr Pro Leu Arg Gly Leu Leu Lys Pro Thr Gly Pro Arg Ser  
 85 90 95

Thr Met Glu Cys Pro Pro Ala Leu Ile Val His Pro Pro Thr Gly Gly  
 100 105 110

Met Ala Arg Arg Ala Ala Ser Gln Pro Trp Ala Ala Ala Ser Ala Thr  
 115 120 125

Pro Met Leu Ser Ser Lys Ala Ser Leu Cys Ile Pro Thr Glu Arg Pro  
 130 135 140

Pro Pro Gln Pro Leu Met Arg Thr Pro Ala Ala Arg Ser His Trp Pro  
 145 150 155 160

Ile Pro His Pro Ala Ser Thr Ala Cys Pro Ala Pro Leu Pro Val Val  
 165 170 175

Leu Val Ala Pro Arg Ser Thr Ile Leu Ser Met Ser Arg Thr Trp Thr  
 180 185 190

Cys Arg Arg Trp Ala Val Ala Pro Cys Arg Ala Glu Lys Leu Met Cys  
 195 200 205

Ser Ser Ser Arg Ser  
 210

211

<210> 252  
<211> 32  
<212> PRT  
<213> Homo sapien

<400> 252

Met His Glu Leu Thr Ala Arg Leu Thr Gln Pro Leu Asn Ser Gly Ser  
1 5 10 15

Cys Phe Ser Leu Ala Ala Ile His His Met Arg Arg Arg Ser Met His  
20 25 30

<210> 253  
<211> 58  
<212> PRT  
<213> Homo sapien

<400> 253

Met Ser Leu Gln Leu Gln Ile Leu Asn Val Ser Pro Val Ile Trp His  
1 5 10 15

Phe Arg His Ser Tyr Leu Lys Pro Gln Phe Ser Leu Pro Val Lys Trp  
20 25 30

Gly Ile Ile Ile Pro Ile Leu Pro Arg Leu Leu Lys Gly Leu Ser Glu  
35 40 45

Leu Ile Cys Lys Met Leu Asn Arg Thr Gln  
50 55

<210> 254  
<211> 34  
<212> PRT  
<213> Homo sapien

<400> 254

Met Gly Ser Ala Phe Val Leu Leu Ser Trp Arg Ala Cys Leu Cys Cys  
1 5 10 15

Arg Ala Val Ser Val Val Gly Ile Ala Leu Leu Phe Pro Ala Thr Gly  
20 25 30

Gln Ile

212

<210> 255  
 <211> 74  
 <212> PRT  
 <213> Homo sapien

<400> 255

Lys Arg Phe Phe Phe Phe Pro Ala Pro Ile Phe Cys Lys Thr Glu Val  
 1 5 10 15

Pro Glu His Arg Arg Ser Ser Ser Gln Ala Asn Phe Ile Lys Lys Lys  
 20 25 30

Leu Glu Val Cys Phe Asp Phe Ala Val Ile Cys Phe Ile Thr Ser Ile  
 35 40 45

Phe Gly Glu Gln Pro Gln Leu Leu Ile Phe Met Glu Lys Tyr Phe Gln  
 50 55 60

Val Gln Gly Gln Tyr Ile Ser Gln Ser Glu  
 65 70

<210> 256  
 <211> 34  
 <212> PRT  
 <213> Homo sapien

<400> 256

Met Ile Lys Val Cys Val Pro Ile Thr Phe Pro Leu Pro Glu Arg Arg  
 1 5 10 15

Val Ser Arg Lys Ile Asn Ser Ile Leu Asp Ala Gly Thr Ser Pro Arg  
 20 25 30

Pro Arg

<210> 257  
 <211> 37  
 <212> PRT  
 <213> Homo sapien

<400> 257

Met Asn Ser Ser Asn Arg Arg Leu Phe Trp Lys Lys Ser Gln Gly Leu  
 1 5 10 15

Ser Pro Ser Trp Val Ala Pro Tyr Lys Ser Asn Ser Ser Ser Gly Ser  
 20 25 30

213

Leu Val Tyr Pro Leu  
35

<210> 258  
<211> 73  
<212> PRT  
<213> Homo sapien

<400> 258

Met Glu Phe Leu Leu Leu Glu Val Glu Lys Tyr Asn Ile Ile Lys Lys  
1 5 10 15

Asp Val Ile Pro Thr Arg Gly Leu Arg Gly Lys Leu Lys Asp Ile Lys  
20 25 30

Gln Ser Asn Leu Val Ile Val Lys Thr Ile Tyr Val Gly His Arg Thr  
35 40 45

Glu Asp Gln Val Ser Lys Glu Asp Gly Ser Val Pro Phe Val Ser Pro  
50 55 60

Val Pro Lys Ala Val Phe Gly Ala Ser  
65 70

<210> 259  
<211> 1533  
<212> PRT  
<213> Homo sapien

<400> 259

Met Tyr Ile Arg Val Ser Tyr Asp Thr Lys Pro Asp Ser Leu Leu His  
1 5 10 15

Leu Met Val Lys Asp Trp Gln Leu Glu Leu Pro Lys Leu Leu Ile Ser  
20 25 30

Val His Gly Gly Leu Gln Asn Phe Glu Met Gln Pro Lys Leu Lys Gln  
35 40 45

Val Phe Gly Lys Gly Leu Ile Lys Ala Ala Met Thr Thr Gly Ala Trp  
50 55 60

Ile Phe Thr Gly Gly Val Ser Thr Gly Val Ile Ser His Val Gly Asp  
65 70 75 80



214

Ala Leu Lys Asp His Ser Ser Lys Ser Arg Gly Arg Val Cys Ala Ile  
85 90 95

Gly Ile Ala Pro Trp Gly Ile Val Glu Asn Lys Glu Asp Leu Val Gly  
100 105 110

Lys Asp Val Thr Arg Val Tyr Gln Thr Met Ser Asn Pro Leu Ser Lys  
115 120 125

Leu Ser Val Leu Asn Asn Ser His Thr His Phe Ile Leu Ala Asp Asn  
130 135 140

Gly Thr Leu Gly Lys Tyr Gly Ala Glu Val Lys Leu Arg Arg Leu Leu  
145 150 155 160

Glu Lys His Ile Ser Leu Gln Lys Ile Asn Thr Arg Leu Gly Gln Gly  
165 170 175

Val Pro Leu Val Gly Leu Val Val Glu Gly Gly Pro Asn Val Val Ser  
180 185 190

Ile Val Leu Glu Tyr Leu Gln Glu Glu Pro Pro Ile Pro Val Val Ile  
195 200 205

Cys Asp Gly Ser Gly Arg Ala Ser Asp Ile Leu Ser Phe Ala His Lys  
210 215 220

Tyr Cys Glu Glu Gly Gly Ile Ile Asn Glu Ser Leu Arg Glu Gln Leu  
225 230 235 240

Leu Val Thr Ile Gln Lys Thr Phe Asn Tyr Asn Lys Ala Gln Ser His  
245 250 255

Gln Leu Phe Ala Ile Ile Met Glu Cys Met Lys Lys Lys Glu Leu Val  
260 265 270

Thr Val Phe Arg Met Gly Ser Glu Gly Gln Gln Asp Ile Glu Met Ala  
275 280 285

Ile Leu Thr Ala Leu Leu Lys Gly Thr Asn Val Ser Ala Pro Asp Gln  
290 295 300

Leu Ser Leu Ala Leu Ala Trp Asn Arg Val Asp Ile Ala Arg Ser Gln  
305 310 315 320

Ile	Phe	Val	Phe	Gly	Pro	His	Trp	Thr	Pro	Leu	Gly	Ser	Leu	Ala	Pro
				325					330					335	
Pro	Thr	Asp	Ser	Lys	Ala	Thr	Glu	Lys	Glu	Lys	Lys	Pro	Pro	Met	Ala
			340					345					350		
Thr	Thr	Lys	Gly	Gly	Arg	Gly	Lys	Gly	Lys	Gly	Lys	Lys	Lys	Gly	Lys
		355					360					365			
Val	Lys	Glu	Glu	Val	Glu	Glu	Glu	Thr	Asp	Pro	Arg	Lys	Ile	Glu	Leu
	370					375					380				
Leu	Asn	Trp	Val	Asn	Ala	Leu	Glu	Gln	Ala	Met	Leu	Asp	Ala	Leu	Val
385					390					395					400
Leu	Asp	Arg	Val	Asp	Phe	Val	Lys	Leu	Leu	Ile	Glu	Asn	Gly	Val	Asn
				405					410					415	
Met	Gln	His	Phe	Leu	Thr	Ile	Pro	Arg	Leu	Glu	Glu	Leu	Tyr	Asn	Thr
			420					425					430		
Arg	Leu	Gly	Pro	Pro	Asn	Thr	Leu	His	Leu	Leu	Val	Arg	Asp	Val	Lys
		435					440					445			
Lys	Ser	Asn	Leu	Pro	Pro	Asp	Tyr	His	Ile	Ser	Leu	Ile	Asp	Ile	Gly
	450					455					460				
Leu	Val	Leu	Glu	Tyr	Leu	Met	Gly	Gly	Ala	Tyr	Arg	Cys	Asn	Tyr	Thr
465					470					475					480
Arg	Lys	Asn	Phe	Arg	Thr	Leu	Tyr	Asn	Asn	Leu	Phe	Gly	Pro	Lys	Arg
			485						490					495	
Pro	Lys	Ala	Leu	Lys	Leu	Leu	Gly	Met	Glu	Asp	Asp	Glu	Pro	Pro	Ala
			500					505					510		
Lys	Gly	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Glu	Glu	Glu	Ile	Asp	Ile
		515					520					525			
Asp	Val	Asp	Asp	Pro	Ala	Val	Ser	Arg	Phe	Gln	Tyr	Pro	Phe	His	Glu
	530					535					540				
Leu	Met	Val	Trp	Ala	Val	Leu	Met	Lys	Arg	Gln	Lys	Met	Ala	Val	Ph

216

545		550		555		560
Leu Trp Gln Arg Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys						
	565			570		575
Lys Leu Tyr Lys Ala Met Ala His Glu Ser Ser Glu Ser Asp Leu Val						
	580		585			590
Asp Asp Ile Ser Gln Asp Leu Asp Asn Asn Ser Lys Asp Phe Gly Gln						
	595		600			605
Leu Ala Leu Glu Leu Leu Asp Gln Ser Tyr Lys His Asp Glu Gln Ile						
	610		615			620
Ala Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr						
	625		630		635	640
Cys Leu Lys Leu Ala Val Ala Ala Lys His Arg Asp Phe Ile Ala His						
		645		650		655
Thr Cys Ser Gln Met Leu Leu Thr Asp Met Trp Met Gly Arg Leu Arg						
		660		665		670
Met Arg Lys Asn Pro Gly Leu Lys Val Ile Met Gly Ile Leu Leu Pro						
	675		680			685
Pro Thr Ile Leu Phe Leu Glu Phe Arg Thr Tyr Asp Asp Phe Ser Tyr						
	690		695		700	
Gln Thr Ser Lys Glu Asn Glu Asp Gly Lys Glu Lys Glu Glu Glu Asn						
	705		710		715	720
Thr Asp Ala Asn Ala Asp Ala Gly Ser Arg Lys Gly Asp Glu Glu Asn						
		725		730		735
Glu His Lys Lys Gln Arg Ser Ile Pro Ile Gly Thr Lys Ile Cys Glu						
		740		745		750
Phe Tyr Asn Ala Pro Ile Val Lys Phe Trp Phe Tyr Thr Ile Ser Tyr						
	755		760			765
Leu Gly Tyr Leu Leu Leu Phe Asn Tyr Val Ile Leu Val Arg Met Asp						
	770		775			780

217

Gly Trp Pro Ser Leu Gln Glu Trp Ile Val Ile Ser Tyr Ile Val Ser  
785 790 795 800

Leu Ala Leu Glu Lys Ile Arg Glu Ile Leu Met Ser Glu Pro Gly Lys  
805 810 815

Leu Ser Gln Lys Ile Lys Val Trp Leu Gln Glu Tyr Trp Asn Ile Thr  
820 825 830

Asp Leu Val Ala Ile Ser Thr Phe Met Ile Gly Ala Ile Leu Arg Leu  
835 840 845

Gln Asn Gln Pro Tyr Met Gly Tyr Gly Arg Val Ile Tyr Cys Val Asp  
850 855 860

Ile Ile Phe Trp Tyr Ile Arg Val Leu Asp Ile Phe Gly Val Asn Lys  
865 870 875 880

Tyr Leu Gly Pro Tyr Val Met Met Ile Gly Lys Met Met Ile Asp Met  
885 890 895

Leu Tyr Phe Val Val Ile Met Leu Val Val Leu Met Ser Phe Gly Val  
900 905 910

Ala Arg Gln Ala Ile Leu His Pro Glu Glu Lys Pro Ser Trp Lys Leu  
915 920 925

Ala Arg Asn Ile Phe Tyr Met Pro Tyr Trp Met Ile Tyr Gly Glu Val  
930 935 940

Phe Ala Asp Gln Ile Asp Leu Tyr Ala Met Glu Ile Asn Pro Pro Cys  
945 950 955 960

Gly Glu Asn Leu Tyr Asp Glu Glu Gly Lys Arg Leu Pro Pro Cys Ile  
965 970 975

Pro Gly Ala Trp Leu Thr Pro Ala Leu Met Ala Cys Tyr Leu Leu Val  
980 985 990

Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Val Phe Asn Asn Thr  
995 1000 1005

Phe Phe Glu Val Lys Ser Ile Ser Asn Gln Val Trp Lys Phe Gln  
1010 1015 1020

218

Arg Tyr	Gln Leu Ile Met Thr	Phe His Asp Arg Pro	Val Leu Pro
1025	1030	1035	
Pro Pro	Met Ile Ile Leu Ser	His Ile Tyr Ile Ile	Ile Met Arg
1040	1045	1050	
Leu Ser	Gly Arg Cys Arg Lys	Lys Arg Glu Gly Asp	Gln Glu Glu
1055	1060	1065	
Arg Asp	Arg Gly Leu Lys Leu	Phe Leu Ser Asp Glu	Glu Leu Lys
1070	1075	1080	
Arg Leu	His Glu Phe Glu Glu	Gln Cys Val Gln Glu	His Phe Arg
1085	1090	1095	
Glu Lys	Glu Asp Glu Gln Gln	Ser Ser Ser Asp Glu	Arg Ile Arg
1100	1105	1110	
Val Thr	Ser Glu Arg Val Glu	Asn Met Ser Met Arg	Leu Glu Glu
1115	1120	1125	
Ile Asn	Glu Arg Glu Thr Phe	Met Lys Thr Ser Leu	Gln Thr Val
1130	1135	1140	
Asp Leu	Arg Leu Ala Gln Leu	Glu Glu Leu Ser Asn	Arg Met Val
1145	1150	1155	
Asn Ala	Leu Glu Asn Leu Ala	Gly Ile Asp Arg Ser	Asp Leu Ile
1160	1165	1170	
Gln Ala	Arg Ser Arg Ala Ser	Ser Glu Cys Glu Ala	Thr Tyr Leu
1175	1180	1185	
Leu Arg	Gln Ser Ser Ile Asn	Ser Ala Asp Gly Tyr	Ser Leu Tyr
1190	1195	1200	
Arg Tyr	His Phe Asn Gly Glu	Glu Leu Leu Phe Glu	Asp Thr Ser
1205	1210	1215	
Leu Ser	Thr Ser Pro Gly Thr	Gly Val Arg Lys Lys	Thr Cys Ser
1220	1225	1230	
Phe Arg	Ile Lys Glu Glu Lys	Asp Val Lys Thr His	Leu Val Pro
1235	1240	1245	

Glu Cys	Gln Asn Ser Leu His	Leu Ser Leu Gly Thr	Ser Thr Ser
1250	1255	1260	
Ala Thr	Pro Asp Gly Ser His	Leu Ala Val Asp Asp	Leu Lys Asn
1265	1270	1275	
Ala Glu	Glu Ser Lys Leu Gly	Pro Asp Ile Gly Ile	Ser Lys Glu
1280	1285	1290	
Asp Asp	Glu Arg Gln Thr Asp	Ser Lys Lys Glu Glu	Thr Ile Ser
1295	1300	1305	
Pro Ser	Leu Asn Lys Thr Asp	Val Ile His Gly Gln	Asp Lys Ser
1310	1315	1320	
Asp Val	Gln Asn Thr Gln Leu	Thr Val Glu Thr Thr	Asn Ile Glu
1325	1330	1335	
Gly Thr	Ile Ser Tyr Pro Leu	Glu Glu Thr Lys Ile	Thr Arg Tyr
1340	1345	1350	
Phe Pro	Asp Glu Thr Ile Asn	Ala Cys Lys Thr Met	Lys Ser Arg
1355	1360	1365	
Ser Phe	Val Tyr Ser Arg Gly	Arg Lys Leu Val Gly	Gly Val Asn
1370	1375	1380	
Gln Asp	Val Glu Tyr Ser Ser	Ile Thr Asp Gln Gln	Leu Thr Thr
1385	1390	1395	
Glu Trp	Gln Cys Gln Val Gln	Lys Ile Thr Arg Ser	His Ser Thr
1400	1405	1410	
Asp Ile	Pro Tyr Ile Val Ser	Glu Ala Ala Val Gln	Ala Glu Gln
1415	1420	1425	
Lys Glu	Gln Phe Ala Asp Met	Gln Asp Glu His His	Val Ala Glu
1430	1435	1440	
Ala Ile	Pro Arg Ile Pro Arg	Leu Ser Leu Thr Ile	Thr Asp Arg
1445	1450	1455	
Asn Gly	Met Glu Asn Leu Leu	Ser Val Lys Pro Asp	Gln Thr Leu

220

1460

1465

1470

Gly Phe Pro Ser Leu Arg Ser Lys Ser Leu His Gly His Pro Arg  
 1475 1480 1485

Asn Val Lys Ser Ile Gln Gly Lys Leu Asp Arg Ser Gly His Ala  
 1490 1495 1500

Ser Ser Val Ser Ser Leu Val Ile Val Ser Gly Met Thr Ala Glu  
 1505 1510 1515

Glu Lys Lys Val Lys Lys Glu Lys Ala Ser Thr Glu Thr Glu Cys  
 1520 1525 1530

<210> 260  
 <211> 92  
 <212> PRT  
 <213> Homo sapien

&lt;400&gt; 260

Met Ile Ile Leu Val Val Gly Arg Ile Thr Arg Gly Asn Ala Leu Tyr  
 1 5 10 15

Ser Gln Glu Glu Cys Cys Val Cys Thr Thr Gln Leu Thr Thr Trp Val  
 20 25 30

Val Cys Ser Thr Leu His Cys Val Ser Ile Leu Trp Ser Val Arg Pro  
 35 40 45

Ser Leu Ser Glu Gly Gly Tyr Leu Pro Leu Ala Ala Ser Val Ser Ala  
 50 55 60

Ala Ile Val Val Cys Phe Val Cys Val Cys Val Val Ser Cys His Asp  
 65 70 75 80

Ala Thr Ile Leu Leu Arg Ile Gly Asn Phe Gly Gly  
 85 90

<210> 261  
 <211> 66  
 <212> PRT  
 <213> Homo sapien

&lt;400&gt; 261

Met Glu Leu Leu Thr Asp Lys Gly Glu Ile Leu Asp Leu Glu Pro Phe  
 1 5 10 15

221

Pro Ala Ile Leu Leu Phe Ser Leu Cys Leu Gly Ser Trp Phe His Ser  
                   20                  25                  30

Ala Arg His Glu Gly Pro Phe Gln Phe Asp Asp Ile Arg Leu Leu Thr  
                   35                  40                  45

Leu Ser Trp Met Pro Cys Cys Leu Gln Gln His Asp Phe Thr Val Cys  
           50                  55                  60

Phe Ser  
   65

<210> 262  
 <211> 90  
 <212> PRT  
 <213> Homo sapien

<400> 262

Met Trp Asn Ile Pro Gly Leu Ala Gly Ala Met Pro Ala Met Gln Thr  
   1                  5                  10                  15

Ser Pro Glu Pro Ser His Pro Gly Ser Val Arg Val Pro Arg Ala Val  
           20                  25                  30

Ala Pro His Pro Pro Pro Thr Gly Pro Cys Ser Trp Ser Cys Cys Asp  
           35                  40                  45

Ser Phe Ile Ile Pro Trp Ala Gly Val Gly Leu Ser Leu Cys Phe Cys  
   50                  55                  60

Leu Leu Phe Lys Glu Asp Glu Val Ser Met Glu Asn Lys Thr Asn Val  
   65                  70                  75                  80

Val Thr Pro Ser Leu Arg Arg Val His Cys  
                   85                  90

<210> 263  
 <211> 13  
 <212> PRT  
 <213> Homo sapien

<400> 263

Met Ser Gly Gln Pro Arg Pro Thr Ser Pro Cys Val Leu  
   1                  5                  10



222

<210> 264  
<211> 100  
<212> PRT  
<213> Homo sapien

<400> 264

Phe Phe Leu Arg Trp Ser Leu Ala Gln Val Ala Gln Ala Ala Arg Gln  
1 5 10 15

Trp Leu Asn Leu Ser Ser Leu Gln Pro Pro Pro Gly Phe Lys Arg  
20 25 30

Phe Ser Cys Leu Gly Leu Leu Ser Ser Trp Asp Tyr Arg His Ala Pro  
35 40 45

Pro Arg Pro Ala Ile Phe Val Phe Leu Val Glu Met Gly Phe His His  
50 55 60

Ile Val Gln Ala Gly Leu Lys Pro Leu Thr Ser Gly Asp Leu Ala Thr  
65 70 75 80

Ser Ala Phe Gln Ser Ala Glu Ile Ile Gly Val Ser His Cys Ala Gln  
85 90 95

Pro Gln Lys Ser  
100

<210> 265  
<211> 10  
<212> PRT  
<213> Homo sapien

<400> 265

Met Lys Gly Lys Ile Leu Ile Phe Pro Ile  
1 5 10

<210> 266  
<211> 43  
<212> PRT  
<213> Homo sapien

<400> 266

Met Ser Pro Glu Pro Ser His Phe Ser Pro Pro Ala Pro Pro Ser Phe  
1 5 10 15

Ser Pro Thr His Pro Ser Leu Pro Leu Thr Trp Ile Ser Ala Pro Ala

30

Ser Gln Glu Leu Leu Asp Glu His Gln Glu Met Arg Phe Lys Tyr Asn  
20 25 30

224

Thr Glu Lys Cys Ala Gln Ala Gly Tyr His Pro Cys Trp Asn Leu Ala  
35 40 45

Leu Ala Asn Trp Ala Thr Arg Val Pro Ala Arg Ala Asp Pro Ser Gln  
50 55 60

Ser Ala Gly  
65

<210> 269  
<211> 23  
<212> PRT  
<213> Homo sapien

<400> 269

Met Thr Asp Leu Lys Glu Asn Ser Lys Ala Asp Leu Glu Asn Leu Leu  
1 5 10 15

Leu Phe Leu Ser Pro Asn Pro  
20

<210> 270  
<211> 46  
<212> PRT  
<213> Homo sapien

<400> 270

Met Glu Asn Leu Ser Ser Ile Ser Glu Val Val Asn Ala Ile Ser Gly  
1 5 10 15

Ile Gln Arg Leu Ala Val Lys Ser Ser Leu Gly Ser Leu Tyr Leu Thr  
20 25 30

Phe Phe Leu Val Ser Ile Leu Lys Met Gln Ser His Ile Leu  
35 40 45

<210> 271  
<211> 15  
<212> PRT  
<213> Homo sapien

<400> 271

Met Thr Glu Glu Gly Glu Ser Leu Ser Gly Gln Ser Leu Gly Trp  
1 5 10 15

225

<210> 272  
<211> 46  
<212> PRT  
<213> Homo sapien

<400> 272

Met Pro Ser Ala Arg Met Ser Asp Gly Leu Val Ala Ala Glu Val Gln  
1 5 10 15

Ser Pro Val Ile Phe Leu Phe Gly Pro Ile Trp Leu Leu Ile Leu Met  
20 25 30

His Gln Asn Phe Met Tyr Asn His Met Asp Leu Tyr Val Asn  
35 40 45

<210> 273  
<211> 32  
<212> PRT  
<213> Homo sapien

<400> 273

Met Gly Arg Ala Leu Pro Leu Ser Ala Ala Pro Ser Leu Ser Leu Cys  
1 5 10 15

Leu Pro Ala Gln Lys Arg Trp Leu Trp Pro Arg Gly Ser Gly Arg Asp  
20 25 30

<210> 274  
<211> 224  
<212> PRT  
<213> Homo sapien

<400> 274

Met Ala Val Gly Asn Ile Asn Glu Leu Pro Glu Asn Ile Leu Leu Glu  
1 5 10 15

Leu Phe Thr His Val Pro Ala Arg Gln Leu Leu Leu Asn Cys Arg Leu  
20 25 30

Val Cys Ser Leu Trp Arg Asp Leu Ile Asp Leu Val Thr Leu Trp Lys  
35 40 45

Arg Lys Cys Leu Arg Glu Gly Phe Ile Thr Glu Asp Trp Asp Gln Pro  
50 55 60

Val Ala Asp Trp Lys Ile Phe Tyr Phe Leu Arg Ser Leu His Arg Asn  
65 70 75 80

226

Leu Leu His Asn Pro Cys Ala Glu Glu Gly Phe Glu Phe Trp Ser Leu  
                     85                    90                    95

Asp Val Asn Gly Gly Asp Glu Trp Lys Val Glu Asp Leu Ser Arg Asp  
                     100                    105                    110

Gln Arg Lys Glu Phe Pro Asn Asp Gln Val Arg Ser Gln Ala Arg Leu  
                     115                    120                    125

Arg Val Gln Val Pro Ala Val Arg Ser Ala Pro Val Val Arg Ala Arg  
                     130                    135                    140

Ala Ser Gly Asp Leu Pro Ala Arg Pro Gly Asp His Pro Ala Glu Glu  
                     145                    150                    155                    160

Arg Cys Gln Val Glu Gly Gly Leu Pro His Ile Leu Gln Leu Pro Ala  
                     165                    170                    175

Arg Arg Pro Leu His Leu Val Ser Ala Arg Arg Arg Gly His Ser Leu  
                     180                    185                    190

Leu Gly Arg Leu Val Arg Pro Glu Gly His Gln Gln Gln His His His  
                     195                    200                    205

Arg Ala Pro Ala Ala Leu Thr Pro Pro Glu Pro Pro Ser Ala Glu Pro  
                     210                    215                    220

<210> 275

<211> 33

<212> PRT

<213> Homo sapien

<400> 275

Met Gly Gly Gln Ala Thr Arg Tyr Tyr Ile Ile Asn Ile Leu Ser Gly  
                     1                    5                    10                    15

Lys Ile Ser Leu Phe Arg Ala Ile Arg Gln Val Ala Lys Asn Phe Ile  
                     20                    25                    30

Leu

<210> 276

<211> 77

227

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 276

Met Asn Gly Lys Thr Lys Val Glu Arg Asn Ile Leu Ser Tyr Ile Ile  
 1 5 10 15

Leu Gln Ile Lys Thr Phe Lys Asn Gln Ile Val Phe Leu Val Leu Arg  
 20 25 30

Thr Asn Arg Lys Cys Leu Ile Ile Tyr Phe Ile Ser Thr Arg Gln Lys  
 35 40 45

Tyr Ser Tyr Ala Ala Asp Val Arg Glu Gly Gly Glu Phe Pro Gln Pro  
 50 55 60

Ser Met Lys Lys Asp Lys Gly Pro Tyr Pro Leu Ala Val  
 65 70 75

&lt;210&gt; 277

&lt;211&gt; 39

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 277

Met Tyr Val Arg Ser Ile His Leu Lys Ser Met Val Gln Ile Ala Lys  
 1 5 10 15

Ile Gly Pro Gly Glu Thr Cys Ser His Phe Leu Lys Thr Cys Thr Ser  
 20 25 30

Ala Ala Asn His Ala Thr Pro  
 35

&lt;210&gt; 278

&lt;211&gt; 26

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 278

Met Pro Ile Arg Leu Cys Val Cys Ala Arg Phe Leu Lys Thr Ala Asn  
 1 5 10 15

Tyr Ile Val Ser Ser Gln Met Ser Gly Phe  
 20 25

228

<210> 279  
 <211> 149  
 <212> PRT  
 <213> Homo sapien

<400> 279

Met Leu Val Phe Ser Ala Gly Arg Leu Ala Cys Trp Arg Ala Val Cys  
 1 5 10 15

Trp Leu Gly Arg Cys Ala Cys Ala Ser Ser Arg Val Cys Leu Arg Leu  
 20 25 30

Val Leu Ser Trp Ser Arg Val Val Cys Phe Trp Trp Ser Phe Trp Leu  
 35 40 45

Phe Val Ser Val Val Cys Phe Val Phe Ser Cys Phe Val Ser Leu Leu  
 50 55 60

Cys Cys Cys Gly Val Arg Leu Tyr Phe Val Val Ser Trp Gly Val Phe  
 65 70 75 80

Phe Cys Asp Leu Leu Arg Cys Cys Tyr Asp Asn Val Cys Phe Ala His  
 85 90 95

Pro Thr Val Cys Phe Ser Ser Cys Pro Phe Phe Gly Val Leu Asn Tyr  
 100 105 110

Val Phe Phe Ile Leu Phe Pro His Trp Gly Val Cys Val Gly Gly Val  
 115 120 125

Val Pro Phe Ala Ala Val Phe Ser Gly Phe Phe Trp Ser Cys Pro Cys  
 130 135 140

Phe Val Ala Ala Arg  
 145

<210> 280  
 <211> 54  
 <212> PRT  
 <213> Homo sapien

<400> 280

Met Ile Leu Lys Gly Thr Leu Thr Ile Tyr Asn Lys Ser Phe Gln Tyr  
 1 5 10 15

Tyr Ser Ser Ser Leu Thr Ser Glu Ser Leu Val Tyr Val Ile Leu Ser

229

20

25

30

Arg Lys Lys Thr Thr Tyr Lys Ser His Phe Pro Thr Lys Leu Ile Gln  
35 40 45

His Pro Thr Leu Lys Ile  
50

<210>	281
<211>	114
<212>	PRT
<213>	Homo sapien

<400> 281

Val Ala Gly Ile Thr Gly Ile His His His Thr Gln Leu Phe Phe Cys  
1 5 10 15

Ile Phe Val Arg Asp Arg Phe Leu His Val Gly Gln Ala Gly Leu Glu  
20 25 30

Leu Pro Thr Ser Gly Asp Pro Pro Thr Ser Ala Ser Gln Ser Asp Asp  
35 40 45

Phe Ile Phe Ile Phe Asn Cys Ile Asn Leu His Leu Asp Asn Asp Phe  
50 55 60

Val Lys Gly Val Cys Cys Val Gln Asn Leu Arg Tyr Trp Leu Arg Val  
65 70 75 80

Lys Tyr Ile Ile Phe Ile Ile Cys Trp Val Ala Ser Ser Tyr Ala Ala  
85 90 95

Phe Phe Leu Ser Thr Phe Ile Lys Ser Ser Phe Leu Lys Leu Phe Ile  
100 105 110

Ile Phe

<210>	282
<211>	171
<212>	PRT
<213>	Homo sapien

<400> 282

Met Leu Phe Cys Ile Phe Thr Val Tyr Cys Phe Tyr Asn Lys Tyr Lys  
1 5 10 15



230

Met Lys Met Phe Met Leu Thr Lys Arg Thr Lys Asn Asn Lys Gln Gln  
 20 25 30

Lys Thr Lys Gly Trp Gly Cys His Thr Cys Gly Pro Lys Ala Gly Phe  
 35 40 45

Pro Gly Gly Gly His Leu Val Leu Ser Arg Pro His Asn Ser Pro Pro  
 50 55 60

Lys Tyr Tyr Arg Glu Thr Thr Gly Arg Thr Thr Gln His Thr Lys Arg  
 65 70 75 80

His Asn Thr Gln Asn His His Thr Ala Thr Pro Ala His Arg Arg Gln  
 85 90 95

Arg Thr Arg Arg Glu Gln Lys Glu Lys Gly Gln Gln Lys Lys Ala Ser  
 100 105 110

Ser Thr Ile Thr Thr Gln Ser His Asp Lys Lys Arg Arg Thr Met Thr  
 115 120 125

Lys Thr Ser Ser Ser Thr Arg His Arg Gln Asp Lys Ser Lys Lys Asp  
 130 135 140

Arg Thr Arg Gln Lys Thr Thr Arg Asp Glu Thr Thr Lys Lys Pro His  
 145 150 155 160

Lys Lys Ala Ser Glu Asn Lys Asn Gln Leu Thr  
 165 170

<210> 283  
 <211> 90  
 <212> PRT  
 <213> Homo sapien

<400> 283

Met Asn Ala Thr Val Leu Ser Val Phe Lys Ala Lys Leu Leu Trp Lys  
 1 5 10 15

Leu Gly Gly Gly Pro Pro Cys Gly Pro Pro Ala Ala Leu Cys Leu Pro  
 20 25 30

Leu Gly Ala Pro Glu Leu Met Pro Val Val Ile Ser Ala Met Leu Asp  
 35 40 45

231

Ala Arg Ser Gln Arg Ser Ala Ser Leu Ser Gln Leu Ala Cys Ala Ala  
 50 55 60

Leu Thr Trp Leu Pro Ala Val Leu Arg Asn Leu His Trp Trp Asp Lys  
 65 70 75 80

Gly Met Lys Arg Ile Asn Lys Asp Leu Lys  
 85 90

<210> 284  
 <211> 154  
 <212> PRT  
 <213> Homo sapien

<400> 284

Lys Glu Ala Pro Ser Ser Gln Asp Ile Leu Val Phe Leu Thr Gly Gln  
 1 5 10 15

Glu Glu Ile Glu Ala Met Ser Lys Thr Cys Arg Asp Ile Ala Lys His  
 20 25 30

Leu Pro Asp Gly Cys Pro Ala Met Leu Val Leu Pro Leu Tyr Ala Ser  
 35 40 45

Leu Pro Tyr Ala Gln Gln Leu Arg Val Phe Gln Gly Ala Pro Lys Gly  
 50 55 60

Tyr Arg Lys Val Ile Ile Ser Thr Asn Ile Ala Glu Thr Ser Ile Thr  
 65 70 75 80

Ile Thr Gly Ile Lys Tyr Val Val Asp Thr Gly Met Val Lys Ala Lys  
 85 90 95

Lys Tyr Asn Pro Asp Ser Gly Leu Glu Val Leu Ala Val Gln Arg Val  
 100 105 110

Ser Lys Thr Gln Ala Trp Gln Arg Thr Gly Arg Ala Gly Arg Glu Asp  
 115 120 125

Ser Gly Ile Cys Tyr Arg Leu Tyr Thr Glu Asp Glu Phe Glu Lys Phe  
 130 135 140

Asp Lys Met Thr Val Pro Glu Ile Gln Arg  
 145 150

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number  
**WO 02/068633 A3**

(51) International Patent Classification<sup>7</sup>: **C12N 15/09**,  
C12Q 1/68, G01N 33/574, C07K 14/47

(US). **LIU, Chenghua** [CN/US]; 1125 Ranchero Way, #14,  
San Jose, CA 95117 (US).

(21) International Application Number: PCT/US01/43612

(74) Agents: **LICATA, Jane, Massey et al.**; Licata & Tyrrell  
P.C., 66 E. Main Street, Marlton, NJ 08053 (US).

(22) International Filing Date:

21 November 2001 (21.11.2001)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,  
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,  
ZW.

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/252,500 22 November 2000 (22.11.2000) US

(63) Related by continuation (CON) or continuation-in-part  
(CIP) to earlier application:

US 60/252,500 (CIP)  
Filed on 22 November 2000 (22.11.2000)

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,  
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent  
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,  
NE, SN, TD, TG).

Published:

— with international search report

(71) Applicant (*for all designated States except US*): **DI-  
ADEXUS, INC.** [US/US]; 343 Oyster Point Boulevard,  
South San Francisco, CA 94080 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **MACINA, Roberto**,  
A. [AR/US]; 4118 Crescendo Avenue, San Jose, CA 95136  
(US). **RECIPON, Herve** [FR/US]; 85 Fortuna Avenue,  
San Francisco, CA 94115 (US). **CHEN, Sei-Yu** [—/US];  
160 Mira Street, Foster City, CA 94404 (US). **SUN, Yong-  
ming** [CN/US]; 551 Shoal Drive, Redwood City, CA 94065

(88) Date of publication of the international search report:  
27 March 2003

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

WO 02/068633 A3

(54) Title: COMPOSITIONS AND METHODS RELATING TO LUNG SPECIFIC GENES AND PROTEINS

(57) Abstract: The present invention relates to newly identified nucleic acids and polypeptides present in normal and neoplastic lung cells, including fragments, variants and derivatives of the nucleic acids and polypeptides. The present invention also relates to antibodies to the polypeptides of the invention, as well as agonists and antagonists of the polypeptides of the invention. The invention also relates to compositions comprising the nucleic acids, polypeptides, antibodies, variants, derivatives, agonists and antagonists of the invention and methods for the use of these compositions. These uses include identifying, diagnosing, monitoring, staging, imaging and treating lung cancer and non-cancerous disease states in lung, identifying lung tissue, monitoring and identifying and/or designing and antagonists of polypeptide of the invention. The uses also include gene therapy, production of transgenic animals and cells, and production of engineered lung tissue for treatment and research.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/43612

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/09 C12Q1/68 G01N33/574 C07K14/47

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12Q G01N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, EMBL, BIOSIS, MEDLINE, PAJ, WPI Data, SEQUENCE SEARCH

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE EMBL [Online] 2 July 2000 (2000-07-02) DIAS NETO E. ET AL.: "QV0-HT0368-090200-099-d10 HT0368 Homo sapiens cDNA, mRNA sequence." retrieved from EBI Database accession no. BE156557 XP002204032 99.3% identity (100% ungapped) in 309 nt overlap (338-31:20-327) with SEQ ID NO:1. abstract -&amp; EMANUEL DIAZ NETO ET AL: "SHOTGUN SEQUENCING OF THE HUMAN TRANSCRIPTOME WITH ORF EXPRESSED SEQUENCE TAGS" PNAS, vol. 97, no. 7, 28 March 2000 (2000-03-28), pages 3491-3496, XP000996193 the whole document</p> <p>-/--</p>	1,2,4-8, 15

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

7 August 2002

Date of mailing of the international search report

07.11.2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Schmitz, T

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/43612

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>---            DATABASE EMBL [Online]            16 February 2000 (2000-02-16)            PHILLIMORE, B.: "Human DNA sequence from            clone RP11-427L15 on chromosome 10"            retrieved from EBI            Database accession no. AL139407            XP002204033            99.3% identity (100% ungapped) in 309 nt            overlap (338-31:11807-12114) with SEQ ID            NO:1.            abstract</p>	1,2,4-8
X,P	<p>---            WO 01 22920 A (HUMAN GENOME SCIENCES INC            ;ROSEN CRAIG A (US); BARASH STEVEN C (US)            5 April 2001 (2001-04-05)            SEQ ID NO:969: 99.3% identity (100%            ungapped) in 309 nt overlap            (31-338:827-1134) with SEQ ID NO:1.</p>	1-17
A	<p>---            WO 00 08206 A (MACINA ROBERTO A ;SUN            YONGMING (CN); YANG FEI (CN); RECIPON            HERVE) 17 February 2000 (2000-02-17)            the whole document</p>	
A	<p>---            WO 99 60160 A (DIADEXUS LLC ;SUN YONGMING            (US); YANG FEI (US); MACINA ROBERTO A ()            25 November 1999 (1999-11-25)            the whole document            -----</p>	

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 01/43612

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Although claim 16 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  
1-17 all partially

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims 1-17 (all partially)

A nucleic acid molecule as defined by SEQ ID NO:1.

Further vectors and host cells comprising said nucleic acid sequence. Polypeptides encoded by said nucleic acid sequence, a method of producing said polypeptide, an antibody binding to said polypeptide. Methods for determining the presence of said nucleic acid or polypeptide in a sample. A kit, a vaccine and methods of treatment and diagnosis involving said nucleic acid or polypeptide.

Invention 2: claims 1-17 (all partially)

As subject 1, but referring to SEQ ID NO:2

Invention 3: claims 1-17 (all partially)

As subject 1, but referring to SEQ ID NO:3

·  
·  
·

Invention 164: claims 1-17 (all partially)

As subject 1, but referring to SEQ ID NO:164

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/43612

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0122920	A	05-04-2001	AU 7721500 A WO 0122920 A2	30-04-2001 05-04-2001
WO 0008206	A	17-02-2000	EP 1104486 A1 JP 2002522046 T WO 0008206 A1	06-06-2001 23-07-2002 17-02-2000
WO 9960160	A	25-11-1999	CA 2328138 A1 EP 1082459 A1 JP 2002515262 T WO 9960160 A1	25-11-1999 14-03-2001 28-05-2002 25-11-1999